Characteristic Total White Black (N=6,036)ΑII Heterosexual Mixed-Gay ΑII Heterosexual Mixed-Gay (N=29) (N=3,628)(N=2.846)oriented (N=53)(N=1.446)(N=1,225)oriented

(N=729)

TABLE 1. Selected characteristics of female respondents, National Longitudinal Study of Adolescent Health, Waves 3 (2001–2002) and 4 (2007–2008),

Male, before 18	2.7 (2.4–2.9)	2.7 (2.5–2.9)	2.2 (2.0–2.4)	4.6 (3.8–5.4)†	2.5 (0.9–4.2)	2.8 (2.3–3.3)	2.5 (1.9–3.0)	5.4 (4.1–6.8)†	1.9 (1.2–2.7)
Female, before 18	0.1 (0.1–0.1)	0.1 (0.1–0.1)	0.0 (0.0–0.0)	0.2 (0.1–0.3)†	1.0 (0.5–1.5)†	0.0 (0.0–0.1)§	0.0 (0.0–0.0)	0.2 (0.1–0.3)†	0.7 (0.0–1.3)†
Male, ever	9.8 (9.2–10.5)	10.2 (9.4–11.1)	8.3 (7.8–8.8)	18.1 (14.4–21.7)†	5.5 (2.5–8.4)*	9.8 (8.8–10.8)	8.8 (7.8–9.7)	18.2 (14.2–22.3)†	8.7 (4.4–12.9)

(37.7-47.9)*

(9.6-16.2)†

(1.0-4.2)†

(1.7-4.9)†

(13.6-21.1)†

(41.3-50.3)†

(16.5-23.2)†

(28.0-28.6)†

(5.0-10.8)

(8.7-14.8)

(76.0 - 84.6)

(60.0-69.0)†

12.9

2.6

3.3

17.3

45.8

19.8

28.3

7.9

11.8

80.3

64.5

*Significantly different from heterosexual whites at p<.10.†Significantly different from heterosexual whites at p<.05.‡Significantly different from whites of all orientations at p<.10. §Significantly different from whites of all orientations at p<.05.**Significantly different from heterosexual whites at p<.001.††Restricted to sexually active women. Notes: Unless otherwise

0.6 12.5 0.6 0.1 1.6 (0.4-0.7)(0.4-0.8)(0.1-0.1)(1.0-2.2)† (4.8-20.2)†

22.1

37.3

5.4

0.1

0.1

10.2

29.2

11.4

28.7

5.8

12.2

82.1

6.5

(34.7 - 39.9)

(4.2-6.5)

(0.0-0.1)

(0.0-0.1)

(8.8-11.7)

(27.3 - 31.2)

(9.8-13.0)

(28.4 - 28.9)

(4.1-7.4)

(9.9-14.4)

(79.1 - 85.0)

(4.7 - 8.3)

by race, ethnicity and sexual orientation

24.2

40.4

7.6

1.1

2.6

14.5

36.9

14.4

28.6

6.9

13.4

79.8

17.8

orientation between waves (16.1–19.4)

(22.5-26.0)

(38.2 - 42.5)

(6.6 - 8.7)

(0.1-1.5)

(1.9 - 3.2)

(13.0-16.0)

(34.5 - 39.2)

(13.0-15.7)

(28.4 - 28.7)

(5.4 - 8.3)

(11.7-15.0)

(77.2 - 82.3)

noted, data are percentages. Figures in parentheses are 95% confidence intervals.

26.1

38.0

7.1

1.3

1.3

11.6

32.3

13.1

28.6

5.8

12.6

81.6

19.1

(24.0 - 28.1)

(35.5-40.3)

(6.0 - 8.3)

(0.8-1.8)

(0.1-1.8)

(10.1-13.0)

(30.4 - 34.1)

(11.6-14.6)

(28.3 - 28.9)

(4.2-7.4)

(10.3 - 14.2)

(78.8 - 84.4)

(17.0-21.2)

Mean no. of partners

Female, ever

Ever had forced sex

Ever used condom in

past 12 mos.††

Ever incarcerated

Ever injected drugs

Ever had STD By Wave 3

By Wave 4

Education <high school

>high school

Changed sexual

Ever had commercial sex

In 12 mos. before Wave 4

Mean age (Wave 4)

High school graduate

40.4 (20.1 - 24.1)(35.4-45.3)† 42.8

43.1 (27.2-58.9)† 11.2 (2.7-19.7)†

20.8

7.8

2.0

5.8

12.6

12.4

28.6

3.4

22.3

74.3

73.8

(7.0-34.5)†

(0.0-17.2)

(0.0-6.8)

(0.0-14.9)

(1.7-23.5)†

(1.5-23.2)

(28.0-29.2)

(0.0-10.0)

(7.0-37.6)

(58.2 - 90.3)

(59.6-88.0)†

0.4 (0.2-0.7)19.1 (15.3-22.8)§ 50.7 (47.3-54.1)§

9.2

0.0

8.4

28.3

59.6

19.1

28.8

8.8

15.7

75.5

11.9

(6.4-12.1)

(0.0-0.0)§

(5.7-11.0)†

(25.0-31.5)§

(55.9-63.3)§

(16.4-21.8)§

(28.4 - 29.2)

(6.1-11.6)‡

(12.0-19.3)‡

(70.6-80.3)§

(9.6-14.1)§

0.1 (0.0-0.1)17.7 (14.1-21.3)† 50.4 (46.8-54.1)+ 84

(5.8-11.0)†

(0.1-0.1)†

(4.8-10.0)†

(24.2 - 30.8) †

(54.3-62.2)†

(15.4-21.0)†

(28.4 - 29.3)

(5.9-11.6)†

(12.1-20.3)*

(69.7 - 80.4)*

(1.4-4.5)†

0.1

7.4

27.5

58.3

18.2

28.8

8.7

16.2

75.1

2.9

(N=192)

1.3

28.3

52.7

16.5

0.0

15.5

35.1

74.0

28.1

28.5

9.4

9.7

80.9

71.7

(0.9-1.7)†

(18.7 - 37.9)

(42.6-62.8)†

(8.2-24.7)†

(0.0-0.0)†

(8.1-23.0)†

(24.5-45.6)†

(66.3 - 81.7) †

(19.4-36.7)†

(28.0 - 28.9)

(2.3-16.4)

(4.0-15.4)

(73.0 - 88.9)

(63.5 - 79.8)†

11.6

28.5

49.6

8.0

0.0

10.6

24.4

38.7

7.3

28.3

13.3

25.3

61.4

83.9

(3.0-20.1)**

(7.0-50.0)

(24.5 - 74.7)

(0.0-22.3)

(0.0-0.0)†

(0.0-26.3)

(0.0-50.3)

(10.5-67.0)

(0.0-18.0)

(27.3-29.4)

(0.0-30.9)

(0.1-50.1)

(36.1-86.7)*

(64.0-100.0)†

All (N=962)	Heterosexual (N=791)	Mixed- oriented (N=150)	Gay (N=21)
2.2	1.9	3.7	1.4
(1.7–2.8)‡	(1.3–2.5)	(2.4–5.1)†	(0.0–3.1)
0.1	0.0	0.2	0.7
(0.0–0.1)	(0.0–0.1)	(0.0-0.4)*	(0.1–1.2)†
7.4	6.0	14.1	5.0
(6.1–8.7)§	(5.1–7.0)†	(10.0–18.1)†	(2.3–7.7)†
0.4	0.1	1.3	3.5
(0.3-0.5)§	(0.1–0.1)	(0.7–1.9)†	(1.1–5.8)†
19.9	16.7	34.9	19.2
(14.9–25.0)	(11.9–21.4)†	(23.7–46.1)†	(0.0–40.6)
41.9	40.1	51.0	31.6
(36.8–47.0)	(33.6–46.6)	(38.1–63.8)†	(1.3–61.8)
8.7	8.0	11.6	9.9
(5.7–11.7)	(4.7 –11.3)	(5.5–17.8)†	(0.0–22.3)
1.4	1.3	1.4	7.0
(0.3–2.5)	(0.0–2.4)	(0.0–3.5)	(0.0–20.8)
2.3	2.2	3.3	0.4
(0.8–3.9)	(0.0–4.0)	(0.0–6.7)	(0.0–1.2)
14.0	12.1	22.6	13.8
(10.3–17.7)	(8.2–16.0)	(13.5–31.6)†	(0.0–42.4)
34.6	31.3	51.5	20.3
(28.5–40.8)	(24.4–38.2)	(41.0–62.0)†	(0.0–33.6)
16.0	16.1	17.4	0.0
(11.5–20.4)	(10.5–21.6)	(11.1–23.8)*	(0.0-0.0)†
28.6	28.7	28.6	28.1
(28.2–29.1)	(28.1–29.2)	(28.0–29.1)	(27.2–29.1)
8.7	8.9	6.5	21.9
(5.7–11.7)	(5.1–12.6)	(0.9–12.2)	(0.0–52.6)
17.3	18.6	13.1	3.7
(13.3–21.3)§	(14.0–23.1)†	(5.3–20.9)	(0.0–11.0)†
74.0	72.6	80.4	74.4
(69.5–78.4)§	(67.5–77.6)†	(71.9–88.9)	(44.3–100.0)
17.6	6.0	64.4	73.3
(14.4–20.9)	(4.0–7.9)	(53.4–75.4)†	(45.4–100.0)†

Characteristic Total (N=5.009)

Mean no. of partners Male, before 18

Female, before 18

Ever used condom

in past 12 mos.**

Ever incarcerated

Ever injected drugs

Ever had STD

By Wave 3

By Wave 4

Education

<high school

>high school

between waves

Ever had commercial sex

In 12 mos. before Wave 4

Mean age (Wave 4)

High school graduate

Changed sexual orientation

Male, ever

by race, ethnicity and sexual orientation

0.1 (0.0-0.2)3.6 (3.1-4.1)0.9

51.2

24.2

2.1

6.9

5.7

16.0

5.0

28.9

10.0

20.4

69.6

6.2

(48.6 - 53.8)

(21.9-26.5)

(1.6-2.7)

(5.8 - 8.0)

(4.7-6.7)

(14.2-17.7)

(4.1-5.8)

(28.6 - 29.1)

(8.4-11.7)

(17.9 - 22.9)

(66.1 - 73.1)

(4.9-7.5)

(0.6-1.1)

(0.0-0.1)3.3 (2.8 - 3.8)0.7 (0.4-1.1)15.4 (14.4 - 16.5)3.6 (2.9-4.4)

48.6

21.7

2.7

4.7

4.5

12.1

3.9

28.8

8.1

19.1

72.8

6.9

(19.3-24.2)

(1.9 - 3.5)

(3.8-5.7)

(3.5-5.5)

(10.6-13.6)

(2.9-4.9)

(28.5 - 29.1)

(6.5 - 9.8)

(16.4-21.8)

(69.1 - 76.4)

(5.2 - 8.6)

White

(N=3,096)

0.1

ΑII

3.4 (2.9 - 4.0)0.1 (0.1-0.2)47.3 (45.6 - 51.6)(44.4 - 50.3)21.7

2.3 (1.0-3.5)*1.6 (0.8-2.3)†62.3 (52.2 - 72.4) †

TABLE 2. Selected characteristics of male respondents, National Longitudinal Study of Adolescent Health, Waves 3 (2001–2002) and 4 (2007–2008),

Mixed-

oriented

(N=141)

0.4

Heterosexual

(N=2,883)

0.0

(0.0-0.0)

(19.6-23.9)

(1.9 - 3.5)

(3.4-5.3)

(3.4 - 5.4)

(10.1 - 13.1)

(2.6-4.7)

(28.5 - 29.1)

(6.6-10.0)

(17.1-22.6)

(68.2 - 75.5)

(1.7-3.5)

2.7

4.4

4.4

11.6

3.7

28.8

8.3

19.8

71.9

2.6

**Restricted to sexually active men. Notes: Unless otherwise noted, data are percentages. Figures in parentheses are 95% confidence intervals.

(0.2-0.6)† (13.2 - 37.5)

Gay

(N=72)

2.6 (1.2-4.0)†0.6 (0.3-0.9)†24.7 (11.3-38.1)†1.9 (0.9 - 3.0) +3.6 (0.0 - 9.0)74.7 (63.3 - 86.0) †13.5 (1.4-25.7)4.7 (0.0-10.7)

5.2

9.5

24.8

8.0

28.7

1.5

10.5

87.9

61.1

(0.0-11.5)

(1.5-17.6)†

(12.7 - 36.9)

(0.5-15.5)

(28.1 - 29.3)

(0.0-3.8)†

(0.0-21.7)*

(76.6 - 99.2)†

(43.5-78.8)†

Black

(N=1,020)

0.3

4.9

1.3

62.5

31.0

0.4

17.1

12.9

33.5

8.8

29.1

14.3

26.2

59.6

4.2

(9.7-16.1)§

(29.0-38.1)§

(6.6-11.1)§

(28.7 - 29.6)

(10.3-18.2)§

(20.3-32.0)§

(51.7-67.4)§

(2.9-5.5)§

(0.0-0.8)

ΑII

0.0 (0.0-0.0)(3.7-6.2)§ (0.5-2.1)(58.2-66.8)§ (24.5-37.6)§ (0.0-0.8)§ 17.8 (12.6-21.6)§ (13.1-22.6)†

5.1 (3.8-6.5)†0.3 (0.0-0.5)24.5 (19.3-29.8)7.4 (4.7-10.1)†62.0 (13.5-22.5)†32.1 (25.5-38.8)†0.3 (0.0-0.7)†

12.9

32.3

8.0

29.1

14.2

26.8

59.0

1.2

(9.7-16.0)†

(27.9-36.9)†

(5.6-10.5)†

(28.7 - 29.6)

(10.1-18.4)†

(20.7-32.9)†

(50.8-67.2)†

(0.4-1.9)†

Heterosexual

(N=964)

Mixed-

(N=27)

0.7

(0.0-1.5)*

oriented

Gay

(N=29)

11.4

0.5

35.9

70.7

2.4

0.0

2.6

9.7

39.7

5.2

28.9

14.3

8.0

85.0

47.5

(44.3 - 97.2)*

(0.0-6.4)†

(0.0-0.0)†

(0.0-6.6)

(0.0-21.4)

(12.6-66.9)†

(0.0-10.9)

(28.1 - 29.9)

(0.0-35.5)

(0.0-2.2)†

(63.8-100.0)

(18.5-76.5)†

(0.0-30.8)

(0.0-1.0)†

2.3 (0.9 - 3.8)4.2 (0.2 - 8.2) †(10.5-61.3)†8.8 (5.2-12.4)†18.1 (0.0-38.2)74.4 (52.9 - 95.8) †18.1 (0.0 - 38.2)2.8 (0.0-8.2)

9.8

17.0

68.6

41.0

28.7

15.5

27.4

57.1

71.2

(0.0-25.3)

(0.0-35.8)

(47.1-90.1)†

(16.3-65.7)†

(27.9 - 29.4)

(0.0-35.4)

(2.5-52.4)

(30.3 - 83.9)

(48.3 - 95.0)

Female, ever 16.7 15.9 12.7 23.4 1.1 (15.4 - 18.1)(14.7 - 17.0)(7.8-17.6)(18.3 - 28.6)(0.3-1.9)+4.4 3.4 8.4 7.7 18.0 Ever had forced sex (3.6-5.2)(2.6-4.2)(3.2-13.6)*(5.1-10.3)§ (0.0-40.0)

25.3

1.1

11.4

2.9

16.3

7.4

28.7

7.8

7.9

84.3

69.2

*Significantly different from heterosexual whites at p<.10.†Significantly different from heterosexual whites at p<.05.§Significantly different from whites of all orientations at p<.05.

(0.0-5.7)

(8.9-23.6)

(1.1-13.7)

(28.0-29.3)

(2.3-13.3)

(2.2-13.6)†

(76.4 - 92.2)†

(58.3-80.0)†

(0.0-2.3)†

(3.6-19.1)*

Hispanic

AII (N=893)	Heterosexual (N=827)	Mixed- oriented (N=33)	Gay (N=33)
0.1	0.0	0.2	3.3
(0.0–0.2)	(0.0–0.0)	(0.0–0.4)	(0.3–6.3)†
3.6	3.8	3.4	0.4
(2.3–5.0)	(2.3–5.2)	(0.4–6.4)	(0.0-0.9)†
1.1	0.1	3.0	28.5
(0.5–1.8)	(0.0–0.2)	(1.4–4.6)†	(14.3–42.7)†
16.7	17.4	12.3	0.8
(12.6–20.7)	(13.0–21.7)	(5.5–19.1)	(0.0–1.4)†
5.1	4.3	8.3	25.9
(2.9–7.4)	(2.2–6.5)	(0.0–19.6)	(2.9–49.0)*
52.9	52.0	41.6	92.2
(48.0–57.8)	(46.9–57.1)*	(21.2–61.8)	(80.3–100.0)†
30.4	30.6	46.9	7.9
(24.9–35.9)§	(25.0–36.2)†	(9.8–84.0)	(0.0–22.3)†
0.9	0.9	0.3	0.0
(0.1–1.7)§	(0.0–1.8)†	(0.0–1.0)†	(0.0–0.0)†
7.4	4.3	5.6	0.0
(4.2–10.6)	(2.2–6.5)*	(0.0–14.6)	(0.0-0.0)†
4.2	4.0	5.4	10.2
(2.3–6.1)	(2.0–6.0)	(0.0–15.2)	(0.0–29.7)
17.5	16.6	13.3	49.0
(13.5–21.5)§	(12.7–20.6)*	(0.0–30.9)	(21.2–76.9)†
6.4	5.4	7.5	34.6
(4.4–8.4)§	(3.5–7.4)	(0.0–21.8)	(4.6–64.7)†
29.0	29.0	29.0	28.8
(28.5–29.5)	(28.5–29.5)	(28.2–29.8)	(27.9–29.8)
15.8	16.3†	7.9	7.4
(11.5–20.1)§	(11.7–21.0)	(0.0–23.1)	(0.0–21.8)
20.9	21.4	13.7	10.9
(15.9–25.8)	(16.2–26.6)	(0.0–32.4)	(0.0–30.3)
63.3	62.2	78.4	81.7
(57.3–69.3)§	(56.2–68.2)†	(54.0–100.0)	(59.8–100.0)
4.6	1.7	50.8	42.7
(2.8–6.4)§	(0.4–3.1)	(28.8–72.9)†	(12.6–72.3)†

characteristics, by gender

TABLE 3. Odds ratios or coefficients from multivariate regression analyses assessing associations between STD and HIV risk factors and selected

Characteristic	vvaves	wave 4	partiters	mearecrated	TOTCCU SCX	arugs	past 12 mos.	sex
FEMALES								
Interactions								
White x heterosexual (ref)	1.00	1.00	na	1.00	1.00	1.00	1.00	1.00
White x mixed-oriented	1.77***	1.84***	11.90***	2.08***	2.38***	2.04	0.99	3.24*
White x gay	0.61	0.31*	10.09**	3.58**	2.66**	6.39*	0.16***	1.71
Black x heterosexual	2.96***	3.37***	0.38	1.49†	0.74*	0.05**	1.82***	9.55***

6.14*** 6.43*** 11.77*** 6.15* 1.29 12.52* Hispanic x heterosexual 1.20 1.08 -2.28*** 2.33*** 7.55** Hispanic x mixed-oriented 2.05* Hispanic x gay 0.82

na

0.97

1.00

0.97

1.32

na

1.00

0.86

8.30***

2.91***

5.97***

3.20

1.00

1.80

u

na

0.98

1.00

1.06

na

1.89***

Changed sexual orientation between waves

Age

Education >high school (ref)

<high school

Constant

White x gay

Black x gay

Age

Education >high school (ref)

<hiah school

Constant

High school graduate

Hispanic x gay

MALES Interactions White x heterosexual

High school graduate

White x mixed-oriented

Hispanic x heterosexual

Hispanic x mixed-oriented

Changed sexual orientation between waves

Black x heterosexual Black x mixed-oriented 1.31 0.51

0.98

1.00

1.04

1.49*

na

1.00

1.34

2.31*

3.64***

15.18***

4.58*

1.51*

1.08

1.15

1.03

1.00

0.92

1.10

na

6.88***

1.18

-0.800.40*

1.00

0.73

0.63

1.94

na

0.07

12.31†

-1.03

21.70+

1.26

0.61

14.22*

-2.95

0.61†

1.00

-1.52

2.51

6.43

*p<.05.**p<.01.***p<.001.tp<.10.Notes: All figures are odds ratios except those for "Total no. of partners," which are beta coefficients. ref=reference group. na=not applicable. u=unavailable.

8.55**

0.89 1.38 1.85+ 1.21 1.44† 1.03

1.00

2.20***

4.02***

na

1.00

1.08

0.56

0.51

1.51**

0.07**

1.40*

1.40

0.29

1.42

0.99

1.00

2.13***

4.79***

na

0.70* 1.88* 0.79 1.02 1.04 1.00

1.04

na

1.00

1.16

3.21

6.84*

1.27

2.74

0.90

0.98

1.00

1.24

1.22

na

10.67***

2.86**

2.22***

1.50**

1.16 5.24 1.89 0.93 1.00 1.62 1.79

na

1.00

0.21*

1.08

0.53

u

0.32*

0.07*

u

2.26

1.06

1.00

0.84

1.81†

na

0.12***

1.65* 1.22 1.22 1.36 0.54 1.10 0.90*** 1.00 0.73* 0.48*** na

1.00

1.76*

3.26**

3.00***

3.30

4.83†

1.46**

1.01

24.20**

1.31

1.00

0.77*

0.80

na

0.84***

3.12

0.32

1.60

1.08

1.00

1.69†

1.98*

na

1.00

2.19

0.98

0.86

0.45

1.69

0.99

u

1.55

1.00

1.23

1.78*

na

1.22***

4.34***

16.94*** Black x mixed-oriented 2.73** 1.37 0.11+ Black x gay 1.36 9.11* u 1.45 2.61+

Characteristic	wave 3	vvave 4	partners	incarcerated	iorcea sex	arugs	past 12 mos.	sex
FEMALES Interactions White x heterosexual (ref) White x mixed-oriented	1.00 1.77***	1.00 1.84***	na 11.90***	1.00 2.08***	1.00 2.38***	1.00 2.04	1.00 0.99	1.00 3.24*
White x gay	0.61	0.31*	10.09**	3.58**	2.66**	6.39*	0.16***	1.71

Characteristic	Ever had STD, Wave 3	Ever had STD, Wave 4	Total no. of partners	Ever incarcerated	Ever had forced sex	Ever injected drugs	Ever used condom in past 12 mos.	Ever had commerc sex
FEMALES Interactions White y beteroseyual (ref.)	1.00	1.00	na	1.00	1.00	1.00	1.00	1.00

Characteristic	Wave 3	Wave 4	partners	incarcerated	forced sex	drugs		commercial sex
FEMALES								
Interactions								
White x heterosexual (ref)	1.00	1.00	na	1.00	1.00	1.00	1.00	1.00

naracteristics, by gender								
Characteristic	Ever had STD, Wave 3	Ever had STD, Wave 4	Total no. of partners	Ever incarcerated	Ever had forced sex	Ever injected drugs		Ever had commercial sex
EMALES nteractions (/bitox/botorecovus) /ref)	1.00	1.00	na	1.00	1.00	1.00	1.00	1.00