TABLE 1. Percentage of parous low-income pill users who reported fertility-related preferences, by selected characteristics, Border Contraceptive Access Study, El Paso, Texas, 2006-2008 Characteristic Ν Want no more Want no more Want a children children nine sterilization at baseline months later nine months later

All	801	55.7	64.5	46.3	
Age					
18–24	159	28.3	34.0	22.0	
25–34	359	48.8	58.5	43.5	
35–44	283	79.9	89.4	63.6	

18-24	159	28.3	34.0	22.0	
25-34	359	48.8	58.5	43.5	
35-44	283	79.9	89.4	63.6	
No. of children					
1	161	20.5	23.6	13.0	
2	267	48.3	64.4	39.7	

54.1

65.7

72.2

74.9

67.1

61.1

53.2

45.1

60.0

78.6

52.2

66.6

57.4

71.2

Marital status			
≥3	373	76.1	82.3
2	267	48.3	64.4
1	161	20.5	23.6

Marital status		
Never-married	122	43.4
Married/in consensual union	600	57.2
Previously married	79	63.3

Previously married	79	63.3	
Education			
<high school<="" td=""><td>179</td><td>68.2</td><td></td></high>	179	68.2	
Some high school	258	58.5	
Completed high school	200	E1 /	

Yes

No

Source of pills U.S. (clinic)

Mexico (over the counter)

did not differ by marital status.

\riigi13C1001	1//	00.2	
Some high school	258	58.5	
Completed high school	208	51.4	
≥some college	156	42.3	

Country of birth/country of last year of education					
≥some college	156	42.3			
Completed high school	208	51.4			
Joine High School	230	30.3			

≥some college	156	42.3					
Country of birth/country of last year of education							
15/115	175	41 1					

Country of birth/country of last year of education							
J.S./U.S.	175	41.1					
Movico/LLS	200	50.3					

Country of birth/country of last year of education						
U.S./U.S.	175	41.1				
Mexico/U.S.	290	50.3				
Either/Movice	226	67.0				

country or bir till country or last year or caucation				
J.S./U.S.	175	41.1		
Mexico/U.S.	290	50.3		
Either/Mexico	336	67.9		

U.S./U.S.	1/5	41.1	
Mexico/U.S.	290	50.3	
Either/Mexico	336	67.9	

0.3./0.3.	1/3	41.1	
Mexico/U.S.	290	50.3	
Either/Mexico	336	67.9	

U.S./U.S.	1/5	41.1	
Mexico/U.S.	290	50.3	
Either/Mexico	336	67.9	

Has insurance			
Either/Mexico	336	67.9	
Mexico/U.S.	290	50.3	

115

686

385

416

48.7

56.9

48.6

62.3

Note: Percentages reporting each preference differed by characteristic at p<.05, with two exceptions: The percentages wanting no more children nine months later and wanting a sterilization nine months later

28.6 44.1 57.4 32.2

65.4

38.5

47.7

48.1

57.5

50.8

42.8

30.8

48.7

41.8

50.5

intervals) from logistic regression analysis examining associations between parous low-income pill users' desire to undergo sterilization and selected characteristics

TABLE 2. Adjusted odds ratios (and 95% confidence

Characteristic	Odds ratio	
Age 18–24 (ref)	1.00	
25–34 35–44	1.55 (0.97–2.49) 2.65 (1.61–4.37)	

1.37 (0.88-2.14)

1.75 (1.13-2.73)

No. of children
1 (ref)
2
3.62 (2.12–6.16)
22
3.62 (4.02, 14.2)

≥3 8.35 (4.92–14.2)

Country of birth/country of last year of education
U.S./U.S.(ref) 1.00

Mexico/U.S. Either/Mexico

Note: ref=reference group.

Reason Any* Most important

80.0

40.8

TABLE 3. Percentage of parous low-income pill users, by

reasons for not wanting more children

Has all the children she wants

follow-up.

Health/age	42.5	25.0	
Wants to work/go to school	39.2	14.2	
Cannot afford another child	36.7	15.8	

Partner wants no more children 175 2.5 9.2 1.7

Children are a lot of work Does not have a partner 4.2 0.0

*Participants could provide more than one reason, Note: Percentages are based on 120 women who still wanted sterilization at the 18-month