Practice

Using reversible methods

Periodic abstinence

Pill

ILID

Condom Vaginal methods

Withdrawal

Sterilizedt

Sterilized±

Pregnant

Has no partner

Has partner and wants another childs

Has partner and wants no more children

Population (in 000s)

"Don't know." Note: See note to Table 1.

Sterile

Total

Female

Male

Other/not stated

Not using a method

Wants to become pregnant

tice, according to cohabitation status

All (N

All (N=2,944) **64.4**

36.3

16.0

4 1

45

0.6

24

0.4

4.3

4 1

0.2

31.3

28

3.8

43

4 0

24

3.0

100.0

12.536

111

Women

Table 2. Percentage distribution of women and men aged 20-49, by current contraceptive prac-

Nο

(N=1.171)

50.9

36.9

65

15

44

0.4

1 1

0.1

24

24

0.0

46.7

12

1 4

0.7

1.3

35.8

35

2.9

100.0

3.678

Cohabiting

(N=1.773)

70 O

36.1

20.0

52

46

0.6

3.0

0.5

5 1

48

0.3

24 9

34

48

5.8

5.1

0.9

19

3 1

100.0

*Either married or unmarried, †For contraceptive purposes, ‡For health purposes only (nearly always female sterilization), \$Including

8.858

Yes*

Men

(N=1 941)

62 5

33.6

135

43

84

0.4

21

02

3.4

3 1

0.3

34 1

15

3.6

42

3.1

15.3

26

3.9

100.0

12.432

Cohabiting

(N=1 201)

70.6

37.6

197

5.3

42

0.6

3.0

02

5.0

46

0.4

24 4

22

5.2

62

45

0.6

1 4

45

100.0

8.282

Nο

(N=740)

46 6

25.6

1 0

22

0.1

0.5

0.2

0.0

0.0

0.0

53 4

0.0

0.4

0.4

0.3

49

2.9

100.0

4.150

44 6

17 N

Yes*

ΔΙΙ