Characteristic	Tubal	Vasectomy	Pill	Condom	IUD	Other†	Total‡	N
	ligation	,				•	•	
Age								
18–24	0.2	0.4	17.5	75.8	0.5	5.6	100.0	359
25–29	2.5	3.5	26.4	63.5	0.3	3.8	100.0	273
30–34	9.4	19.4	25.9	38.2	2.4	4.7	100.0	332
35–39	20.3	31.1	16.1	26.5	2.2	3.7	100.0	358
40–44	27.3	38.3	5.7	21.0	4.1	3.5	100.0	295
>45	40.5	37.9	4.9	10.8	3.7	2.1	100.0	402
Chi-square (df=25)						867.4***		
Marital status								
Married/cohabiting	25.5	30.1	19.5	18.8	3.0	3.1	100.0	1,393
Formerly married	0.0	35.5	1.2	52.1	2.0	9.2	100.0	86
Never-married	0.0	0.5	7.9	86.2	0.3	5.0	100.0	540
Chi-square (df=10)						449.8***		
Number of children								
0	1.8	1.9	20.6	70.5	0.4	4.8	100.0	717
1	12.7	10.8	26.7	41.5	2.1	6.3	100.0	249
≥2	29.5	39.1	9.6	15.5	3.5	2.7	100.0	1,054
Chi-square (df=10)						892.0***		
Intend to have more ch	nildren							
Yes	0.0	0.8	24.2	69.4	0.8	4.8	100.0	688
No	26.7	33.6	11.2	22.2	2.9	3.4	100.0	1,332
Chi-square (df=5)						725.5***		
Education								
Elementary school	25.8	24.7	14.4	32.9	0.4	1.8	100.0	352
High school	21.9	21.3	11.4	38.3	1.6	5.4	100.0	354
Some college/								
university	14.2	22.1	17.1	39.7	2.9	4.0	100.0	1,313
Chi-square (df=10)						50.1***		
Income								
Quartile 1	14.3	15.4	20.5	44.9	1.2	3.7	100.0	495
Quartile 2	17.0	15.7	9.8	50.3	1.1	6.1	100.0	432
Quartile 3	16.9	27.1	17.4	33.0	2.1	3.5	100.0	467
Quartile 4	21.1	29.1	14.4	28.6	3.9	2.8	100.0	625
Chi-square (df=15)						124.6***		
Currently working								
Yes	19.8	25.1	16.3	33.1	2.3	3.4	100.0	1,636
No	8.4	11.1	12.7	60.3	1.9	5.8	100.0	383
Chi-square (df=5)						117.4***		
Religious affiliation								
Catholic	18.0	24.7	15.4	36.6	1.8	3.5	100.0	894
Protestant	17.9	26.3	14.6	35.3	2.5	3.4	100.0	575
Other	10.5	14.9	5.7	56.4	6.5	6.0	100.0	63
None	17.5	14.6	18.4	42.5	2.2	4.9	100.0	488
Chi-square (df=15)						48.3***		
Religious attendance								
Weekly	15.5	29.9	13.8	31.2	0.6	8.9	100.0	261
Sometimes	19.5	23.9	16.2	34.9	2.9	2.6	100.0	505
Rarely/never	17.2	20.3	15.8	41.1	2.3	3.4	100.0	1,254
Chi-square (df=10)						43.6***		
Nativity								
Foreign-born	16.9	10.6	16.8	48.0	4.3	3.4	100.0	309
Canadian-born	17.7	24.5	15.4	36.5	1.9	4.0	100.0	1,711
Chi-square (df=5)						39.2***		
Region								
Quebec	16.3	25.6	16.0	37.7	1.6	2.8	100.0	515
Rest of Canada	18.0	21.3	15.5	38.5	2.5	4.2	100.0	1,504
Chi-square (df=5)						7.1		

## Table 5. Percentage distribution of male contraceptive users, by current method, according to selected socioeconomic and demographic characteristics, 1995

\*\*\*p<.001. †Includes diaphragm, foam, rhythm, withdrawal, douche and other contraceptive methods. Notes: see Table 4.