

TABLE 1. Method Information Index scores and absolute change in countries' index scores among countries with required Demographic and Health Survey data, by time point

Region/country	Time 1			Time 2			Absolute change
	Survey year	N	Index score	Survey year	N	Index score	
All	2001–2008	37,140	33.9	2006–2013	50,789	39.4	5.5*
Sub-Saharan Africa	2001–2008	11,783	44.2	2006–2013	20,567	47.7	3.5*
Benin	2001	178	30.7	2006	504	45.0	14.3*
Burkina Faso	2003	511	55.2	2010	1,617	64.6	9.4*
Cameroon	2004	205	39.7	2011	356	39.8	0.1
Ethiopia	2005	1,155	19.9	2011	1,941	17.1	-2.8
Ghana	2003	403	47.8	2008	281	41.9	-5.9
Malawi	2004	1,710	62.7	2010	4,613	64.6	1.9
Mali	2006	617	30.7	2012–2013	784	33.1	2.4
Mozambique	2003	217	58.5	2011	479	53.6	-4.9
Namibia	2006–2007	597	42.0	2013	498	40.8	-1.2
Niger	2006	476	27.1	2012	941	28.5	1.4
Nigeria	2008	1,024	49.3	2013	1,527	50.2	0.9
Rwanda	2005	317	41.5	2010–2011	1,929	57.7	16.2*
Senegal	2005	607	39.5	2011	931	41.4	1.9
Tanzania	2004	860	63.6	2009–2010	1,107	51.5	-12.1*
Uganda	2006	554	44.7	2011	600	43.9	-0.8
Zimbabwe	2005–2006	2,352	39.4	2010–2011	2,459	35.9	-3.5*
Other regions	2003–2008	25,357	29.1	2008–2013	30,222	33.8	4.7*
Bolivia	2003	1,406	52.5	2008	1,185	51.4	-1.1
Cambodia	2005–2006	1,772	44.0	2010–2011	2,938	63.9	19.9*
Colombia	2005	2,186	31.4	2009–2010	2,384	39.6	8.2*
Egypt	2003	3,154	26.8	2008	5,505	38.1	11.3*
Honduras	2005	1,473	35.9	2011	1,609	28.2	-7.7*
Indonesia	2007	11,590	20.8	2012	12,140	20.9	0.1
Nepal	2006	1,423	34.4	2011	1,567	42.2	7.8*
Pakistan	2006–2007	907	19.4	2012–2013	1,266	13.2	-6.2*
Philippines	2008	1,446	50.1	2013	1,628	52.5	2.4

*p<.05.

TABLE 2. Lowest, median and highest values of Method Information Index at time 2, by women's characteristics, according to region

Characteristic	All			Sub-Saharan Africa			Other		
	Lowest	Median	Highest	Lowest	Median	Highest	Lowest	Median	Highest
All	13.2	41.9	64.6	17.1	42.9	64.6	13.2	39.6	63.9
Current method									
Pill	10.0	37.2	68.6	20.0	35.9	68.6	10.0	39.0	60.1
IUD	18.4	49.5	80.5	19.1	49.4	74.5	18.4	55.3	80.5
Injectable	14.7	44.5	68.8	14.7	48.0	68.8	18.6	38.4	63.2
Sterilization	7.7	30.3	69.2	16.8	31.0	69.2	7.7	26.9	68.2
Implant	21.0	64.0	81.6	29.1	62.9	77.4	21.0	68.1	81.6
Household wealth									
Poorest	7.2	37.0	72.6	10.2	37.9	72.6	7.2	28.0	66.5
Poorer	12.9	39.8	63.2	12.9	42.3	63.2	13.3	32.2	59.2
Middle	11.6	43.5	68.8	11.6	46.0	68.8	12.6	38.7	61.0
Richer	15.7	39.8	65.9	15.7	38.9	65.8	17.1	43.3	65.9
Richest	15.7	49.0	68.5	24.9	49.4	64.2	15.7	49.0	68.5
Woman's education									
None	8.6	38.4	64.6	10.8	42.2	64.6	8.6	29.1	60.6
Primary	12.6	41.5	65.0	18.9	43.6	65.0	12.6	34.8	63.4
Secondary	23.2	43.5	67.1	32.8	45.6	65.7	23.2	40.3	67.1
>secondary	27.4	54.1	86.8	42.9	57.9	86.8	27.4	50.1	80.8
Place of residence									
Rural	12.6	41.1	65.1	13.6	41.6	65.1	12.6	35.6	63.3
Urban	14.7	43.6	67.2	25.2	46.1	65.7	14.7	42.2	67.2
Source of method supply									
Public	14.4	47.3	74.6	16.5	51.5	66.9	14.4	36.5	74.6
Private	12.1	36.4	67.9	22.8	34.3	67.9	12.1	40.7	55.9
Woman's age									
15–19	3.1	41.6	100.0	3.5	32.6	100.0	3.1	42.7	60.9
20–24	16.1	42.3	64.9	16.1	42.8	64.9	18.7	42.3	62.9
25–29	17.2	41.4	68.1	17.2	42.4	68.1	19.0	40.2	66.3
30–34	10.5	44.2	68.6	20.2	45.8	68.6	10.5	40.2	64.3
35–39	13.3	41.9	61.6	17.5	42.6	61.6	13.3	36.5	61.6
40–45	7.0	44.1	63.6	21.3	45.1	60.6	7.0	36.5	63.6
45–49	8.9	44.9	81.3	8.9	47.4	81.3	14.1	38.4	65.1
No. of years since contraceptive initiation									
0–1	13.0	42.7	65.2	15.9	42.4	65.2	13.0	43.2	62.7
1–2	11.4	45.9	67.7	22.4	48.1	67.7	11.4	37.3	67.1
2–3	15.4	38.9	65.6	16.6	42.0	65.6	15.4	36.6	58.6
3–4	12.2	44.4	75.1	12.4	46.4	75.1	12.2	38.3	66.6
4–5	12.4	44.6	69.4	12.4	54.6	64.3	14.3	39.2	69.4

TABLE 3. Absolute change in Method Information Index, by women's characteristics, according to country

Characteristic	Cambodia			Rwanda			Tanzania		
	2005–2006	2010–2011	Absolute change	2005	2010–2011	Absolute change	2004	2009–2010	Absolute change
All	44.0	63.9	19.9	41.5	57.7	16.2	63.6	51.5	-12.1
Current method									
Pill	43.3	60.1	16.8	46.2	55.7	9.5	65.9	48.1	-17.8
IUD	41.1	80.5	39.4	36.6	63.2	26.6	73.8	74.5	0.7
Injectable	47.6	63.2	15.6	42.6	58.2	15.6	62.5	51.8	-10.7
Sterilization	22.9	68.2	45.3	17.8	16.8	-1.0	58.9	40.9	-18.0
Implant	68.7	68.1	-0.6	11.4	60.8	49.4	65.3	64.0	-1.3
Household wealth									
Poorest	37.6	66.5	28.9	38.6	55.6	17.0	56.6	45.9	-10.7
Poorer	45.7	59.2	13.5	33.1	56.0	22.9	63.9	52.0	-11.9
Middle	48.1	61.0	12.9	35.5	61.4	25.9	63.3	49.4	-13.9
Richer	46.2	65.9	19.7	44.7	56.0	11.3	56.8	49.0	-7.8
Richest	41.8	68.5	26.7	46.7	58.7	12.0	70.1	57.7	-12.4
Woman's education									
None	40.6	60.6	20.0	27.6	53.3	25.7	69.1	50.0	-19.1
Primary	44.0	63.4	19.4	44.7	58.2	13.5	62.2	50.3	-11.9
Secondary	48.1	67.1	19.0	42.5	60.7	18.2	67.6	61.6	-6.0
>secondary	22.4	80.8	58.4	58.7	59.4	0.7	70.5	86.8	16.3
Place of residence									
Rural	44.9	63.3	18.4	39.5	57.5	18.0	60.1	48.4	-11.7
Urban	38.4	67.2	28.8	47.3	59.5	12.2	69.1	58.5	-10.6
Source of method supply									
Public	53.4	74.6	21.2	43.4	57.6	14.2	63.2	50.0	-13.2
Private	43.4	52.3	8.9	40.0	57.3	17.3	54.4	67.9	13.5
Woman's age									
15–19	48.5	60.9	12.4	na	71.7	na	51.4	53.6	2.2
20–24	45.6	61.6	16.0	45.5	51.5	6.0	60.6	48.2	-12.4
25–29	40.1	66.3	26.2	43.9	57.3	13.4	70.0	53.7	-16.3
30–34	46.8	64.3	17.5	38.3	58.6	20.3	63.6	47.3	-16.3
35–39	45.6	61.6	16.0	46.9	58.7	11.8	61.8	52.6	-9.2
40–45	43.9	63.6	19.7	44.0	60.6	16.6	60.0	58.1	-1.9
45–49	26.1	65.1	39.0	12.6	55.2	42.6	58.2	49.9	-8.3
No. of years since contraceptive initiation									
0–1	41.3	62.7	21.4	41.5	53.8	12.3	62.0	50.6	-11.4
1–2	41.9	67.1	25.2	41.2	57.7	16.5	71.1	49.6	-21.5
2–3	49.5	58.6	9.1	43.3	61.2	17.9	58.9	48.7	-10.2
3–4	48.5	66.6	18.1	37.4	63.9	26.5	66.8	62.8	-4.0
4–5	51.3	69.4	18.1	48.0	62.4	14.4	47.3	62.8	15.5

Note: na=not applicable.