| abortion ratio | , United States, | 1973–2008 |
|----------------|------------------|-----------|
| Year | No. (in 000s) | Rate* |

744.6

898.6

1973

1974

TABLE 1. Number of reported abortions, abortion rate and

16.3

19.3

Ratio+

19.3

22.0

| 12/4 | 0,00 | 12.5 | 22.0 |
|------|-----------|--------|--------|
| 1975 | 1,034.2 | 21.7 | 24.9 |
| 1976 | 1,179.3 | 24.2 | 26.5 |
| 1977 | 1,316.7 | 26.4 | 28.6 |
| 1978 | 1,409.6 | 27.7 | 29.2 |
| 1979 | 1,497.7 | 28.8 | 29.6 |
| 1980 | 1,553.9 | 29.3 | 30.0 |
| 1981 | 1,577.3 | 29.3 | 30.1 |
| 1982 | 1,573.9 | 28.8 | 30.0 |
| 1983 | [1,575.0] | [28.5] | [30.4] |
| 1984 | 1,577.2 | 28.1 | 29.7 |
| 1985 | 1,588.6 | 28.0 | 29.7 |
| 1986 | [1,574.0] | [27.4] | [29.4] |
| 1987 | 1,559.1 | 26.9 | 28.8 |
| 1988 | 1,590.8 | 27.3 | 28.6 |
| 1989 | [1,566.9] | [26.8] | [27.5] |
| 1990 | [1,608.6] | [27.4] | [28.0] |
| 1991 | 1,556.5 | 26.3 | 27.4 |
| 1992 | 1,528.9 | 25.7 | 27.5 |
| 1993 | [1,495.0] | [25.0] | [27.4] |
| 1994 | [1,423.0] | [23.7] | [26.6] |
| 1995 | 1,359.4 | 22.5 | 25.9 |
| 1996 | 1,360.2 | 22.4 | 25.9 |
| 1997 | [1,335.0] | [21.9] | [25.5] |
| 1998 | [1,319.0] | [21.5] | [25.1] |
| 1999 | 1,314.8 | 21.4 | 24.6 |
| 2000 | 1,313.0 | 21.3 | 24.5 |
| 2001 | [1,291.0] | [20.9] | [24.4] |
| 2002 | [1,269.0] | [20.5] | [23.8] |
| 2003 | [1,250.0] | [20.2] | [23.3] |
| 2004 | 1,222.1 | 19.7 | 22.9‡ |
| 2005 | 1,206.2 | 19.4 | 22.4 |
| 2006 | [1,242.2] | [19.9] | [22.9] |
| 2007 | 1,209.6 | 19.5 | 21.9 |
| 2008 | 1,212.4 | 19.6 | 22.4 |

per 100 pregnancies ending in abortion or live birth; for each year, the ratio

tion of numbers of abortions and adjustments based on state health department reports. Sources: Number of abortions, population data and birth data, 1973-2005: reference 1. Number of abortions, 2006: 2004-2005 Guttmacher Abortion Provider Census and adjustments based on 2005, 2006 and 2007 state health department reports. Population data, 2006-2008:

is based on births occurring during the 12-month period starting in July of that year, ‡Figure slightly altered from that previously published because of updated birth data. Note: Figures in brackets were estimated by interpola-

reference 5. Birth data, 2006-2009: references 6-8.

 $TABLE\,2.\,Number\,of\,reported\,abortions\,and\,abortion\,rate, selected\,years; and\,percentage\,change\,in\,rate, 2005-2008-all\,by\,region\,and\,state\,in\,which\,the\,abortions\,occurred$

| Region and state | Number | | | | Rate* | Rate* | | | | | |
|----------------------|-----------------|-----------|------------------|-----------|--------|--------------|--------------|------|------------------------|--|--|
| | 2000 | 2005 | 2007 | 2008 | 2000 | 2005 | 2007 | 2008 | % change, 2005–2008 | | |
| U.S. total | 1,312,990 | 1,206,200 | 1,209,640 | 1,212,350 | 21.3 | 19.4 | 19.5 | 19.6 | 1 | | |
| Northeast | 325,540 | 308,040 | 296,270 | 302,710 | 28.0 | 27.2 | 26.5 | 27.2 | 0 | | |
| Connecticut | 15,240 | 16,780 | 17,390 | 17,030 | 21.1 | 23.6 | 24.9 | 24.6 | 4 | | |
| Maine | 2,650 | 2,770 | 2,870 | 2,800 | 9.9 | 10.5 | 11.3 | 11.2 | 7 | | |
| Massachusetts | 30,410 | 27,270 | 25,790 | 24,900 | 21.4 | 19.9 | 19.0 | 18.3 | -8 | | |
| New Hampshire | 3,010 | 3,170 | 3,200 | 3,200 | 11.2 | 11.7 | 12.1 | 12.3 | 5 | | |
| New Jersey | 65,780 | 61,150 | 55,370 | 54,160 | 36.3 | 34.3 | 31.5 | 31.3 | _9 | | |
| New York | 164,630 | 155,960 | 148,990 | 153,110 | 39.1 | 38.2 | 36.5 | 37.6 | -2 | | |
| Pennsylvania | 36,570 | 34,150 | 36,190 | 41,000 | 14.3 | 13.8 | 14.9 | 17.0 | 23 | | |
| , | | | | | | | | | | | |
| Rhode Island | 5,600 | 5,290 | 4,910 | 5,000 | 24.1 | 23.2 | 22.1 | 22.9 | -1 | | |
| Vermont | 1,660 | 1,490 | 1,570 | 1,510 | 12.7 | 11.7 | 12.8 | 12.5 | 6 | | |
| Midwest | 221,230 | 191,900 | 184,830 | 186,930 | 15.9 | 14.0 | 13.7 | 14.0 | 0 | | |
| Illinois | 63,690 | 50,970 | 52,200 | 54,920 | 23.2 | 18.9 | 19.4 | 20.5 | 9 | | |
| Indiana | 12,490 | 11,150 | 10,960 | 10,680 | 9.4 | 8.6 | 8.5 | 8.3 | -3 | | |
| lowa | 5,970 | 6,370 | 7,110 | 6,560 | 9.8 | 10.6 | 12.2 | 11.3 | 7 | | |
| Kansas | 12,270 | 10,410 | 10,700 | 10,620 | 21.4 | 18.4 | 19.2 | 19.2 | 4 | | |
| Michigan | 46,470 | 40,600 | 35,930 | 36,790 | 21.6 | 19.4 | 17.6 | 18.4 | -5 | | |
| Minnesota | 14,610 | 13,910 | 14,000 | 13,060 | 13.5 | 12.7 | 13.2 | 12.5 | -2 | | |
| Missouri | 7,920 | 8,400 | 7,400 | 7,440 | 6.6 | 6.9 | 6.2 | 6.3 | -10 | | |
| Nebraska | 4,250 | 3,220 | 2,530 | 2,840 | 11.6 | 8.9 | 7.2 | 8.1 | _9 | | |
| North Dakota | 1,340 | 1,230 | 1,240 | 1,400 | 9.9 | 9.6 | 9.8 | 11.2 | 17 | | |
| Ohio | 40,230 | 35,060 | 33,790 | 33,550 | 16.5 | 14.9 | 14.7 | 14.7 | -1 | | |
| South Dakota | 870 | 790 | 710 | 850 | 5.5 | 5.1 | 4.6 | 5.6 | 10 | | |
| Wisconsin | 11,130 | 9,800 | 8,270 | 8,230 | 9.6 | 8.5 | 7.4 | 7.4 | -13 | | |
| South | 418,630 | 391,160 | 396,500 | 400,770 | 19.0 | 17.3 | 17.4 | 17.6 | 2 | | |
| Alabama | 13,830 | 11,340 | 11,270 | 11,270 | 14.3 | 11.9 | 12.0 | 12.0 | 0 | | |
| Arkansas | 5,540 | 4,710 | 4,890 | 4,890 | 9.8 | 8.3 | 8.6 | 8.7 | 4 | | |
| Delaware | 5,440 | 5,150 | 7,570 | 7,070 | 31.3 | 28.8 | 42.6 | 40.0 | 39 | | |
| District of Columbia | 9,800 | 7,230 | 4,160 | 4,450 | 68.1 | 54.2 | 28.2 | 29.9 | -45 | | |
| Florida | | | | | 31.9 | 26.8 | 27.3 | 29.9 | -43 | | |
| | 103,050 | 92,300 | 95,520 35.740 | 94,360 | 1 | | | | | | |
| Georgia | 32,140 | 33,180 | 35,740 | 39,820 | 16.9 | 16.3 | 17.3 | 19.2 | 18 | | |
| Kentucky | 4,700 | 3,870 | 4,550 | 4,430 | 5.3 | 4.4 | 5.3 | 5.1 | 16 | | |
| Louisiana | 13,100 | 11,400 | 14,340 | 14,860 | 13.0 | 11.7 | 15.9 | 16.1 | 38 | | |
| Maryland | 34,560 | 37,590 | 34,380 | 34,290 | 29.0 | 31.5 | 28.9 | 29.0 | -8 | | |
| Mississippi | 3,780 | 3,090 | 2,930 | 2,770 | 6.0 | 4.9 | 4.8 | 4.6 | -7 | | |
| North Carolina | 37,610 | 34,500 | 34,290 | 33,140 | 21.0 | 18.8 | 18.2 | 17.5 | -7 | | |
| Oklahoma | 7,390 | 6,950 | 7,000 | 7,160 | 10.1 | 9.5 | 9.7 | 9.9 | 4 | | |
| South Carolina | 8,210 | 7,080 | 7,580 | 7,300 | 9.3 | 7.9 | 8.4 | 8.1 | 2 | | |
| Tennessee | 19,010 | 18,140 | 18,380 | 19,550 | 15.2 | 14.4 | 14.6 | 15.5 | 8 | | |
| Texas | 89,160 | 85,760 | 81,880 | 84,610 | 18.8 | 17.3 | 16.1 | 16.5 | -4 | | |
| Virginia | 28,780 | 26,520 | 29,800 | 28,520 | 18.1 | 16.5 | 18.3 | 17.6 | 7 | | |
| West Virginia | 2,540 | 2,360 | 2,230 | 2,280 | 6.8 | 6.7 | 6.4 | 6.6 | -1 | | |
| West | 347,600 | 315,100 | 332,030 | 321,940 | 24.9 | 21.8 | 22.7 | 22.0 | 1 | | |
| Alaska | 1,660 | 1,880 | 1,720 | 1,700 | 11.7 | 13.6 | 12.0 | 12.0 | -11 | | |
| Arizona | 17,940 | 19,480 | 17,550 | 19,500 | 16.5 | 16.0 | 13.8 | 15.2 | -5 | | |
| California | 236,060 | 208,430 | 223,180 | 214,190 | 31.2 | 27.1 | 28.6 | 27.6 | 2 | | |
| Colorado | 15,530 | 16,120 | 16,260 | 15,960 | 15.9 | 16.1 | 16.0 | 15.7 | -3 | | |
| Hawaii | 5,630 | 5,350 | 5,650 | 5,630 | 22.2 | 21.8 | 22.4 | 22.6 | _3 4 | | |
| Idaho | 1,950 | 1,810 | 2,010 | 1,800 | 7.0 | 6.1 | 6.7 | 6.0 | -2 | | |
| | | | | | 1 | | | | | | |
| Montana | 2,510 | 2,150 | 2,350 | 2,230 | 13.5 | 11.7 | 13.0 | 12.3 | 5 | | |
| Nevada | 13,740 | 13,530 | 14,070 | 13,450 | 32.2 | 27.0 | 27.2 | 25.9 | -4 | | |
| New Mexico | 5,760 17,010 | 6,220 | 6,840 | 6,150 | 14.7 | 15.7 17.7 | 17.1 17.0 | 15.5 | -1 | | |
| Oragon | 17 010 | 13 200 | 12 27∩ | 12 020 | 1 73.5 | 177 | 170 | 173 | 2 | | |

Washington
 26,200
 23,260
 24,860
 24,320
 20.2
 17.5
 18.7

 Wyoming
 100
 70
 90
 90
 1.0
 0.7
 0.9

*Abortions per 1,000 women aged 15–44. Note: Numbers of abortions are rounded to the nearest 10. Sources: See Table 1.

13,370

4,100

12,920

4,000

23.5

6.6

17.7

6.4

17.9

7.0

17.3

6.7

18.3

0.9

-3

5

5

27

13,200

3,630

17,010

3,510

Oregon

Utah

TABLE 3. Number of abortion providers, selected years, and percentage change between 2005 and 2008; number of counties and percentage with no provider, 2008; and percentage of women aged 15-44 living in counties with no provider, 2008—all by region and state Region and state **Providers** | Counties, 2008 □ % of women in

| Region and state | Providers | | | Counties, 2 | % of women in | | |
|----------------------|-----------|---------|---------|------------------------|---------------|-----------------------|--|
| | 2000 | 2005 | 2008 | % change, 2005–2008 | No. | % with no provider | counties with no provider, 2008* |
| U.S. total | 1,819 | 1,787 | 1,793 | 0 | 3,142 | 87 | 35 |
| Northeast | 536 | 541 | 500 | -8 | 217 | 53 | 18 |
| Connecticut | 50 | 52 | 47 | -10 | 8 | 13 | 5 |
| Maine | 15 | 13 | 13 | 0 | 16 | 69 | 51 |
| Massachusetts | 47 | 45 | 41 | - 9 | 14 | 29 | 10 |
| New Hampshire | 14 | 13 | 11 | -15 | 10 | 50 | 19 |
| New Jersey | 86 | 85 | 75 | -13 -12 | 21 | 24 | 9 |
| New York | 234 | 261 | 249 | -12 -5 | 62 | 39 | 7 |
| | | | | | | | |
| Pennsylvania | 73 | 56 | 50 | -11 | 67 | 82 | 46 |
| Rhode Island | 6 | 4 | 4 | 0 | 5 | 80 | 38 |
| Vermont | 11 | 12 | 10 | -17 | 14 | 43 | 24 |
| Midwest | 188 | 183 | 173 | -5 | 1,055 | 94 | 52 |
| Illinois | 37 | 38 | 37 | -3 | 102 | 92 | 37 |
| Indiana | 15 | 15 | 12 | -20 | 92 | 95 | 66 |
| lowa | 8 | 9 | 11 | 22 | 99 | 91 | 51 |
| Kansas | 7 | 7 | 4 | -43 | 105 | 97 | 57 |
| Michigan | 50 | , 51 | 46 | -10 | 83 | 83 | 32 |
| Minnesota | 11 | 11 | 14 | 27 | 87 | 95 | 62 |
| Missouri | 6 | 7 | 6 | -14 | 115 | 93 97 | 73 |
| | | - | | | | | 1 |
| Nebraska | 5 | 6 | 5 | -17 | 93 | 97 | 43 |
| North Dakota | 2 | 1 | 1 | 0 | 53 | 98 | 74 |
| Ohio | 35 | 27 | 26 | -4 | 88 | 91 | 55 |
| South Dakota | 2 | 2 | 2 | 0 | 66 | 98 | 76 |
| Wisconsin | 10 | 9 | 9 | 0 | 72 | 93 | 63 |
| South | 442 | 405 | 366 | -10 | 1,423 | 91 | 47 |
| Alabama | 14 | 13 | 8 | -38 | 67 | 93 | 61 |
| Arkansas | 7 | 3 | 6 | 100 | 75 | 97 | 79 |
| Delaware | 9 | 9 | 8 | -11 | 3 | 33 | 19 |
| District of Columbia | 15 | 12 | 8 | -11 -33 | 1 | 0 | 0 |
| | | | 8 91 | | 1 | | 25 |
| Florida | 108 | 103 | | -12 | 67 | 72 | |
| Georgia | 26 | 34 | 32 | -6 | 159 | 94 | 57 |
| Kentucky | 3 | 3 | 3 | 0 | 120 | 98 | 77 |
| Louisiana | 13 | 9 | 7 | -22 | 64 | 92 | 65 |
| Maryland | 42 | 41 | 34 | -17 | 24 | 63 | 20 |
| Mississippi | 4 | 2 | 2 | 0 | 82 | 99 | 91 |
| North Carolina | 55 | 37 | 31 | -16 | 100 | 86 | 50 |
| Oklahoma | 6 | 6 | 6 | 0 | 77 | 96 | 56 |
| South Carolina | 10 | 6 | 6 | 0 | 46 | 93 | 73 |
| Tennessee | 16 | 13 | 13 | 0 | 95 | 94 | 59 |
| Texas | 65 | 64 | 67 | 5 | 254 | 92 | 33 |
| Virginia | 46 | 46 | 40 | -13 | 134 | 85 | 54 |
| West Virginia | 3 | 4 | 4 | 0 | 55 | 96 | 84 |
| West | 653 | 658 | 754 | 15 | 447 | 74 | 13 |
| Alaska | 7 | 9 | 8 | -11 | 28 | 82 | 22 |
| Arizona | 21 | 19 | 19 | 0 | 15 | 73 | 17 |
| California | | | | | | | 1 1 |
| | 400 | 424 | 522 | 23 | 58 | 22 | |
| Colorado | 40 | 43 | 42 | -2 | 64 | 78 | 23 |
| Hawaii | 51 | 39 | 37 | -5 | 5 | 20 | 0 |
| | | | | | | | |

-43

Wyoming

Idaho

Montana

New Mexico

Nevada

Oregon -9 Utah Washington

^{*}Population counts are for July 1, 2008. Sources: Providers, 2000 and 2005: reference 1. Population data, 2008: reference 5.

tions, by caseload, according to provider type, 2008 Caseload Total Abortion Other Hospitals Physicians' clinics clinics offices*

TABLE 4. Number and percentage distribution of abortion providers and of abor-

| | No. | % | No. | % | No. | % | No. | % | No. | % |
|-----------|-------|-----|-----|----|-----|----|-----|----|-----|----|
| Providers | 1,793 | 100 | 378 | 21 | 473 | 26 | 610 | 34 | 332 | 19 |
| 1–29 | 638 | 36 | 0 | 0 | 49 | 3 | 399 | 22 | 190 | 11 |
| 30-399 | 533 | 30 | 18 | 1 | 193 | 11 | 180 | 10 | 142 | 8 |

226 13 54 150 8 22 na 1 000 4 000

na

| 1,000–4,999 ≥5,000 | 365 31 | 20 2 | 277 29 | 15 2 | 79 2 | 4 † | 9 0 | 1 0 | na na | na na |
|-----------------------|-----------|---------|-----------|---------|---------|--------|--------|--------|----------|----------|
| Abortions | 1,212,350 | 100 | 846,400 | 70 | 295,730 | 24 | 52,630 | 4 | 17,590 | 1 |
| 1–29 | 5,860 | + | 0 | 0 | 540 | 0 | 3,100 | + | 2,210 | + |
| 30-399 | 74,740 | 6 | 4,500 | † | 34,000 | 3 | 20,870 | 2 | 15,370 | 1 |

400-999 13 39,360 151,890 99,970 8 12,560 na na

614,220 51 773,320 64 143,000 12 16,100 na n

17 16 2

may not add to 100, because of rounding. na=not applicable.

1,000-4,999

206,550 188,320 18,230 na

≥5,000

Numbers of abortions are rounded to the nearest 10. Abortion counts may not sum to totals, and percentages

na na

^{*}Offices that reported 400 or more abortions a year were classified as other clinics. †Less than 0.5%. Notes:

providers as a percentage of all providers; and number of early medication abortions provided at nonhospital facilities, percentage change between 2005 and 2008, and these abortions as a percentage of abortions—all by provider type and caseload Provider type Providers Nonhospital medication abortions

TABLE 5. Number of providers offering early medication abortion, percentage change between 2005 and 2008, and these

| caseload | No. | | % change, | % of pr | % of providers* | | No. | | % of abo | % of abortions | |
|------------------|-------|-------|-----------|-----------|-----------------|---------|---------|-----------|----------|----------------|--|
| | 2005 | 2008 | 2005–2008 | 2005 2008 | | 2005 | 2008 | 2005–2008 | 2005 | 2008 | |
| Total | 1,026 | 1,066 | 4 | 57 | 59 | 161,100 | 199,000 | 24 | 14 | 17 | |
| Provider | 200 | 212 | 2 | 01 | 02 | 01 100 | 106 000 | 16 | 1, | 12 | |
| Abortion clinics | 308 | 313 | 2 | 81 | 83 | 91,100 | 106,000 | 16 | 11 | 13 | |

65,200

37

89.000

22

30

| Hospitals Physicians' offices | 178 202 | 154 183 | –13 –9 | 29 55 | 25 55 | u 4,800 | u 4,000 | u –17 | u 22 | u 23 |
|----------------------------------|------------|------------|-----------|----------|----------|------------|------------|----------|---------|---------|
| Caseload | | | | | | | | | | |
| 1–29 | 201 | 189 | -6 | 33 | 30 | 1,300 | 1,000 | -23 | 46 | 37 |
| 30-399 | 286 | 329 | 15 | 54 | 62 | 16,000 | 26,600 | 66 | 34 | 49 |
| 400,000 | 170 | 100 | ۱ ، | 72 | 01 | 22 100 | 22,000 | 20 | 1 5 | 22 |

88

Other clinics

338

416

23

78

Numbers of abortions are rounded to the nearest 100, u=unavailable, Source: Provider and abortion data, 2005: reference 1.

⁴⁰⁰⁻⁹⁹⁹ 178 23,100 32,000

^{120,400} 1.000-4.999 346 337 111,000 14

²⁹ 75 9.700 18,900 95 ≥5,000 15

¹⁶

⁹

^{*}The denominators are the provider universe for each year. Notes: Early medication abortions include those performed with mifepristone and methotrexate.

TABLE 6. Charges and average amount paid for nonhospital surgical abortions at 10 and 20 weeks' gestation and for early medication abortions—all by provider type and caseload, 2009

1 20 wooks

| and sasslead | 10 WEE | K3 | | 20 WEEK | .3 | Larry medication | | |
|---------------------|--------|--------|-------|---------|---------|------------------|--------|---------------|
| and caseload | Charge | | Paid, | Charge | Charge | | Charge | |
| | Mean | Median | mean | Mean | Median | Mean | Median | Paid, mean |
| All | \$543 | \$470 | \$451 | \$1,562 | \$1,500 | \$506 | \$490 | \$483 |
| Provider type | | | | | | | | |
| Abortion clinics | 430 | 425 | 428 | 1,555 | 1,500 | 468 | 450 | 472 |
| Other clinics | 535 | 475 | 502 | 1,601 | 1,525 | 511 | 500 | 513 |
| Physicians' offices | 683 | 535 | 550 | 1,535 | 1,500 | 542 | 500 | 463 |

| Caseload | | | | | | |
|-------------|-----|-----|-----|-------|-------|--|
| 1-29 | 747 | 629 | 761 | u | u | |
| 30-399 | 551 | 475 | 515 | 1,623 | 1,500 | |
| 400-999 | 485 | 450 | 486 | 1,550 | 1,650 | |
| 1,000-4,999 | 447 | 430 | 448 | 1,584 | 1,525 | |

10 wooks

Provider type

≥5,000 1,271 1,100

Note: u=unavailable because cases are too few to produce reliable figures.

| Farly modication

type, caseload and region, according to type of harassment, 2008 Provider type, Any Picketing Picketing Vandalism Picketing Bomb caseload and with blocking threat of staff

or contact

region

| | | | | | | | OH IIILE | met |
|---------------------|----|----|----|----|---|---|----------|-----|
| All | 57 | 55 | 21 | 12 | 5 | 3 | 3 | |
| Provider type | | | | | | | | |
| Abortion clinics | 88 | 87 | 42 | 21 | 9 | 7 | 7 | |
| Other clinics | 65 | 63 | 18 | 11 | 3 | 2 | 2 | |
| Physicians' offices | 10 | 7 | 1 | 3 | 2 | 0 | 0 | |

TABLE 7. Percentage of nonhospital providers experiencing harassment, by provider

Patient

pictures

posted on Internet

homes

| Other clinics | 65 | 63 | 18 | 11 | 3 | 2 | 2 | |
|---------------------|----|----|----|----|---|---|---|--|
| Physicians' offices | 10 | 7 | 1 | 3 | 2 | 0 | 0 | |
| | | | | | | | | |
| Caseload | | | | | | | | |
| 1–29 | 9 | 5 | 0 | 4 | 1 | 0 | 0 | |
| 30-399 | 35 | 32 | 7 | 6 | 3 | 1 | 0 | |
| | | | | | | | | |

| Triysicians offices | 10 | , | | 3 | 2 | U | U | |
|---------------------|-----|-----|----|----|-----|----|---|--|
| Caseload | | | | | | | | |
| 1–29 | 9 | 5 | 0 | 4 | 1 | 0 | 0 | |
| 30-399 | 35 | 32 | 7 | 6 | 3 | 1 | 0 | |
| ≥400 | 89 | 88 | 37 | 19 | 7 | 5 | 5 | |
| 400-999 | 77 | 77 | 23 | 12 | 3 | 3 | 0 | |
| 1,000-4,999 | 94 | 93 | 42 | 22 | 8 | 5 | 7 | |
| . = 000 | 100 | 100 | | 10 | 4.5 | 10 | ^ | |

| 30-399 | 35 | 32 | 7 | 6 | 3 | 1 | 0 | |
|-------------|-----|-----|----|----|----|----|---|--|
| ≥400 | 89 | 88 | 37 | 19 | 7 | 5 | 5 | |
| 400-999 | 77 | 77 | 23 | 12 | 3 | 3 | 0 | |
| 1,000-4,999 | 94 | 93 | 42 | 22 | 8 | 5 | 7 | |
| ≥5,000 | 100 | 100 | 63 | 19 | 15 | 19 | 9 | |
| | | | | | | | | |
| | | | | | | | | |

| ≥400 | 89 | 88 | 3/ | 19 | / | 5 | 5 | |
|-------------|-----|-----|----|----|----|----|---|--|
| 400-999 | 77 | 77 | 23 | 12 | 3 | 3 | 0 | |
| 1,000-4,999 | 94 | 93 | 42 | 22 | 8 | 5 | 7 | |
| ≥5,000 | 100 | 100 | 63 | 19 | 15 | 19 | 9 | |
| Region | | | | | | | | |

| Region | | | | | | | | |
|-------------|-----|-----|----|----|----|----|---|--|
| ≥5,000 | 100 | 100 | 63 | 19 | 15 | 19 | 9 | |
| 1,000-4,999 | 94 | 93 | 42 | 22 | 8 | 5 | 7 | |
| 400-999 | // | // | 23 | 12 | 3 | 3 | U | |

| 1,000 4,000 | 77 | 75 | 72 | ~~ | U | , | , | |
|-------------|-----|-----|----|----|----|----|---|--|
| ≥5,000 | 100 | 100 | 63 | 19 | 15 | 19 | 9 | |
| Region | | | | | | | | |
| Northeast | 48 | 47 | 14 | 6 | 1 | 1 | 1 | |

| Region | | | | | | | | |
|-----------|----|----|----|----|---|---|---|--|
| Northeast | 48 | 47 | 14 | 6 | 1 | 1 | 1 | |
| Midwest | 85 | 79 | 41 | 20 | 9 | 8 | 7 | |

| Northeast | 48 | 47 | 14 | 6 | 1 | 1 | 1 | |
|-----------|----|----|----|----|---|---|---|--|
| Midwest | 85 | 79 | 41 | 20 | 9 | 8 | 7 | |
| South | 75 | 73 | 34 | 15 | 8 | 7 | 7 | |

12

12

43