Characteristic Ν Pill Condom Pill and only condom only (N=303)(N=1,153)(N=98)

52.4

48.8

53.5

53.8

53.1

58.1

50.2

53.1

46.2

62 6

58.2

55.3

53.7

45.2

46.7

34.0

41.1

46.6

50.0

58.3

57.5

53.6

48.2

54.1

47.5

last intercourse, according to selected characteristics

13.7

9.9

13.3

16.5

13.3

15.3

16.0

13.2

16.3

11 2

9.1

12.0

14.0

18.3

16.7

18.3

14.5

12.1

16.0

12.3

14.0

12.4

18.6

13.2

15.0

279	1.5	70.8	2.4	9.8	0.9	14.7	100.0
258	4.7	53.7	4.2	12.8	1.9	22.7	100.0
296	10.3	62.3	3.8	10.1	2.9	10.7	100.0
316	14.1	46.7	6.1	15.3	3.9	13.9	100.0
322	17.9	52.8	4.0	9.8	1.7	13.8	100.0
366	20.2	42.6	4.8	13.9	2.4	16.1	100.0
378	21.2	45.0	5.9	11.8	3.2	13.0	100.0
ytt							
1,260	16.8	50.4	4.5	13.4	2.3	12.7	100.0
434	8.2	58.2	6.0	6.9	4.0	16.8	100.0
422	11.0	51.1	3.1	12.7	0.7	21.4	100.0
	258 296 316 322 366 378 2911 1,260 434	258 4.7 296 10.3 316 14.1 322 17.9 366 20.2 378 21.2 ytt 1,260 16.8 434 8.2	258 4.7 53.7 296 10.3 62.3 316 14.1 46.7 322 17.9 52.8 366 20.2 42.6 378 21.2 45.0 27th 1,260 16.8 50.4 434 8.2 58.2	258 4.7 53.7 4.2 296 10.3 62.3 3.8 316 14.1 46.7 6.1 322 17.9 52.8 4.0 366 20.2 42.6 4.8 378 21.2 45.0 5.9 29th 1,260 16.8 50.4 4.5 434 8.2 58.2 6.0	258	258	258

Table 2. Percentage distribution of never-married young men aged 14-22, by method used at

4.5

Withdrawal†

(N=284)

12.0

11.9

12.3

11.6

12.8

9.3

11.0

14.6

12.0

125

10.1

9.0

10.0

14.8

15.2

23.0

15.2

14.0

11.9

11.7

9.7

12.1

12.0

12.7

10.9

Other±

(N=56)

2.5

3.0

1.3

3.1

1.9

3.0

1.8

2.6

2.5

0.2

3.6

2.5

3.6

2.3

8.0

2.4

0.9

3.2

2.2

3.4

1.9

2.6

2.0

2.2

2.9

None

14.9

20.9

16.4

9.9

12.0

11.0

17.8

8.2

18.4

97

13.5

15.3

14.5

15.2

17.6

20.5

25.6

19.5

14.5

9.9

12.5

14.3

16.8

12.5

20.6

(N=321)

Total

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

100.0

t	
1,260	16
434	8
422	11

610

718

884

314

290

183

152

743

173

399

478

419

384

258

104

209

407

509

527

562

1,832

1,525

611

99 respondents belonged to other racial or ethnic groups.

314

Frequency of seat belt use

Had HIV education in school

Discussed HIV with adult relative

2,215

DEMOGRAPHIC FACTORS

SEXUAL BEHAVIOR FACTORS Age at first intercourse

Total

≤13

≥16

2

3

4

5

≥6

0

1

2

3

4

5

6

Never

Rarely

Usually

Always

Yes

Yes

No

No

Sometimes

OTHER FACTORS Risk behavior score

14-15

No. of partners in previous 3 mos.										
0	559	6.4	59.8	2.2	12.0	2.0	17.7	100.0		
1	1,041	19.3	49.4	5.5	11.3	2.8	11.8	100.0		
≥2	607	11.2	50.5	5.2	13.1	2.4	17.6	100.0		
Lifetime n	o. of partners									
1	521	8.9	58.1	3.0	12.7	2.5	14.8	100.0		

7.1

3.4

3.1

8.2

4.6

38

5.6

5.8

4.3

4.1

3.1

1.8

2.7

4.7

5.4

4.5

4.4

5.0

2.6

5.3

3.1

†Includes those who used both withdrawal and the condom at last intercourse. ‡Includes those who combined other methods and the $condom. \S Age 14-15 \ includes 99 \ 14-year-olds \ and \ 180 \ 15-year-olds; \ age \ 21-22 \ includes \ 310 \ 21-year-olds \ and \ 68 \ 22-year-olds. \ \dagger \ N=2,116;$

5.4

3.3

5.1