TABLE 1. Among married women aged 15–49 in Abhoynagar and Mirsarai, percentages (and 95% confidence intervals) reporting selected characteristics, attitudes and experiences related to service use, according to subgroup, 2003

Subgroup	Abhoynagar	Mirsarai
HAD COMMUNITY CLINIC IN WARD Had problems when satellite clinic closed	(N=677) 10.6 (8.3–12.9)	(N=585) 1.7 (0.6–2.7)
Ever used a community clinic		
Age 15–19	82.7 (78.4–87.0)	71.3 (65.6–77.2)
30–49	70.5 (65.6–75.4)	67.8 (63.4–73.4)
Schooling	70.5 (05.0-75. <del>1</del> )	07.0(03.4-73.4)
None	92.2 (87.6–96.8)	73.6 (68.2–79.0)
Some	72.2 (68.3–76.1)	66.3 (61.0–71.6)
Monthly per capita household expenditure		
<tk 500<="" td=""><td>79.3 (73.3–85.3)</td><td>82.7 (72.4–93.0)</td></tk>	79.3 (73.3–85.3)	82.7 (72.4–93.0)
≥Tk 1,000	64.7 (52.0–78.6)	60.0 (52.7–72.3)
Report home visits would still be useful	79.1 (76.0–82.2)	85.3 (82.5–88.1)
•		
Prefer community clinics to satellite clinic/home vis	its	
Low SES†	54.5 (48.9–60.1)	53.7 (48.0–59.4)
Other	54.5 (49.5–59.5)	54.8 (49.1–60.5)
VISITED COMMUNITY CLINIC IN PAST 6 MOS.	(N=422)	(N=189)
Satisfied with service provided	(11-422) 74.1 (69.9-78.3)	54.0 (46.9–61.1)
Salshea marser nee promaca	/ 1.1 (09.5 / 0.5)	51.0(10.5 01.1)
Reasons for satisfaction		
Clinic near to house	42.2 (36.7-47.7)	44.4 (37.3–51.5)
Good service quality	38.2 (32.8–43.6)	5.8 (2.5–9.1)
Many services in one place	13.7 (9.9–17.5)	2.6 (0.3–4.9)
Reasons for dissatisfaction		
Lack of medicines	64.8 (55.8–73.8)	26.5 (20.2–32.8)
Not all services available	16.7 (9.7–23.7)	12.7 (8.0–17.4)
Clinic far away	10.2 (4.5–15.9)	1.0 (0.0–2.4)
Quality of services not good	8.3 (3.1–13.5)	4.3 (1.4–7.2)
Poor attitude of service providers	8.3 (3.1–13.5)	1.1 (0.0–2.6)
Obtained family planning services if sought	96.7 (94.4–99.0)	73.2 (62.9–83.5)
· · · · · · · · · · · · · · · · · · ·		
CURRENTLY USING CONTRACEPTIVES	(N=439)	(N=327)
Obtained supplies from shop/pharmacy	17.1 (13.6–20.6)	33.6 (31.0–36.2)
Low SES†	13.2 (8.5–17.9)	20.9 (15.1–26.7)
Other	20.2 (15.1–25.3)	50.7 (42.4–59.0)
Husband collected supplies from shop/pharmacy	90.7 (84.1–97.3)	89.9 (84.2–95.6)
Low SESt	92.3 (82.1–100.0)	94.9 (88.0–100.0)
Other	89.8 (81.3–98.3)	87.1 (79.2–95.0)
	01.0 (01.0 )0.0)	0(, ).2 (0.0)

+Women who had no schooling or whose husband was a day laborer.