## Table 4. Percentage distribution of women aged 15–44 who had had sexual intercourse in the past 12 months, by adjusted risk of STD infection, and among women classified as at risk, percentage distribution by self-reported risk, all according to selected characteristics, 1995 NSFG and 1994–1996 GSS

Characteristic	All women						At-risk women		
	Not at risk	At risk				Total	Some self-	No self-	Total
		Both direct and indirect	Direct only†	Indirect only‡	Any		reported risk	reported risk	
Total	66.2	10.8	10.6	12.4	33.8	100.0	79.5	20.5	100.0
Marital status									
Married	90.2	2.3	4.3	3.2	9.8	100.0	100.0§	0.0	100.0
Unmarried	36.2	25.8	16.1	21.9	63.8	100.0	79.3	20.7	100.0
Age									
15–17	39.1	24.1	18.8	18.0	60.9	100.0	87.6	12.4	100.0
18–19	33.0	30.7	17.6	18.7	67.0	100.0	81.3	18.7	100.0
20–24	46.7	19.7	15.3	18.3	53.3	100.0	78.8	21.2	100.0
25–29	65.4	10.4	11.9	12.3	34.6	100.0	81.5	18.5	100.0
30–34	71.4	8.0	8.9	11.7	28.6	100.0	77.8	22.2	100.0
35–39	78.0	7.3	6.1	8.6	22.0	100.0	80.8	19.2	100.0
40–44	85.9	3.9	6.1	4.1	14.1	100.0	100.0§	0.0	100.0

†Direct risk means an individual had more than one sex partner in the past year. ‡Indirect risk means at least one sex partner in the past year had another partner in the past year. §Since reported levels of men's partners were virtually identical in these groups, we made no adjustment.