

**TABLE 4. Percentage distribution of sexually active female high school students, by contraceptive method used at last sexual intercourse, and pregnancy risk score, both according to grade, 1991 and 2003**

Method	1991				2003			
	9 (N=316)	10 (N=551)	11 (N=619)	12 (N=818)	9 (N=346)	10 (N=547)	11 (N=746)	12 (N=895)
Pill only	4.1 (1.0)	20.2 (3.5)	23.9 (3.9)	28.0 (2.3)	8.2 (3.1)	7.8 (1.2)	16.2 (2.5)	20.2 (2.3)
Condom only	46.1 (3.7)	33.1 (3.4)	37.7 (3.5)	30.0 (2.6)	60.7 (5.1)	58.5 (3.5)	46.0 (3.0)	40.1 (2.4)
Pill and condom	4.2 (1.9)	3.3 (1.1)	2.9 (0.9)	2.6 (0.7)	3.2 (1.4)	5.5 (1.5)	7.5 (1.4)	6.7 (1.4)
Withdrawal	17.2 (3.4)	22.1 (3.4)	17.2 (2.1)	19.4 (2.8)	6.7 (2.2)	9.4 (1.8)	11.3 (1.4)	13.9 (2.0)
Injectable	u	u	u	u	2.8 (1.5)	3.1 (0.9)	2.7 (0.6)	4.0 (0.7)
Injectable and condom	u	u	u	u	2.4 (1.1)	1.7 (0.7)	1.9 (0.6)	1.5 (0.6)
Other method	1.6 (1.0)	3.6 (1.5)	1.4 (0.7)	2.5 (1.3)	0.6 (0.4)	1.8 (0.7)	1.9 (0.6)	3.0 (0.9)
Other and condom	0.0 (0.0)	0.0 (0.0)	0.2 (0.2)	0.1 (0.1)	0.5 (0.5)	0.9 (0.6)	0.2 (0.2)	0.2 (0.2)
No method	25.7 (4.7)	17.0 (2.2)	16.2 (2.7)	16.1 (2.1)	14.2 (3.0)	10.6 (2.0)	11.8 (1.5)	10.5 (1.0)
Not sure	1.2 (0.8)	0.8 (0.5)	0.5 (0.4)	1.2 (0.6)	0.8 (0.5)	0.7 (0.3)	0.8 (0.3)	0.0 (0.0)
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<i>Pregnancy risk score</i>	35.0 (3.6)	27.8 (1.6)	26.0 (2.1)	26.7 (1.7)	25.2 (2.3)**	21.8 (1.7)**	22.0 (1.2)**	20.7 (0.9)**

\*\*Trend in pregnancy risk from 1991 to 2003 significant at p<.01. Notes: Figures in parentheses are standard errors. The pregnancy risk score is based on method-specific contraceptive failure rates and the proportion using each method. u=unavailable. Percentages may not total 100.0 because of rounding.