

**TABLE 1. Percentage distribution of men aged 18–24, by selected characteristics, 2002 National Survey of Family Growth**

Characteristic	% (N=1,400)
<b>Race and ethnicity</b>	
Hispanic	19.0 (1.9)
Black	12.8 (1.4)
White	62.6 (2.6)
Other	5.6 (0.9)
<b>Marital status</b>	
Unmarried/not cohabiting	79.0 (1.7)
Unmarried/cohabiting	10.4 (1.0)
Married	10.6 (1.5)
<b>Lives in metropolitan area</b>	
Yes	81.9 (3.6)
No	18.1 (3.6)
<b>Income as % of poverty level</b>	
≤100	19.5 (1.4)
101–200	24.0 (1.6)
201–300	13.4 (1.3)
301–400	19.7 (1.6)
≥401	23.4 (1.7)
<b>Binge drinking in past year</b>	
Never	34.4 (2.0)
1–2 times	14.3 (1.4)
Several times	12.8 (1.1)
Monthly	14.9 (1.2)
Weekly	20.9 (1.5)
Daily	2.7 (0.6)
<b>Marijuana use in past year</b>	
Never	61.0 (1.7)
1–2 times	11.4 (1.0)
Several times	5.4 (0.7)
Monthly	5.0 (0.9)
Weekly	6.3 (0.8)
Daily	11.0 (1.1)
<b>Had forced sex with female</b>	
Yes	6.1 (0.9)
No	93.9 (0.9)
<b>Had forced sex with male</b>	
Yes	1.4 (0.4)
No	98.6 (0.4)
<b>Sexual risk indicators in past year</b>	
None	85.0 (1.3)
Any	15.0 (1.3)
Had sex with ≥5 female partners†	7.2 (0.8)
Had sex with female injection-drug user†	1.7 (0.4)
Had sex with HIV-positive female†	0.5 (0.2)
Had ≥1 male partner	0.5 (0.5)
Exchanged sex for money or drugs	2.3 (0.5)
Received STD diagnosis	4.8 (0.7)
Total	100.0

†Refers to vaginal, oral or anal sex. Notes: All data are weighted. Percentages may not total 100.0 because of rounding. Numbers in parentheses are standard errors.

**TABLE 2. Adjusted odds ratios (and 95% confidence intervals) from logistic regression analysis examining associations between young men's characteristics and their having had at least one sexual risk indicator in the past year**

Characteristic	Odds ratio
<b>Had forced sex with female</b>	
Yes	3.30 (1.69–6.47)***
No (ref)	1.00
<b>Had forced sex with male</b>	
Yes	6.93 (2.51–19.1)***
No (ref)	1.00
<b>Race and ethnicity</b>	
Hispanic	2.16 (1.44–3.24)***
Black	2.75 (1.62–4.67)***
White (ref)	1.00
Other	0.34 (0.11–1.12)
<b>Marital status</b>	
Unmarried/not cohabiting	1.77 (0.83–3.77)
Unmarried/cohabiting	1.94 (0.76–4.99)
Married (ref)	1.00
<b>Lives in metropolitan area</b>	
Yes	1.08 (0.69–1.67)
No (ref)	1.00
<b>Income as % of poverty level</b>	
≤100	1.57 (0.90–2.72)
101–200	0.94 (0.51–1.75)
201–300	1.21 (0.55–2.67)
301–400	0.68 (0.36–1.28)
≥401 (ref)	1.00
<b>Binge drinking in past year</b>	1.33 (1.17–1.50)***
<b>Marijuana use in past year</b>	1.15 (1.02–1.28)*
<i>Wald F</i>	151.07***

\* $p < .05$ . \*\*\* $p < .001$ . Note: ref=reference group.

**TABLE 3. Percentage distribution of sexually victimized males aged 18–24, by age at last incident, and percentage of these men reporting selected forms of coercion at last incident—all according to sex of perpetrator**

Measure	Female (N=94)	Male (N=23)
<b>Age at forced sex</b>		
≤14	28.7 (8.1)	70.6 (9.8)
15–17	30.8 (5.9)	15.5 (6.3)
18–22	40.5 (7.5)	13.8 (9.3)
Total	100.0	100.0
<b>Form of coercion†</b>		
Physically hurt	11.1 (4.5)	14.6 (6.4)
Physically held down	30.8 (6.9)	39.6 (17.4)
Physically threatened	13.3 (5.2)	41.5 (17.2)
Pressured verbally	56.1 (7.1)	57.1 (10.4)
Told relationship would end	17.5 (5.3)	15.6 (10.4)
Perpetrator was older/bigger	25.7 (5.7)	59.2 (14.5)
Given alcohol or drugs	46.6 (7.8)	46.2 (17.3)

†Respondents could report multiple types of coercion. *Notes:* All data are weighted. Percentages may not total 100.0 because of rounding. Numbers in parentheses are standard errors.