

## 2010 Survey of Publicly Funded Family Planning Clinics (Clinic Survey)

### Data Users' Guide and Codebook

Data collected by the [Guttmacher Institute](#)

Public-use dataset prepared by the [Guttmacher Center for  
Population Research Innovation and Dissemination](#)

April 2015

### Contents

Introduction; about the data .....	1
Contact person .....	2
Available data formats .....	2
Weights and sample design variables .....	2
Other key variables .....	3
Missing values .....	3
Codebook .....	4
Extended methodology .....	79
Bibliography of reports based on the dataset .....	81

### Introduction; about the data

The Guttmacher Institute has a long history of studying U.S. publicly funded family planning clinics and conducting sample surveys to better understand and document the clinic network's range of service delivery practices and the challenges it faces. These data are from a survey of nationally representative sample of publicly funded family planning clinics conducted in 2010–2011, and is both an extension of earlier surveys and an investigation of new topic areas relevant to the provision of clinic services today.

A total of 664 publicly funded family planning clinics in the U.S. provided information about the types of contraceptive methods and related services offered onsite and through referral; service delivery practices and protocols, particularly those that have the potential to affect service accessibility, method initiation and continuation, and care for patients with special needs; staffing, training and scheduling patterns; the types of outreach and special programs offered, and whether outreach or programs are tailored to specific client subgroups; protocols and technology used for screening and testing (including for cervical cancer and HIV); services for male partners and clients; service costs and financial challenges; and a variety of other aspects related to clinical practices and management.

The final data file contains 270 variables. All the variables are numeric in type, except for the state variable. Variable labels are applied to all variables and value labels are applied to most variables.

Additional information about the questionnaires, sample design and other facts related to data collection can be found at the end of this document.

## **Contact person**

For inquiries about this dataset, please contact Project Investigator Jennifer J. Frost, Dr.P.H., by email at [jfrost@gutmacher.org](mailto:jfrost@gutmacher.org) or via phone at (212) 248-1111.

## **Available data formats**

The data are available in the following formats:

- A **Stata** data file (.dta) is available for Stata users.
- An **SPSS** data file (.sav) is available for SPSS users. A complex-sample analysis file (.csaplan) accompanies the main data file.

To obtain the dataset, complete the data request form available on the Data page of the Guttmacher Center's website, <http://www.gutmacher.org/popcenter>.

## **Weights and sample design variables**

All analyses should be weighted. The main weight variable is `weight`. This variable accounts for the fact that the sample was stratified, so it will produce accurate standard errors.

In order to obtain accurate standard errors, analyses should also account for the fact that the sample was stratified by using the `stratum` variable (`stratum`):

- Stata users: The complex-sample settings (`weight` and `stratum`) have already been set and saved in the Clinic Survey 2010 data file using the `svyset` command. For reference, the command to set these settings was:

```
svyset [pweight=weight], strata(stratum) singleunit(scaled)
```

You can use the dialog boxes to generate your analysis commands (click Statistics > Survey data analysis), but the syntax is easy: just use the `svy:` prefix before your analysis command.

Example:

```
svy: tab age
```

- SPSS users: The Complex Samples module is required, and you must also use the Clinic Survey 2010.csaplan file, which specifies the weight and stratum variables. It's easiest to use the dialog boxes to generate your desired tables, etc. (click Analyze > Complex Samples > ...). However, here is some sample syntax:

```
cstabl at e
  /plan file = "[path to .csaplan file]\Clinic Survey 2010.csaplan"
  /tables variables = age
  /cells tablepct
  /statistics se
  /missing scope = table.
```

### Other key variables

The randomly generated unique identifier for the facility is `clini d`.

Key clinic variables include `cl ntype` (clinic type), `servi ce` (primary function of clinic) and `txfund` (Title X status).

Variables with the clinic name, address, city and zip code have been removed from the file in order to deidentify the data.

### Missing values

Missing values may be handled differently in the files.

- Stata: Missing values may have been converted to Stata extended missing values (e.g., `. d` for don't know, `. n` for NA). To see missing values, type any of the following:

```
tab myvar, mi ssi ng [no label]
label list myvar label
codebook myvar
```

Note that in Stata, extended missing values are numerically "greater" than the standard system missing value (`.`), which itself is greater than positive infinity. For more, type `help mi ssi ng` in Stata.

- SPSS: Missing values are either system missing or are included as numerical values but marked as user-missing in the dataset (typically 8/9, 98/99, or 998/999). Therefore, the values in SPSS may not be the same as the Stata-coded missing values (`.d`, `.n`, etc.).

Codebook

-----  
 clnother Q1b: Clinic type other specification  
 -----

type: numeric (byte)  
 range: [ , , ] units: .  
 unique values: 0 missing .: 664/664  
 tabulation: Freq. Value  
 664 .

-----  
 pcntcp Q3: Percent clients receiving CP services  
 -----

type: numeric (byte)  
 label: PCNTCP  
 range: [ 1, 6 ] units: 1  
 unique values: 6 missing .: 2/664  
 tabulation: Freq. Numeric Label  
 45 1 < 10%  
 120 2 10- 24%  
 90 3 25- 49%  
 128 4 50- 74%  
 255 5 75- 99%  
 24 6 100%  
 2 .

-----  
 cpweek Q4: Number of contraceptive clients per week  
 -----

type: numeric (byte)  
 label: CPWEEK  
 range: [ 1, 6 ] units: 1  
 unique values: 6 missing .: 10/664  
 tabulation: Freq. Numeric Label  
 58 1 <5  
 127 2 5- 19  
 202 3 20- 49  
 131 4 50- 99  
 86 5 100- 199  
 50 6 200+  
 10 .

-----  
 methoc Q5a: cp method: oral contraceptives  
 -----

type: numeric (byte)  
 label: METHOC  
 range: [ 1, 99 ] units: 1

Clinic Survey 2010 Data Users' Guide and Codebook

unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	638	1	provided or prescribed at this site
	7	2	clients referred within your agency
	2	3	clients referred outside of agency
	3	4	not provided or referred
	7	99	item missing
	7	.	.

-----  
 metheoc Q5b: cp method: extended oral contraceptives  
 -----

type: numeric (byte)  
 label: METHEOC

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	410	1	provided or prescribed at this site
	16	2	clients referred within your agency
	98	3	clients referred outside of agency
	89	4	not provided or referred
	44	99	item missing
	7	.	.

-----  
 methiudm Q5c: cp method: iud mirena  
 -----

type: numeric (byte)  
 label: METHIUDM

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	411	1	provided or prescribed at this site
	64	2	clients referred within your agency
	131	3	clients referred outside of agency
	37	4	not provided or referred
	14	99	item missing
	7	.	.

-----  
 methiudp Q5d: cp method: iud paragard copper-t  
 -----

type: numeric (byte)  
 label: METHIUDP

Clinic Survey 2010 Data Users' Guide and Codebook

range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	431	1	provided or prescribed at this site
	57	2	clients referred within your agency
	121	3	clients referred outside of agency
	34	4	not provided or referred
	14	99	item missing
	7	.	.

-----  
 methimp Q5e: cp method: implant  
 -----

type: numeric (byte)  
 label: METHIMP

range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	306	1	provided or prescribed at this site
	59	2	clients referred within your agency
	201	3	clients referred outside of agency
	71	4	not provided or referred
	20	99	item missing
	7	.	.

-----  
 methinj Q5f: cp method: injectable  
 -----

type: numeric (byte)  
 label: METHINJ

range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	638	1	provided or prescribed at this site
	6	2	clients referred within your agency
	5	3	clients referred outside of agency
	3	4	not provided or referred
	5	99	item missing
	7	.	.

-----  
 methpat Q5g: cp method: patch  
 -----

type: numeric (byte)  
 label: METHPAT

Clinic Survey 2010 Data Users' Guide and Codebook

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	545	1	provided or prescribed at this site
	11	2	clients referred within your agency
	51	3	clients referred outside of agency
	40	4	not provided or referred
	10	99	item missing
	7	.	.

-----  
 methring

Q5h: cp method: vaginal ring  
 -----

type: numeric (byte)  
 label: METHRING

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	555	1	provided or prescribed at this site
	18	2	clients referred within your agency
	51	3	clients referred outside of agency
	26	4	not provided or referred
	7	99	item missing
	7	.	.

-----  
 methdia

Q5i: cp method: diaphragm, cervical cap  
 -----

type: numeric (byte)  
 label: METHDIA

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	414	1	provided or prescribed at this site
	39	2	clients referred within your agency
	103	3	clients referred outside of agency
	82	4	not provided or referred
	19	99	item missing
	7	.	.

-----  
 methspo

Q5j: cp method: sponge  
 -----

type: numeric (byte)

Clinic Survey 2010 Data Users' Guide and Codebook

label: METHSPO  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	210	1	provided or prescribed at this site
	23	2	clients referred within your agency
	160	3	clients referred outside of agency
	226	4	not provided or referred
	38	99	item missing
	7	.	.

-----  
 methmcon Q5k: cp method: male condom  
 -----

type: numeric (byte)  
 label: METHMCON  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	614	1	provided or prescribed at this site
	7	2	clients referred within your agency
	13	3	clients referred outside of agency
	17	4	not provided or referred
	6	99	item missing
	7	.	.

-----  
 methfcon Q5l: cp method: female condom  
 -----

type: numeric (byte)  
 label: METHFCON  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	431	1	provided or prescribed at this site
	17	2	clients referred within your agency
	81	3	clients referred outside of agency
	107	4	not provided or referred
	21	99	item missing
	7	.	.

-----  
 methsprm Q5m: cp method: spermicides  
 -----



Clinic Survey 2010 Data Users' Guide and Codebook

type: numeric (byte)  
 label: METHSPRM  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	437	1	provided or prescribed at this site
	20	2	clients referred within your agency
	77	3	clients referred outside of agency
	101	4	not provided or referred
	22	99	item missing
	7	.	

-----  
 methnat Q5n: cp method: natural family planning  
 -----

type: numeric (byte)  
 label: METHNAT  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	556	1	provided or prescribed at this site
	19	2	clients referred within your agency
	39	3	clients referred outside of agency
	23	4	not provided or referred
	20	99	item missing
	7	.	

-----  
 methemg Q5o: cp method: emergency contraceptive pills  
 -----

type: numeric (byte)  
 label: METHEMG  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	563	1	provided or prescribed at this site
	9	2	clients referred within your agency
	46	3	clients referred outside of agency
	30	4	not provided or referred
	9	99	item missing
	7	.	

-----  
 methfstr Q5p: cp method: female sterilization  
 -----

Clinic Survey 2010 Data Users' Guide and Codebook

type: numeric (byte)  
 label: METHFSTR  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	73	1	provided or prescribed at this site
	128	2	clients referred within your agency
	386	3	clients referred outside of agency
	54	4	not provided or referred
	16	99	item missing
	7	.	

-----  
 methvas Q5q: cp method: vasectomy  
 -----

type: numeric (byte)  
 label: METHVAS  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	46	1	provided or prescribed at this site
	128	2	clients referred within your agency
	389	3	clients referred outside of agency
	75	4	not provided or referred
	19	99	item missing
	7	.	

-----  
 srvprim Q6a: other health services: primary medical care  
 -----

type: numeric (byte)  
 label: SRVPRIM  
 range: [1, 99] units: 1  
 unique values: 5 missing.: 7/664

tabulation:	Freq.	Numeric	Label
	266	1	provided or prescribed at this site
	33	2	clients referred within your agency
	298	3	clients referred outside of agency
	49	4	not provided or referred
	11	99	item missing
	7	.	

-----  
 srvpreg Q6b: other health services: pregnancy testing  
 -----

Clinic Survey 2010 Data Users' Guide and Codebook

---

type: numeric (byte)  
 label: SRVPREG  
 range: [1, 99] units: 1  
 unique values: 4 missing : 7/664

tabulation:	Freq.	Numeric	Label
	653	1	provided or prescribed at this site
	2	2	clients referred within your agency
	1	3	clients referred outside of agency
	1	99	item missing
	7	.	

---

srvhiv Q6c: other health services: hiv testing

---

type: numeric (int)  
 label: SRVHIV  
 range: [1, 999] units: 1  
 unique values: 6 missing : 0/664

tabulation:	Freq.	Numeric	Label
	612	1	provided or prescribed at this site
	20	2	clients referred within your agency
	21	3	clients referred outside of agency
	2	4	not provided or referred
	2	99	item missing
	7	999	missing on all Q6

---

srvstisc Q6d: other health services: sti screening

---

type: numeric (byte)  
 label: SRVSTISC  
 range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	637	1	provided or prescribed at this site
	8	2	clients referred within your agency
	7	3	clients referred outside of agency
	1	4	not provided or referred
	4	99	item missing
	7	.	

---

srvstitr Q6e: other health services: sti treatment

---

```

type: numeric (byte)
label: SRVSTITR

range: [1,99]          units: 1
unique values: 5      missing : 7/664

tabulation:  Freq.  Numeric  Label
              629     1        provided or prescribed at this
              12     2        site
              9      3        clients referred within your
              2      4        agency
              5      3        clients referred outside of
              7      4        agency
              7      99       not provided or referred
              7      99       item missing
              7      .
  
```

-----

srvhvp   Q6f: other health services: hpv vac

-----

```

type: numeric (byte)
label: SRVHPV

range: [1,99]          units: 1
unique values: 5      missing : 7/664

tabulation:  Freq.  Numeric  Label
              553     1        provided or prescribed at this
              46     2        site
              48     2        clients referred within your
              7      3        agency
              3      3        clients referred outside of
              7      4        agency
              3      4        not provided or referred
              7      99       item missing
              7      .
  
```

-----

srvpcon                                       Q6g: other health services: preconception care

-----

```

type: numeric (byte)
label: SRVPCON

range: [1,99]          units: 1
unique values: 5      missing : 7/664

tabulation:  Freq.  Numeric  Label
              520     1        provided or prescribed at this
              19     2        site
              88     2        clients referred within your
              19     3        agency
              11     3        clients referred outside of
              7      4        agency
              7      4        not provided or referred
              7      99       item missing
              7      99       item missing
              7      .
  
```

-----

Clinic Survey 2010 Data Users' Guide and Codebook

srvpnat Q6r: other health services: prenatal care

type: numeric (byte)  
 label: SRVPNAT

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	103	1	provided or prescribed at this site
	24	2	clients referred within your agency
	124	3	clients referred outside of agency
	9	4	not provided or referred
	397	99	item missing
	7	.	

srvinfc Q6h: other health services: infertility counseling

type: numeric (byte)  
 label: SRVINFC

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	261	1	provided or prescribed at this site
	35	2	clients referred within your agency
	280	3	clients referred outside of agency
	63	4	not provided or referred
	18	99	item missing
	7	.	

srvinft Q6i: other health services: infertility treatment

type: numeric (byte)  
 label: SRVINFT

range: [1, 99] units: 1  
 unique values: 5 missing .: 7/664

tabulation:	Freq.	Numeric	Label
	56	1	provided or prescribed at this site
	45	2	clients referred within your agency
	449	3	clients referred outside of agency
	86	4	not provided or referred
	21	99	item missing
	7	.	

-----  
 srvcol                                  Q6j: other health services: colposcopy  
 -----

          type: numeric (byte)  
           label: SRVCOL

          range: [1, 99]    units: 1  
 unique values: 5    missing.: 7/664

tabulation:	Freq.	Numeric	Label
	241	1	provided or prescribed at this site
	158	2	clients referred within your agency
	218	3	clients referred outside of agency
	29	4	not provided or referred
	11	99	item missing
	7	.	.

-----  
 srvdv                                        Q6k: other health services: dv screening  
 -----

          type: numeric (byte)  
           label: SRVDV

          range: [1, 99]    units: 1  
 unique values: 5    missing.: 7/664

tabulation:	Freq.	Numeric	Label
	539	1	provided or prescribed at this site
	15	2	clients referred within your agency
	78	3	clients referred outside of agency
	16	4	not provided or referred
	9	99	item missing
	7	.	.

-----  
 srvmh                                        Q6l: other health services: mental health screening  
 -----

          type: numeric (byte)  
           label: SRVMH

          range: [1, 99]    units: 1  
 unique values: 5    missing.: 7/664

tabulation:	Freq.	Numeric	Label
	380	1	provided or prescribed at this site
	33	2	clients referred within your agency
	201	3	clients referred outside of agency
	30	4	not provided or referred
	13	99	item missing
	7	.	.

-----  
 srvwgh Q6m: other health services: weight mgmt  
 -----

type: numeric (byte)  
 label: SRVWGH  
 range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	458	1	provided or prescribed at this site
	31	2	clients referred within your agency
	132	3	clients referred outside of agency
	22	4	not provided or referred
	14	99	item missing
	7	.	.

-----  
 srvsmk Q6n: other health services: smoking  
 -----

type: numeric (byte)  
 label: SRVSMK  
 range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	452	1	provided or prescribed at this site
	55	2	clients referred within your agency
	132	3	clients referred outside of agency
	11	4	not provided or referred
	7	99	item missing
	7	.	.

-----  
 srvdbt Q6o: other health services: diabetes  
 -----

type: numeric (byte)  
 label: SRVDBT  
 range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	430	1	provided or prescribed at this site
	30	2	clients referred within your agency
	163	3	clients referred outside of agency
	26	4	not provided or referred
	8	99	item missing

7

-----  
 srvsgab Q6p: other health services: surg abortion  
 -----

type: numeric (byte)  
 label: SRVSGAB  
 range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	53	1	provided or prescribed at this site
	123	2	clients referred within your agency
	338	3	clients referred outside of agency
	130	4	not provided or referred
	13	99	item missing
	7	.	.

-----  
 srvm dab Q6q: other health services: medication abortion  
 -----

type: numeric (byte)  
 label: SRVMDAB  
 range: [1, 99] units: 1  
 unique values: 5 missing : 7/664

tabulation:	Freq.	Numeric	Label
	86	1	provided or prescribed at this site
	89	2	clients referred within your agency
	322	3	clients referred outside of agency
	146	4	not provided or referred
	14	99	item missing
	7	.	.

-----  
 scrbl d Q7i: screening: traditional blood stick  
 -----

type: numeric (byte)  
 label: yn, but 1 nonmissing value is not labeled  
 range: [0, 99] units: 1  
 unique values: 3 missing : 0/664

tabulation:	Freq.	Numeric	Label
	149	0	No
	485	1	Yes
	30	99	.

-----  
 scrswb Q7j: screening: cheek swab  
 -----



Clinic Survey 2010 Data Users' Guide and Codebook

type: numeric (byte)  
label: yn, but 1 nonmissing value is not labeled  
range: [0, 99]  
unique values: 3  
units: 1  
missing.: 0/664

tabulation:	Freq.	Numeric	Label
	426	0	No
	165	1	Yes
	73	99	

-----  
scrapbl Q7k: screening: rapid-result blood test  
-----

type: numeric (byte)  
label: yn, but 1 nonmissing value is not labeled  
range: [0, 99]  
unique values: 3  
units: 1  
missing.: 0/664

tabulation:	Freq.	Numeric	Label
	329	0	No
	280	1	Yes
	55	99	

-----  
prsmeth Q8a: initial prescription method for oral contraceptives  
-----

type: numeric (byte)  
label: PRSMETH  
range: [1, 4]  
unique values: 4  
units: 1  
missing.: 16/664

tabulation:	Freq.	Numeric	Label
	472	1	Most clients receive both initial supply and refills at clin
	48	2	Most clients receive initial supply at clinic & prescrip. to
	108	3	Most clients receive a prescription that they fill at an out
	20	4	Other (specify)
	16	.	.

-----  
prsothr Q8b: other specification: initial prescription method for oc  
-----

type: numeric (byte)  
range: [.,.]  
unique values: 0  
units: .  
missing.: 664/664

tabulation:	Freq.	Value
	664	.

Clinic Survey 2010 Data Users' Guide and Codebook

i prscyc Q9a: initial visit: number of cycles of oc provided

-----

type: numeric (byte)  
 label: LABB

range: [1, 7] units: 1  
 unique values: 6 missing .: 17/664

tabulation:

Freq.	Numeri c	Label
73	1	1-2 cycles
364	2	3-5 cycles
45	3	6-11 cycles
148	4	12-13 cycles
8	5	14-23 cycles
9	7	Indetermi nate number
17	.	

r prscyc Q9c: refill visit: number of cycles of oc provided

-----

type: numeric (byte)  
 label: LABB

range: [1, 7] units: 1  
 unique values: 6 missing .: 40/664

tabulation:

Freq.	Numeri c	Label
43	1	1-2 cycles
171	2	3-5 cycles
194	3	6-11 cycles
185	4	12-13 cycles
18	5	14-23 cycles
13	7	Indetermi nate number
40	.	

i prcothr Q9b: other specification: initial visit: cycles of oc provided

-----

type: numeric (byte)

range: [1, 14] units: 1  
 unique values: 2 missing .: 644/664

tabulation:

Freq.	Value
19	1
1	14
644	.

r prsothr Q9d: other specification: refill visit: number of cycles of oc provided

-----

type: numeric (byte)

range: [1, 31] units: 1  
 unique values: 6 missing .: 618/664

Clinic Survey 2010 Data Users' Guide and Codebook

```

tabulation:  Freq.  Value
               41    1
               1    9
               1   10
               1   11
               1   14
               1   31
              618  .
    
```

```

clnprcqs                Q10a: quick start protocol: clinic
                        practices related to oc and ecp
    
```

```

           type:  numeric (byte)
           label:  LABC

           range:  [ 1, 4]
unique values:  4                                units:  1
                                                missing .:  23/664
    
```

```

tabulation:  Freq.  Numeri c  Label
               285    1   Often
               180    2   Sometimes
               88    3   Rarely
               88    4   Never
               23    .
    
```

```

clnprcpv                Q10b: delayed pelvic exam: clinic
                        practices related to oc and ecp
    
```

```

           type:  numeric (byte)
           label:  LABC

           range:  [ 1, 4]
unique values:  4                                units:  1
                                                missing .:  19/664
    
```

```

tabulation:  Freq.  Numeri c  Label
               215    1   Often
               243    2   Sometimes
               120    3   Rarely
               67    4   Never
               19    .
    
```

```

clnpraec                Q10c: advance provision of ecp:
                        clinic practices related to oc and
                        ecp
    
```

```

           type:  numeric (byte)
           label:  LABC

           range:  [ 1, 4]
unique values:  4                                units:  1
                                                missing .:  21/664
    
```

```

tabulation:  Freq.  Numeri c  Label
               200    1   Often
               134    2   Sometimes
               90    3   Rarely
               219    4   Never
    
```

-----  
 clnprpec Q10d: ecp prescribed via phone:  
 clinic practices related to oc and  
 ecp  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 25/664

tabulation:	Freq.	Numeric	Label
	40	1	Often
	62	2	Sometimes
	112	3	Rarely
	425	4	Never
	25	.	

-----  
 lngphys Q14a: frequency of language services from physicians, nurses  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 14/664

tabulation:	Freq.	Numeric	Label
	180	1	Often
	145	2	Sometimes
	103	3	Rarely
	222	4	Never
	14	.	

-----  
 lngstf Q14b: frequency of language services from non-clinical staff  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 16/664

tabulation:	Freq.	Numeric	Label
	244	1	Often
	118	2	Sometimes
	100	3	Rarely
	186	4	Never
	16	.	

-----  
 lngint Q14c: frequency of language services from interpreters on site  
 -----

type: numeric (byte)  
 label: LABC

Clinic Survey 2010 Data Users' Guide and Codebook

range: [1, 4] units: 1  
 unique values: 4 missing : 18/664

tabulation:	Freq.	Numeric	Label
	162	1	Often
	106	2	Sometimes
	70	3	Rarely
	308	4	Never
	18	.	

-----  
 lngphn Q14d: frequency of language services via telephone  
 -----

type: numeric (byte)  
 label: LABC

range: [1, 4] units: 1  
 unique values: 4 missing : 10/664

tabulation:	Freq.	Numeric	Label
	167	1	Often
	181	2	Sometimes
	204	3	Rarely
	102	4	Never
	10	.	

-----  
 appsmdy Q16a: new client can get a cp visit same day  
 -----

type: numeric (byte)  
 label: APPSMDY

range: [1, 1] units: 1  
 unique values: 1 missing : 382/664

tabulation:	Freq.	Numeric	Label
	282	1	Same day
	382	.	

-----  
 appnody Q16b: number of days it takes new client to get an appointment  
 -----

type: numeric (byte)

range: [0, 47] units: 1  
 unique values: 19 missing : 398/664

mean: 4.92857  
 std. dev: 5.14603

percentiles:	10%	25%	50%	75%	90
> %					
> 0	1	2	3	7	1

-----  
 appnowk Q16c: number of weeks it takes new client to get an appointment  
 -----

Clinic Survey 2010 Data Users' Guide and Codebook

```

type: numeric (byte)
range: [0, 15]
unique values: 10
units: 1
missing .: 554/664

mean: 2.50909
std. dev: 2.03522

percentiles:      10%      25%      50%      75%      90
> %
> 4

```

-----  
mtstfprv Q17a: method selection: type of staff providing service  
-----

```

type: numeric (byte)
label: LABF

range: [1, 5]
unique values: 5
units: 1
missing .: 10/664

tabulation:
Freq. Numeric Label
149      1 Health Counselor or Educator
187      2 Registered Nurse (RN)
212      3 Mid-level Clinician (NP/CNM/PA)
74        4 Physician (MD, DO)
32        5 Other (specify below)
10        .

```

-----  
exstfprv Q17b: clinical exam: type of staff providing service  
-----

```

type: numeric (byte)
label: LABF

range: [1, 5]
unique values: 5
units: 1
missing .: 16/664

tabulation:
Freq. Numeric Label
5      1 Health Counselor or Educator
26     2 Registered Nurse (RN)
475    3 Mid-level Clinician (NP/CNM/PA)
133    4 Physician (MD, DO)
9       5 Other (specify below)
16     .

```

-----  
injstfpr Q17c: depo-provera injection: type of staff providing service  
-----

```

type: numeric (byte)
label: LABF

range: [1, 5]
unique values: 5
units: 1
missing .: 19/664

tabulation:
Freq. Numeric Label
58    1 Health Counselor or Educator
321   2 Registered Nurse (RN)

```



Clinic Survey 2010 Data Users' Guide and Codebook

std. dev: 23.0756

	percentiles:	10%	25%	50%	75%	90
> %						
> 5		20	30	40	60	7

-----  
 lngvtcpx Q18d: length of initial visit for client with complex circumstances  
 -----

type: numeric (int)

	range:	[ 15, 180]		units:	1
	unique values:	36		missing .:	41/664
	mean:	49.1429			
	std. dev:	22.1195			

	percentiles:	10%	25%	50%	75%	90
> %						
> 5		25	30	45	60	7

-----  
 minmth16 Q18e: minutes spent on method selection for 16 yo client  
 -----

type: numeric (byte)

	range:	[ 0, 80]		units:	1
	unique values:	26		missing .:	76/664
	mean:	12.7075			
	std. dev:	8.73943			

	percentiles:	10%	25%	50%	75%	90
> %						
> 0		5	7	10	15	2

-----  
 minuse16 Q18i: minutes spent on correct use of method for 16 yo client  
 -----

type: numeric (byte)

	range:	[ 1, 80]		units:	1
	unique values:	23		missing .:	76/664
	mean:	10.5289			
	std. dev:	7.73215			

	percentiles:	10%	25%	50%	75%	90
> %						
> 0		5	5	10	15	2

-----  
 minsti16 Q18m: minutes spent on hiv/sti prevention for 16 yo client  
 -----



Clinic Survey 2010 Data Users' Guide and Codebook

```

                type:  numeric (byte)
                range:  [ 1, 60]
unique values:  22                                units:  1
                                                missing .:  79/664

                mean:   9.00171
                std. dev: 7.39574

percentiles:      10%      25%      50%      75%      90
> %
                  3        5        5        10       1
> 5

```

-----  
mi nlif16                    Q18q: minutes spent on life events for 16 yo client  
-----

```

                type:  numeric (byte)
                range:  [ 0, 60]
unique values:  20                                units:  1
                                                missing .:  89/664

                mean:   7.61913
                std. dev: 6.7395

percentiles:      10%      25%      50%      75%      90
> %
                  2        4        5        10       1
> 5

```

-----  
mi nrp16                    Q18u: minutes spent on reproductive plans for 16 yo client  
-----

```

                type:  numeric (byte)
                range:  [ 0, 60]
unique values:  21                                units:  1
                                                missing .:  85/664

                mean:   8.1019
                std. dev: 7.30845

percentiles:      10%      25%      50%      75%      90
> %
                  2        4        5        10       1
> 5

```

-----  
mi nmth25                    Q18f: minutes spent on method selection for 25 yo client  
-----

```

                type:  numeric (byte)
                range:  [ 1, 80]
unique values:  22                                units:  1
                                                missing .:  103/664

                mean:   10.1016
                std. dev: 7.85757

percentiles:      10%      25%      50%      75%      90
> %

```

Clinic Survey 2010 Data Users' Guide and Codebook

> 0 4 5 10 10 2

-----  
 minuse25 Q18j: minutes spent on correct use of method for 25 yo client  
 -----

type: numeric (byte)  
 range: [1, 80] units: 1  
 unique values: 22 missing .: 104/664  
 mean: 8.63214  
 std. dev: 7.28738  
 percentiles: 10% 25% 50% 75% 90  
 > % 3 5 5 10 1  
 > 5

-----  
 minsti25 Q18n: minutes spent on hiv/sti prevention for 25 yo client  
 -----

type: numeric (byte)  
 range: [1, 60] units: 1  
 unique values: 20 missing .: 107/664  
 mean: 7.70916  
 std. dev: 6.48974  
 percentiles: 10% 25% 50% 75% 90  
 > % 2 5 5 10 1  
 > 5

-----  
 minlif25 Q18r: minutes spent on life events for 25 yo client  
 -----

type: numeric (byte)  
 range: [0, 33] units: 1  
 unique values: 18 missing .: 117/664  
 mean: 6.66545  
 std. dev: 5.79057  
 percentiles: 10% 25% 50% 75% 90  
 > % 2 3 5 10 1  
 > 5

-----  
 minrp25 Q18v: minutes spent on reproductive plans for 25 yo client  
 -----

type: numeric (byte)  
 range: [0, 80] units: 1  
 unique values: 20 missing .: 112/664

Clinic Survey 2010 Data Users' Guide and Codebook

```

                mean: 7.06341
                std. dev: 6.62213

                percentiles:      10%      25%      50%      75%      90
> %
                                2        3        5        10       1
> 5
    
```

-----

```

mi nmtheq                Q18g: minutes spent on method
                        selection for limited english
                        client
    
```

-----

```

                type: numeric (byte)

                range: [0, 90]                units: 1
                unique values: 25            missing .: 124/664

                mean: 14.1981
                std. dev: 10.0146

                percentiles:      10%      25%      50%      75%      90
> %
                                5        8        10       18       3
> 0
    
```

-----

```

mi nuseeg                Q18k: minutes spent on correct use
                        of method for limited english
                        client
    
```

-----

```

                type: numeric (byte)

                range: [0, 90]                units: 1
                unique values: 24            missing .: 124/664

                mean: 11.9
                std. dev: 8.71062

                percentiles:      10%      25%      50%      75%      90
> %
                                5        5        10       15       2
> 0
    
```

-----

```

mi nstieq                Q18o: minutes spent on hiv/sti
                        prevention for limited english
                        client
    
```

-----

```

                type: numeric (byte)

                range: [0, 80]                units: 1
                unique values: 23            missing .: 128/664

                mean: 9.6306
                std. dev: 7.98701

                percentiles:      10%      25%      50%      75%      90
    
```

Clinic Survey 2010 Data Users' Guide and Codebook

> %  
 > 0

3	5	8	10	2
---	---	---	----	---

-----  
 minlifeg Q18s: minutes spent on life events for limited english client  
 -----

type: numeric (byte)

range:	[0, 45]	units:	1
unique values:	22	missing .:	139/664
mean:	8.4		
std. dev:	7.14677		

percentiles:

10%	25%	50%	75%	90
2	5	5	10	1

> %  
 > 5

-----  
 minrpeg Q18w: minutes spent on reproductive plans for limited english client  
 -----

type: numeric (byte)

range:	[0, 75]	units:	1
unique values:	23	missing .:	135/664
mean:	8.74291		
std. dev:	7.87125		

percentiles:

10%	25%	50%	75%	90
2	5	5	10	1

> %  
 > 5

-----  
 minmthcx Q18h: minutes spent on method selection for complex client  
 -----

type: numeric (int)

range:	[2, 120]	units:	1
unique values:	27	missing .:	108/664
mean:	16.0809		
std. dev:	12.444		

percentiles:

10%	25%	50%	75%	90
5	10	14	20	3

> %  
 > 0

-----  
 minusecx Q18l: minutes spent on correct use of method for complex client  
 -----

Clinic Survey 2010 Data Users' Guide and Codebook

```

type: numeric (int)
range: [1, 120]
unique values: 28
units: 1
missing .: 108/664
mean: 12.8219
std. dev: 11.3569
percentiles:
10% 25% 50% 75% 90
> % 5 5 10 15 2
> 5

```

-----  
**minsticx** Q18p: minutes spent on hiv/sti prevention for complex client  
 -----

```

type: numeric (int)
range: [1, 120]
unique values: 26
units: 1
missing .: 113/664
mean: 10.5172
std. dev: 10.7801
percentiles:
10% 25% 50% 75% 90
> % 3 5 10 10 2
> 0

```

-----  
**minlifcx** Q18t: minutes spent on life events for complex client  
 -----

```

type: numeric (byte)
range: [0, 90]
unique values: 28
units: 1
missing .: 123/664
mean: 9.84658
std. dev: 9.10558
percentiles:
10% 25% 50% 75% 90
> % 2 5 9 10 2
> 0

```

-----  
**minrpcx** Q18x: minutes spent on reproductive plans for complex client  
 -----

```

type: numeric (byte)
range: [0, 90]
unique values: 25
units: 1
missing .: 117/664
mean: 9.89214
std. dev: 9.68654
percentiles:
10% 25% 50% 75% 90
> % 2 5 8 10 2

```

Clinic Survey 2010 Data Users' Guide and Codebook

> 0

-----  
 permed Q19a: percentage of clients paying through medicaid  
 -----

type: numeric (byte)  
 range: [0, 100] units: 1  
 unique values: 84 missing .: 60/664  
 mean: 42.6639  
 std. dev: 29.6238  
 percentiles: 10% 25% 50% 75% 90  
 > % 4 18 40 70 8  
 > 5

-----  
 perpub Q19b: percentage of clients paying through other public insurance  
 -----

type: numeric (byte)  
 range: [0, 83] units: 1  
 unique values: 38 missing .: 60/664  
 mean: 5.33444  
 std. dev: 11.713  
 percentiles: 10% 25% 50% 75% 90  
 > % 0 0 0 5 2  
 > 0

-----  
 perpriv Q19c: percentage of clients paying through private insurance  
 -----

type: numeric (byte)  
 range: [0, 80] units: 1  
 unique values: 42 missing .: 60/664  
 mean: 9.19868  
 std. dev: 11.7143  
 percentiles: 10% 25% 50% 75% 90  
 > % 0 0 5 12 2  
 > 5

-----  
 perfree Q19d: percentage of clients paying no fee  
 -----

type: numeric (byte)  
 range: [0, 99] units: 1  
 unique values: 73 missing .: 60/664

Clinic Survey 2010 Data Users' Guide and Codebook

mean: 20.1838  
 std. dev: 26.0707  
 percentiles: 10% 25% 50% 75% 90  
 > % 0 0 6 35 6  
 > 0

-----  
 perred Q19e: percentage of clients paying reduced fee  
 -----

type: numeric (byte)  
 range: [0, 99] units: 1  
 unique values: 75 missing .: 60/664  
 mean: 16.5331  
 std. dev: 21.5337  
 percentiles: 10% 25% 50% 75% 90  
 > % 0 2 10 21 4  
 > 5

-----  
 perfull Q19f: percentage of clients paying full fee  
 -----

type: numeric (byte)  
 range: [0, 99] units: 1  
 unique values: 42 missing .: 60/664  
 mean: 6.05132  
 std. dev: 14.461  
 percentiles: 10% 25% 50% 75% 90  
 > % 0 0 1 5 1  
 > 0

-----  
 medapp Q21a: medicaid applications available  
 -----

type: numeric (byte)  
 label: yn  
 range: [0, 1] units: 1  
 unique values: 2 missing .: 11/664  
 tabulation:

Freq.	Numeric	Label
206	0	No
447	1	Yes
11	.	

-----  
 medass Q21b: assistance available for medicaid applications  
 -----

Clinic Survey 2010 Data Users' Guide and Codebook

type: numeric (byte)  
 label: yn  
 range: [0, 1]  
 unique values: 2  
 units: 1  
 missing: 12/664

tabulation:	Freq.	Numeric	Label
	246	0	No
	406	1	Yes
	12	.	

-----  
 medsub Q21c: staff submit medicaid applications  
 -----

type: numeric (byte)  
 label: yn  
 range: [0, 1]  
 unique values: 2  
 units: 1  
 missing: 18/664

tabulation:	Freq.	Numeric	Label
	301	0	No
	345	1	Yes
	18	.	

-----  
 medenr Q21d: staff enroll clients in medicaid  
 -----

type: numeric (byte)  
 label: yn  
 range: [0, 1]  
 unique values: 2  
 units: 1  
 missing: 19/664

tabulation:	Freq.	Numeric	Label
	427	0	No
	218	1	Yes
	19	.	

-----  
 ehrrsys Q23: electronic health record system in use  
 -----

type: numeric (byte)  
 label: EHRSYS  
 range: [1, 3]  
 unique values: 3  
 units: 1  
 missing: 27/664

tabulation:	Freq.	Numeric	Label
	198	1	Currently use EHR system
	319	2	Expect to implement EHR within next 2 years
	120	3	No plans to implement EHR withi
> n			next 2 years
	27	.	

-----  
 clncstdp Q24a: cost to clinic depo-provera  
 -----



```

-----
                type:  numeric (int)
                range:  [0, 130]
unique values:  44                units:  1
                                missing .:  444/664

                mean:   16.4227
                std. dev: 22.023

percentiles:      10%      25%      50%      75%      90
> %              2        3        8        19        5
> 0
    
```

```

-----
clncstoc                Q24d: cost to clinic common oc
-----
    
```

```

                type:  numeric (byte)
                range:  [0, 80]
unique values:  29                units:  1
                                missing .:  459/664

                mean:   7.95122
                std. dev: 9.79033

percentiles:      10%      25%      50%      75%      90
> %              2        4        6        7        1
> 5
    
```

```

-----
clncsiud                Q24g: cost to clinic iud
-----
    
```

```

                type:  numeric (int)
                range:  [0, 915]
unique values:  67                units:  1
                                missing .:  522/664

                mean:   296.796
                std. dev: 190.629

percentiles:      10%      25%      50%      75%      90
> %              0        219      265      362      55
> 7
    
```

```

-----
clncspr                Q24j: cost to clinic pap test regular
-----
    
```

```

                type:  numeric (int)
                range:  [0, 200]
unique values:  34                units:  1
                                missing .:  544/664

                mean:   19.6833
                std. dev: 28.7437

percentiles:      10%      25%      50%      75%      90
    
```

Clinic Survey 2010 Data Users' Guide and Codebook

> %  
 > 0

0	8	11	16.5	5
---	---	----	------	---

-----  
 clcspapt Q24m: cost to clinic pap test ThinPrep  
 -----

type: numeric (int)

range:	[0, 300]	units:	1
unique values:	47	missing .:	496/664
mean:	27.4107		
std. dev:	35.2888		

percentiles:

10%	25%	50%	75%	90
0	13.5	17	28.5	5

> %  
 > 9

-----  
 clcstvis Q24p: cost to clinic annual contraceptive visit  
 -----

type: numeric (int)

range:	[0, 450]	units:	1
unique values:	87	missing .:	483/664
mean:	112.514		
std. dev:	70.567		

percentiles:

10%	25%	50%	75%	90
30	60	103	150	20

> %  
 > 0

-----  
 medrmbdp Q24b: medicaid reimbursement depo-provera  
 -----

type: numeric (int)

range:	[0, 440]	units:	1
unique values:	65	missing .:	506/664
mean:	36.6582		
std. dev:	44.6794		

percentiles:

10%	25%	50%	75%	90
0	5	36	52	7

> %  
 > 7

-----  
 medrmboc Q24e: medicaid reimbursement common oc  
 -----

type: numeric (int)

range:	[0, 440]	units:	1
--------	----------	--------	---

Clinic Survey 2010 Data Users' Guide and Codebook

```

unique values: 23                               mi ssi ng . : 530/664
      mean: 12.806
      std. dev: 39.4945
percentiles:      10%      25%      50%      75%      90
> %
> 4                0        0        6        13        2
    
```

---

medrbiud Q24h: medicaid reimbursement iud

---

```

type: numeric (int)
      range: [0, 918]
unique values: 57                               uni ts: 1
      mean: 321.26                               mi ssi ng . : 564/664
      std. dev: 266.114
percentiles:      10%      25%      50%      75%      90
> %
> 5                0        0      354.5    474.5    71
    
```

---

medrmppr Q24k: medicaid reimbursement pap test regular

---

```

type: numeric (int)
      range: [0, 440]
unique values: 28                               uni ts: 1
      mean: 23.4935                               mi ssi ng . : 587/664
      std. dev: 57.8802
percentiles:      10%      25%      50%      75%      90
> %
> 0                0        0         4        15        8
    
```

---

medrmppt Q24n: medicaid reimbursement pap test ThinPrep

---

```

type: numeric (int)
      range: [0, 440]
unique values: 41                               uni ts: 1
      mean: 27.625                               mi ssi ng . : 560/664
      std. dev: 51.2858
percentiles:      10%      25%      50%      75%      90
> %
> 8                0        0        16        30        6
    
```

---

Clinic Survey 2010 Data Users' Guide and Codebook

medrmvis Q24q: medicaid reimbursement annual contraceptive visit

```
-----
                type:  numeric (int)
                range:  [0, 440]
unique values:  90                units:  1
                missing .:  503/664
                mean:    89.0683
                std. dev: 64.1675
percentiles:
> %           10%      25%      50%      75%      90
                20      50      83      108      16
> 3
```

clncsdp5 Q24c: 2005 cost to clinic depo-provera

```
-----
                type:  numeric (byte)
                range:  [0, 68]
unique values:  29                units:  1
                missing .:  560/664
                mean:    13.8558
                std. dev: 13.7116
percentiles:
> %           10%      25%      50%      75%      90
                0       4       10      19.5      3
> 5
```

clncsoc5 Q24f: 2005 cost to clinic common oc

```
-----
                type:  numeric (byte)
                range:  [0, 60]
unique values:  14                units:  1
                missing .:  566/664
                mean:    4.33673
                std. dev: 6.98739
percentiles:
> %           10%      25%      50%      75%      90
                0       1       3       5
> 9
```

clcsiud5 Q24i: 2005 cost to clinic iud

```
-----
                type:  numeric (int)
                range:  [0, 915]
unique values:  29                units:  1
                missing .:  614/664
                mean:    239.64
                std. dev: 211.347
```

**Clinic Survey 2010 Data Users' Guide and Codebook**

	percentiles:	10%	25%	50%	75%	90
> %						
> 5		0	0	275	380	485.

-----  
 clcsppr5    Q24l: 2005 cost to clinic pap test regular  
 -----

	type:	numeric (int)				
	range:	[0, 200]		units:	1	
	unique values:	18		missing .:	600/664	
	mean:	14.9531				
	std. dev:	27.8553				
	percentiles:	10%	25%	50%	75%	90
> %						
> 0		0	5.5	8	15	3

-----  
 clcsppt5    Q24o: 2005 cost to clinic pap test ThinPrep  
 -----

	type:	numeric (int)				
	range:	[0, 300]		units:	1	
	unique values:	28		missing .:	603/664	
	mean:	22.1475				
	std. dev:	40.8329				
	percentiles:	10%	25%	50%	75%	90
> %						
> 5		0	0	15	25	3

-----  
 clcsvis5    Q24r: 2005 cost to clinic annual contraceptive visit  
 -----

	type:	numeric (int)				
	range:	[0, 355]		units:	1	
	unique values:	54		missing .:	576/664	
	mean:	85.4432				
	std. dev:	65.0967				
	percentiles:	10%	25%	50%	75%	90
> %						
> 7		18	45	75	113.5	16

-----  
 nostock    Q25a: Methods are not stocked due to cost  
 -----

	type:	numeric (byte)
	label:	yn

Clinic Survey 2010 Data Users' Guide and Codebook

range: [0, 1] units: 1  
unique values: 2 missing : 116/664

tabulation:	Freq.	Numeric	Label
	260	0	No
	288	1	Yes
	116	.	

-----  
nostock1 Q25b: Method 1 not stocked due to cost  
-----

type: numeric (byte)  
label: LABG

range: [1, 9] units: 1  
unique values: 9 missing : 416/664

tabulation:	Freq.	Numeric	Label
> s	6	1	Any oral contraceptives
	58	2	Some/certain oral contraceptive
	65	3	iud
	3	4	Injectable
	22	5	Patch
	23	6	Ring
	50	7	Implanon
	2	8	Emergency contraception
	19	9	Other
	416	.	

-----  
nostock2 Q25b: Method 2 not stocked due to cost  
-----

type: numeric (byte)  
label: LABG

range: [2, 9] units: 1  
unique values: 7 missing : 561/664

tabulation:	Freq.	Numeric	Label
> s	16	2	Some/certain oral contraceptive
	19	3	iud
	2	4	Injectable
	11	5	Patch
	26	6	Ring
	25	7	Implanon
	4	9	Other
	561	.	

-----  
nostock3 Q25b: Method 3 not stocked due to cost  
-----

type: numeric (byte)  
label: LABG

range: [2, 9] units: 1  
unique values: 7 missing : 623/664

Clinic Survey 2010 Data Users' Guide and Codebook

	tabulation:	Freq.	Numeric	Label
> s		5	2	Some/certain oral contraceptive
		7	3	iud
		1	4	Injectable
		7	5	Patch
		4	6	Ring
		10	7	Implanon
		7	9	Other
		623	.	

-----  
 nostock4 Q25b: Method 4 not stocked due to cost  
 -----

type: numeric (byte)  
 label: LABG  
 range: [2, 9] units: 1  
 unique values: 6 missing.: 647/664

	tabulation:	Freq.	Numeric	Label
> s		1	2	Some/certain oral contraceptive
		2	3	iud
		3	5	Patch
		3	6	Ring
		5	7	Implanon
		3	9	Other
		647	.	

-----  
 mfcpcs Q26a: frequency of males attending cp counseling w females  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing.: 21/664

tabulation:	Freq.	Numeric	Label
	38	1	Often
	242	2	Sometimes
	307	3	Rarely
	56	4	Never
	21	.	

-----  
 mcpsrv Q26b: frequency males receive cp services on their own  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing.: 25/664

tabulation:	Freq.	Numeric	Label
	141	1	Often
	197	2	Sometimes

Clinic Survey 2010 Data Users' Guide and Codebook

213 3 Rarely  
 88 4 Never  
 25 .

-----  
 mstifp Q26c: frequency males receive sti treatment when female positive  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 26/664

tabulation:	Freq.	Numeric	Label
	424	1	Often
	162	2	Sometimes
	26	3	Rarely
	26	4	Never
	26	.	

-----  
 mstisrv Q26d: frequency males receive sti services on their own  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 25/664

tabulation:	Freq.	Numeric	Label
	393	1	Often
	175	2	Sometimes
	30	3	Rarely
	41	4	Never
	25	.	

-----  
 mphysex Q26e: frequency males receive a physical exam  
 -----

type: numeric (byte)  
 label: LABC  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 28/664

tabulation:	Freq.	Numeric	Label
	199	1	Often
	217	2	Sometimes
	122	3	Rarely
	98	4	Never
	28	.	

-----  
 clntmin Q28a: percent of clients minorities  
 -----

type: numeric (byte)  
 label: LABH



Clinic Survey 2010 Data Users' Guide and Codebook

range: [1, 4] units: 1  
 unique values: 4 missing : 42/664

tabulation:	Freq.	Numeri c	Label
	148	1	0-9%
	132	2	10-24%
	138	3	25-49%
	204	4	50% or more
	42	.	

-----  
 clntmal Q28b: percent of clients male  
 -----

type: numeric (byte)  
 label: LABH

range: [1, 4] units: 1  
 unique values: 4 missing : 48/664

tabulation:	Freq.	Numeri c	Label
	284	1	0-9%
	225	2	10-24%
	85	3	25-49%
	22	4	50% or more
	48	.	

-----  
 clnteng Q28c: percent of clients with limited english  
 -----

type: numeric (byte)  
 label: LABH

range: [1, 4] units: 1  
 unique values: 4 missing : 39/664

tabulation:	Freq.	Numeri c	Label
	310	1	0-9%
	158	2	10-24%
	88	3	25-49%
	69	4	50% or more
	39	.	

-----  
 clntl18 Q28d: percent of clients less than 18 yo  
 -----

type: numeric (byte)  
 label: LABH

range: [1, 4] units: 1  
 unique values: 4 missing : 44/664

tabulation:	Freq.	Numeri c	Label
	141	1	0-9%
	285	2	10-24%
	152	3	25-49%
	42	4	50% or more
	44	.	

-----

Clinic Survey 2010 Data Users' Guide and Codebook

clnthmls Q28e: percent of clients homeless

-----

type: numeric (byte)  
 label: LABH

range: [1, 4] units: 1  
 unique values: 4 missing .: 43/664

tabulation: Freq. Numeric Label

569	1	0-9%
38	2	10-24%
7	3	25-49%
7	4	50% or more
43	.	

-----

clntdv Q28f: percent of clients dealing with domestic violence

-----

type: numeric (byte)  
 label: LABH

range: [1, 4] units: 1  
 unique values: 4 missing .: 50/664

tabulation: Freq. Numeric Label

416	1	0-9%
176	2	10-24%
20	3	25-49%
2	4	50% or more
50	.	

-----

clntsuba Q28g: percent of clients dealing with substance abuse

-----

type: numeric (byte)  
 label: LABH

range: [1, 4] units: 1  
 unique values: 4 missing .: 46/664

tabulation: Freq. Numeric Label

341	1	0-9%
219	2	10-24%
51	3	25-49%
7	4	50% or more
46	.	

-----

clntpmch Q28h: percent of clients physically or mentally challenged

-----

type: numeric (byte)  
 label: LABH

range: [1, 4] units: 1  
 unique values: 4 missing .: 45/664

tabulation: Freq. Numeric Label

524	1	0-9%
-----	---	------

Clinic Survey 2010 Data Users' Guide and Codebook

82 2 10-24%  
 10 3 25-49%  
 3 4 50% or more  
 45 .

-----  
 clntcmpx Q28i: percent of clients dealing with complex circumstances  
 -----

type: numeric (byte)  
 label: LABH  
 range: [1, 4] units: 1  
 unique values: 4 missing : 43/664

tabulation:	Freq.	Numeric	Label
	249	1	0-9%
	225	2	10-24%
	112	3	25-49%
	35	4	50% or more
	43	.	

-----  
 impfee Q31a: free or reduced fees important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing : 17/664

tabulation:	Freq.	Numeric	Label
	485	1	Most clients
	127	2	Many Clients
	19	3	Some Clients
	8	4	Few Clients
	8	5	NA or No Clients
	17	.	

-----  
 impconf Q31b: confidential services important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing : 18/664

tabulation:	Freq.	Numeric	Label
	416	1	Most clients
	158	2	Many Clients
	57	3	Some Clients
	8	4	Few Clients
	7	5	NA or No Clients
	18	.	

-----  
 impqual Q30c: high quality care important  
 -----

Clinic Survey 2010 Data Users' Guide and Codebook

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing ..: 17/664

tabulation:	Freq.	Numeric	Label
	396	1	Most clients
	182	2	Many Clients
	61	3	Some Clients
	3	4	Few Clients
	5	5	NA or No Clients
	17	.	

-----  
 implochw Q30d: location near home or work important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing ..: 19/664

tabulation:	Freq.	Numeric	Label
	291	1	Most clients
	215	2	Many Clients
	113	3	Some Clients
	19	4	Few Clients
	7	5	NA or No Clients
	19	.	

-----  
 impputrs Q31e: location near public transport important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing ..: 20/664

tabulation:	Freq.	Numeric	Label
	171	1	Most clients
	135	2	Many Clients
	101	3	Some Clients
	84	4	Few Clients
	153	5	NA or No Clients
	20	.	

-----  
 impmpsv Q31f: multiple services important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing ..: 18/664

tabulation:	Freq.	Numeric	Label
	284	1	Most clients

Clinic Survey 2010 Data Users' Guide and Codebook

144 2 Many Clients  
 122 3 Some Clients  
 55 4 Few Clients  
 41 5 NA or No Clients  
 18 .

-----  
 impotsrv Q31g: adjacent to other services important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing .: 24/664

tabulation:	Freq.	Numeric	Label
	189	1	Most clients
	94	2	Many Clients
	161	3	Some Clients
	112	4	Few Clients
	84	5	NA or No Clients
	24	.	

-----  
 impcpnth Q31h: wide range of cp methods important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing .: 21/664

tabulation:	Freq.	Numeric	Label
	250	1	Most clients
	197	2	Many Clients
	119	3	Some Clients
	49	4	Few Clients
	28	5	NA or No Clients
	21	.	

-----  
 impfmcln Q31i: female clinicians important  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing .: 16/664

tabulation:	Freq.	Numeric	Label
	346	1	Most clients
	201	2	Many Clients
	77	3	Some Clients
	8	4	Few Clients
	16	5	NA or No Clients
	16	.	

-----  
 impcult Q31j: staff understands cultural background important  
 -----

```

type: numeric (byte)
label: LABI

range: [1, 5]          units: 1
unique values: 5       missing .: 19/664

```

tabulation:	Freq.	Numeric	Label
	276	1	Most clients
	193	2	Many Clients
	121	3	Some Clients
	41	4	Few Clients
	14	5	NA or No Clients
	19	.	.

```

-----
impchdcr                                Q30k: childcare important
-----

```

```

type: numeric (byte)
label: LABI

range: [1, 5]          units: 1
unique values: 5       missing .: 26/664

```

tabulation:	Freq.	Numeric	Label
	107	1	Most clients
	107	2	Many Clients
	150	3	Some Clients
	104	4	Few Clients
	170	5	NA or No Clients
	26	.	.

```

-----
imprec                                  Q31l: family/friends recommendation important
-----

```

```

type: numeric (byte)
label: LABI

range: [1, 5]          units: 1
unique values: 5       missing .: 21/664

```

tabulation:	Freq.	Numeric	Label
	308	1	Most clients
	234	2	Many Clients
	86	3	Some Clients
	14	4	Few Clients
	1	5	NA or No Clients
	21	.	.

```

-----
implang                                 Q31m: services in client's language important
-----

```

```

type: numeric (byte)
label: LABI

range: [1, 5]          units: 1
unique values: 5       missing .: 23/664

```

Clinic Survey 2010 Data Users' Guide and Codebook

tabulation:	Freq.	Numeric	Label
	179	1	Most clients
	140	2	Many Clients
	124	3	Some Clients
	106	4	Few Clients
	92	5	NA or No Clients
	23	.	

-----  
 impot1 Q31o: other important reason 1  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 5 missing .: 611/664

tabulation:	Freq.	Numeric	Label
	21	1	Most clients
	13	2	Many Clients
	6	3	Some Clients
	2	4	Few Clients
	11	5	NA or No Clients
	611	.	

-----  
 impot2 Q31q: other important reason 2  
 -----

type: numeric (byte)  
 label: LABI  
 range: [1, 5] units: 1  
 unique values: 4 missing .: 648/664

tabulation:	Freq.	Numeric	Label
	4	1	Most clients
	1	3	Some Clients
	1	4	Few Clients
	10	5	NA or No Clients
	648	.	

-----  
 impotsp1 Q31n: other specification 1: important reason  
 -----

type: numeric (byte)  
 range: [.,.] units: .  
 unique values: 0 missing .: 664/664

tabulation:	Freq.	Value
	664	.

-----  
 impotsp2 Q31p: other specification 2: important reason  
 -----

type: numeric (byte)  
 range: [.,.] units: .

Clinic Survey 2010 Data Users' Guide and Codebook

unique values: 0 missing : 664/664

tabulation: Freq. Value  
664 .

medcp Q22a: medicaid contract for cp sti services only

type: numeric (byte)  
label: yn4

range: [0, 8] units: 1  
unique values: 3 missing : 41/664

tabulation: Freq. Numeric Label  
187 0 No  
206 1 Yes  
230 8 Item missing, assume no  
41 .

prvcp Q22b: private plan contract for cp sti services only

type: numeric (byte)  
label: yn4

range: [0, 8] units: 1  
unique values: 3 missing : 41/664

tabulation: Freq. Numeric Label  
367 0 No  
182 1 Yes  
74 8 Item missing, assume no  
41 .

medprim Q22c: medicaid contract for primary care, inc. cp/sti

type: numeric (byte)  
label: yn4

range: [0, 8] units: 1  
unique values: 3 missing : 41/664

tabulation: Freq. Numeric Label  
224 0 No  
168 1 Yes  
231 8 Item missing, assume no  
41 .

prvprim Q22d: private plan contract for primary care, inc. cp/sti

type: numeric (byte)  
label: yn4

range: [0, 8] units: 1  
unique values: 3 missing : 41/664



Clinic Survey 2010 Data Users' Guide and Codebook

```

tabulation: Freq.    Numeric Label
            397      0    No
            143      1    Yes
            83       8    Item missing, assume no
            41       .

```

-----

```

outop1                                           Q27vv: outreach for other populations 1
-----

```

```

type: numeric (byte)
label: yn

range: [0, 1]
unique values: 2

units: 1
missing.: 595/664

tabulation: Freq.    Numeric Label
            42      0    No
            27      1    Yes
            595     .

```

-----

```

stop2                                           Q27xx: staff trained to serve other populations 2
-----

```

```

type: numeric (byte)
label: yn

range: [0, 1]
unique values: 2

units: 1
missing.: 645/664

tabulation: Freq.    Numeric Label
            16      0    No
            3       1    Yes
            645     .

```

-----

```

prgop2                                           Q27zz: programs tailored to serve other populations 2
-----

```

```

type: numeric (byte)
label: yn

range: [0, 1]
unique values: 2

units: 1
missing.: 646/664

tabulation: Freq.    Numeric Label
            15      0    No
            3       1    Yes
            646     .

```

-----

```

outop2                                           Q27bbb: outreach to other populations 2
-----

```

```

type: numeric (byte)
label: yn

range: [0, 1]
unique values: 2

units: 1
missing.: 627/664

```

Clinic Survey 2010 Data Users' Guide and Codebook

tabulation:	Freq.	Numeri c	Label
	31	0	No
	6	1	Yes
	627	.	

-----  
chcavail                      Q29a: community health center available in community  
-----

type: numeric (byte)  
label: yn2  
range: [0, 9]                                  units: 1  
unique values: 4                                  mi ssi ng .: 216/664

tabulation:	Freq.	Numeri c	Label
	86	0	No
	314	1	Yes
	21	8	Don't know
	27	9	NA
	216	.	

-----  
chcrft                              Q29b: community health centers refer clients to you  
-----

type: numeric (byte)  
label: yn  
range: [0, 1]                                  units: 1  
unique values: 2                                  mi ssi ng .: 380/664

tabulation:	Freq.	Numeri c	Label
	75	0	No
	209	1	Yes
	380	.	

-----  
chcrfb                              Q29c: refer clients to community health centers  
-----

type: numeric (byte)  
label: yn  
range: [0, 1]                                  units: 1  
unique values: 2                                  mi ssi ng .: 236/664

tabulation:	Freq.	Numeri c	Label
	94	0	No
	334	1	Yes
	236	.	

-----  
mhcavail                              Q29d: mhcs available in community  
-----

type: numeric (byte)  
label: yn2  
range: [0, 9]                                  units: 1  
unique values: 4                                  mi ssi ng .: 170/664

Clinic Survey 2010 Data Users' Guide and Codebook

tabulation:	Freq.	Numeric	Label
	246	0	No
	80	1	Yes
	123	8	Don't know
	45	9	NA
	170	.	

-----  
 mhcrft Q29e: mhcs refer cleints to you  
 -----

type:	numeric (byte)		
label:	yn		
range:	[0, 1]		units: 1
unique values:	2		missing .: 477/664
tabulation:	Freq.	Numeric	Label
	130	0	No
	57	1	Yes
	477	.	

-----  
 mhcrfb Q29f: refer clients to mhcs  
 -----

type:	numeric (byte)		
label:	yn		
range:	[0, 1]		units: 1
unique values:	2		missing .: 389/664
tabulation:	Freq.	Numeric	Label
	207	0	No
	68	1	Yes
	389	.	

-----  
 otpavail Q29g: other primary care clinics available in community  
 -----

type:	numeric (byte)		
label:	yn2		
range:	[0, 9]		units: 1
unique values:	4		missing .: 224/664
tabulation:	Freq.	Numeric	Label
	76	0	No
	327	1	Yes
	18	8	Don't know
	19	9	NA
	224	.	

-----  
 otpcrft Q29h: other primary care clinics refer clients to you  
 -----

type:	numeric (byte)		
label:	yn		
range:	[0, 1]		units: 1

Clinic Survey 2010 Data Users' Guide and Codebook

unique values: 2 missing ..: 369/664

tabulation:	Freq.	Numerical	Label
	64	0	No
	231	1	Yes
	369	.	

opcrfb Q29i: refer clients to other primary care clinics

type: numeric (byte)  
label: yn

range: [0, 1] units: 1  
unique values: 2 missing ..: 226/664

tabulation:	Freq.	Numerical	Label
	89	0	No
	349	1	Yes
	226	.	

stiavail Q29j: std/sti clinics available in community

type: numeric (byte)  
label: yn2

range: [0, 9] units: 1  
unique values: 4 missing ..: 209/664

tabulation:	Freq.	Numerical	Label
	146	0	No
	264	1	Yes
	13	8	Don't know
	32	9	NA
	209	.	

stirft Q29k: std/sti clinics refer clients to you

type: numeric (byte)  
label: yn

range: [0, 1] units: 1  
unique values: 2 missing ..: 387/664

tabulation:	Freq.	Numerical	Label
	62	0	No
	215	1	Yes
	387	.	

stirfb Q29l: refer clients to std/sti clinics

type: numeric (byte)  
label: yn

range: [0, 1] units: 1

Clinic Survey 2010 Data Users' Guide and Codebook

unique values: 2 missing .: 286/664

tabulation:	Freq.	Numeri c	Label
	122	0	No
	256	1	Yes
	286	.	

-----  
pobgyavl Q29m: private ob/gyn available in community  
-----

type: numeric (byte)  
label: yn2

range: [0, 9] units: 1  
unique values: 4 missing .: 243/664

tabulation:	Freq.	Numeri c	Label
	56	0	No
	348	1	Yes
	6	8	Don' t know
	11	9	NA
	243	.	

-----  
pobgyrft Q29n: private ob/gyns refer clients to you  
-----

type: numeric (byte)  
label: yn

range: [0, 1] units: 1  
unique values: 2 missing .: 346/664

tabulation:	Freq.	Numeri c	Label
	86	0	No
	232	1	Yes
	346	.	

-----  
pobgyrfb Q29o: refer clients to private ob/gyns  
-----

type: numeric (byte)  
label: yn

range: [0, 1] units: 1  
unique values: 2 missing .: 172/664

tabulation:	Freq.	Numeri c	Label
	63	0	No
	429	1	Yes
	172	.	

-----  
ophyava Q29 other private physicians available in community  
-----

type: numeric (byte)  
label: yn2

range: [0, 9] units: 1

Clinic Survey 2010 Data Users' Guide and Codebook

unique values: 4 missing .: 592/664

tabulation:	Freq.	Numeric	Label
	5	0	No
	61	1	Yes
	3	8	Don't know
	3	9	NA
	592	.	

ophyrft Q29q: other private physicians refer clients to you

type: numeric (byte)  
label: yn

range: [0, 1] units: 1  
unique values: 2 missing .: 339/664

tabulation:	Freq.	Numeric	Label
	72	0	No
	253	1	Yes
	339	.	

ophyrfb Q29r: refer clients to other private physicians

type: numeric (byte)  
label: yn

range: [0, 1] units: 1  
unique values: 2 missing .: 160/664

tabulation:	Freq.	Numeric	Label
	60	0	No
	444	1	Yes
	160	.	

injprsc Q11a: injectable: dispensing method

type: numeric (byte)  
label: LABK

range: [1, 4] units: 1  
unique values: 4 missing .: 201/664

tabulation:	Freq.	Numeric	Label
	416	1	Clinic purchases supplies, injects/inserts on site
	36	2	Clinic provides Rx, client obtains from pharmacy, clinic inj
	7	3	Other (please specify)
	4	4	N/A clinic does not dispense or provide this method
	201	.	

iudprsc Q11c: iud: dispensing method

type: numeric (byte)  
 label: LABK  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 219/664

tabulation:	Freq.	Numeric	Label
	324	1	Clinic purchases supplies, injects/inserts on site
	20	2	Clinic provides Rx, client obtains from pharmacy, clinic inj
	32	3	Other (please specify)
	69	4	N/A clinic does not dispense or provide this method
	219	.	

imprsc Q11e: implant: dispensing method

type: numeric (byte)  
 label: LABK  
 range: [1, 4] units: 1  
 unique values: 4 missing .: 112/664

tabulation:	Freq.	Numeric	Label
	279	1	Clinic purchases supplies, injects/inserts on site
	19	2	Clinic provides Rx, client obtains from pharmacy, clinic inj
	108	3	Other (please specify)
	146	4	N/A clinic does not dispense or provide this method
	112	.	

stadol Q27a: staff trained to serve adolescent clients

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeric	Label
	54	0	No
	460	1	Yes
	27	9	Item missing
	123	.	

prgadol Q27b: programs tailored to adolescent clients

type: numeric (byte)  
 label: yn3

Clinic Survey 2010 Data Users' Guide and Codebook

range: [0, 9] units: 1  
 unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeri c	Label
	131	0	No
	279	1	Yes
	47	9	Item mi ssi ng
	207	.	

-----  
 outadol Q26c: outreach efforts for adolescents  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeri c	Label
	135	0	No
	364	1	Yes
	26	9	Item mi ssi ng
	139	.	

-----  
 stmen Q27d: staff trained to serve men  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeri c	Label
	136	0	No
	369	1	Yes
	36	9	Item mi ssi ng
	123	.	

-----  
 prgmen Q27e: program tailored for men  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeri c	Label
	210	0	No
	187	1	Yes
	60	9	Item mi ssi ng
	207	.	

-----  
 outmen Q27f: outreach efforts for men  
 -----



Clinic Survey 2010 Data Users' Guide and Codebook

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeri c	Label
	251	0	No
	229	1	Yes
	45	9	Item mi ssi ng
	139	.	

-----  
 stcoup Q27g: staff trained to serve couples  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeri c	Label
	240	0	No
	252	1	Yes
	49	9	Item mi ssi ng
	123	.	

-----  
 prgcoup Q27h: programs tailored to couples  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeri c	Label
	259	0	No
	129	1	Yes
	69	9	Item mi ssi ng
	207	.	

-----  
 outcoup Q27i: outreach efforts for couples  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeri c	Label
	316	0	No
	151	1	Yes
	58	9	Item mi ssi ng
	139	.	

-----  
 stdis Q27 staff trained to serve disabled individuals  
 -----

-----

        type: numeric (byte)  
label: yn3

        range: [0, 9]                            units: 1  
unique values: 3                                  missing.: 123/664

tabulation:	Freq.	Numeri c	Label
	233	0	No
	255	1	Yes
	53	9	Item mi ssi ng
	123	.	

-----

prgdis                            Q27 programs tailored to disabled individuals

-----

        type: numeric (byte)  
label: yn3

        range: [0, 9]                            units: 1  
unique values: 3                                  missing.: 207/664

tabulation:	Freq.	Numeri c	Label
	269	0	No
	121	1	Yes
	67	9	Item mi ssi ng
	207	.	

-----

outdis                            Q27 outreach efforts for disabled individuals

-----

        type: numeric (byte)  
label: yn3

        range: [0, 9]                            units: 1  
unique values: 3                                  missing.: 139/664

tabulation:	Freq.	Numeri c	Label
	335	0	No
	127	1	Yes
	63	9	Item mi ssi ng
	139	.	

-----

sthml                            Q27m: staff trained to serve homeless clients

-----

        type: numeric (byte)  
label: yn3

        range: [0, 9]                            units: 1  
unique values: 3                                  missing.: 123/664

tabulation:	Freq.	Numeri c	Label
	276	0	No
	209	1	Yes
	56	9	Item mi ssi ng
	123	.	

-----  
prghml Q27n: programs tailored to homeless clients  
-----

type: numeric (byte)  
label: yn3

range: [0, 9] units: 1  
unique values: 3 missing : 207/664

tabulation:	Freq.	Numeric	Label
	268	0	No
	125	1	Yes
	64	9	Item missing
	207	.	

-----  
outhml Q27o: outreach for homeless clients  
-----

type: numeric (byte)  
label: yn3

range: [0, 9] units: 1  
unique values: 3 missing : 139/664

tabulation:	Freq.	Numeric	Label
	315	0	No
	159	1	Yes
	51	9	Item missing
	139	.	

-----  
stsuba Q27p: staff trained to serve substance abuse clients  
-----

type: numeric (byte)  
label: yn3

range: [0, 9] units: 1  
unique values: 3 missing : 123/664

tabulation:	Freq.	Numeric	Label
	211	0	No
	265	1	Yes
	65	9	Item missing
	123	.	

-----  
prgsuba Q27q: programs tailored to substance abuse clients  
-----

type: numeric (byte)  
label: yn3

range: [0, 9] units: 1  
unique values: 3 missing : 207/664

tabulation:	Freq.	Numeric	Label
	231	0	No
	170	1	Yes
	56	9	Item missing

207 .

-----  
 oursuba Q27r: outreach for substance abuse clients  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeric	Label
	280	0	No
	198	1	Yes
	47	9	Item missing
	139	.	

-----  
 stinct Q27s: staff trained to serve incarcerated clients  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeric	Label
	312	0	No
	157	1	Yes
	72	9	Item missing
	123	.	

-----  
 prginct Q27t: programs tailored to incarcerated clients  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeric	Label
	282	0	No
	116	1	Yes
	59	9	Item missing
	207	.	

-----  
 outinct Q27u: outreach for incarcerated clients  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeric	Label
	360	0	No

Clinic Survey 2010 Data Users' Guide and Codebook

116 1 Yes  
 49 9 Item missing  
 139 .

-----  
 stnoeng Q27v: staff trained to serve non-English speakers  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing : 123/664

tabulation:	Freq.	Numeric	Label
	99	0	No
	399	1	Yes
	43	9	Item missing
	123	.	

-----  
 prgnoeng Q27w: programs tailored to non-english speakers  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing : 207/664

tabulation:	Freq.	Numeric	Label
	190	0	No
	204	1	Yes
	63	9	Item missing
	207	.	

-----  
 outneng Q27x: outreach for non-english speakers  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing : 139/664

tabulation:	Freq.	Numeric	Label
	217	0	No
	256	1	Yes
	52	9	Item missing
	139	.	

-----  
 stinmg Q27y: staff trained to serve immigrants  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing : 123/664

Clinic Survey 2010 Data Users' Guide and Codebook

tabulation:	Freq.	Numeric	Label
	224	0	No
	264	1	Yes
	53	9	Item missing
	123	.	

-----  
 prgimmg Q27z: programs tailored to immigrants  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeric	Label
	243	0	No
	143	1	Yes
	71	9	Item missing
	207	.	

-----  
 outimmg Q27aa: outreach to immigrants  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeric	Label
	296	0	No
	178	1	Yes
	51	9	Item missing
	139	.	

-----  
 strefg Q27bb: staff trained to serve refugees  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeric	Label
	299	0	No
	180	1	Yes
	62	9	Item missing
	123	.	

-----  
 prgrefg Q27cc: programs for refugees  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1

Clinic Survey 2010 Data Users' Guide and Codebook

unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeri c	Label
	288	0	No
	96	1	Yes
	73	9	Item mi ssi ng
	207	.	

-----  
 outrefg Q27dd: outreach for refugees  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeri c	Label
	349	0	No
	120	1	Yes
	56	9	Item mi ssi ng
	139	.	

-----  
 stdv Q27ee: staff trained to serve domestic abuse  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeri c	Label
	85	0	No
	415	1	Yes
	41	9	Item mi ssi ng
	123	.	

-----  
 prgdv Q27ff: programs tailored to domestic abuse  
 -----

type: numeric (byte)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeri c	Label
	211	0	No
	191	1	Yes
	55	9	Item mi ssi ng
	207	.	

-----  
 outdv Q27gg: outreach to domestic abuse  
 -----

type: numeric (byte)  
 label: yn3

Clinic Survey 2010 Data Users' Guide and Codebook

range: [0, 9] units: 1  
 unique values: 3 missing : 139/664

tabulation:	Freq.	Numeric	Label
	265	0	No
	201	1	Yes
	59	9	Item missing
	139	.	.

-----  
 stlgbt Q27hh: staff trained to serve lgbt clients  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing : 123/664

tabulation:	Freq.	Numeric	Label
	150	0	No
	348	1	Yes
	43	9	Item missing
	123	.	.

-----  
 prglgbt Q27ii: programs tailored to lgbt clients  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing : 207/664

tabulation:	Freq.	Numeric	Label
	226	0	No
	162	1	Yes
	69	9	Item missing
	207	.	.

-----  
 outlgbt Q27jj: outreach to lgbt clients  
 -----

type: numeric (byte)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing : 139/664

tabulation:	Freq.	Numeric	Label
	274	0	No
	196	1	Yes
	55	9	Item missing
	139	.	.

-----  
 stfost Q27kk: staff trained to serve minors in foster care  
 -----



Clinic Survey 2010 Data Users' Guide and Codebook

type: numeric (byte)  
label: yn3  
range: [0, 9] units: 1  
unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeric	Label
	237	0	No
	257	1	Yes
	47	9	Item missing
	123	.	.

-----  
prgfost Q2711: programs tailored to minors in foster care  
-----

type: numeric (byte)  
label: yn3  
range: [0, 9] units: 1  
unique values: 3 missing .: 207/664

tabulation:	Freq.	Numeric	Label
	253	0	No
	147	1	Yes
	57	9	Item missing
	207	.	.

-----  
outfost Q27nn: outreach to minors in foster care  
-----

type: numeric (byte)  
label: yn3  
range: [0, 9] units: 1  
unique values: 3 missing .: 139/664

tabulation:	Freq.	Numeric	Label
	319	0	No
	147	1	Yes
	59	9	Item missing
	139	.	.

-----  
stsexw Q27nn: staff trained to serve sex workers  
-----

type: numeric (byte)  
label: yn3  
range: [0, 9] units: 1  
unique values: 3 missing .: 123/664

tabulation:	Freq.	Numeric	Label
	297	0	No
	179	1	Yes
	65	9	Item missing
	123	.	.

-----  
prgsexw Q27oo: programs tailored to sex workers  
-----

Clinic Survey 2010 Data Users' Guide and Codebook

```

      type: numeric (byte)
      label: yn3

      range: [0, 9]
      unique values: 3

      units: 1
      missing .: 207/664
  
```

tabulation:	Freq.	Numerical	Label
	296	0	No
	88	1	Yes
	73	9	Item missing
	207	.	

outsexw Q27pp: outreach to sex workers

```

      type: numeric (byte)
      label: yn3

      range: [0, 9]
      unique values: 3

      units: 1
      missing .: 139/664
  
```

tabulation:	Freq.	Numerical	Label
	359	0	No
	100	1	Yes
	66	9	Item missing
	139	.	

stop1 Q27rr: staff trained to serve other population 1

```

      type: numeric (byte)
      label: yn

      range: [0, 1]
      unique values: 2

      units: 1
      missing .: 607/664
  
```

tabulation:	Freq.	Numerical	Label
	34	0	No
	23	1	Yes
	607	.	

prgop1 Q27tt: programs tailored to other populations 1

```

      type: numeric (byte)
      label: yn

      range: [0, 1]
      unique values: 2

      units: 1
      missing .: 614/664
  
```

tabulation:	Freq.	Numerical	Label
	34	0	No
	16	1	Yes
	614	.	

injprSCO Q11b: other specification: injectable: dispensing method

-----  
type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .  
-----  
iudprsco Q11d: other specification: iud: dispensing method  
-----

type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .  
-----  
imprpsco Q11f: other specification: implant: dispensing method  
-----

type: numeric (byte)  
label: LABK  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Numeric Label  
664 .  
-----  
otstop1 Q27qq: other specification: staff  
trained to serve other populations  
1  
-----

type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .  
-----  
otprgop1 Q27ss: other specification:  
programs tailored to other  
populations 1  
-----

type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .  
-----

Clinic Survey 2010 Data Users' Guide and Codebook

---

otoutop1 Q27uu: other specification: outreach for other populations 1

---

type: numeric (byte)  
range: [, , ]                          units: .  
unique values: 0    missing .: 664/664

tabulation: Freq. Value  
                        664 .

---

otstop2 Q27ww: other specification: staff trained to serve special populations 2

---

type: numeric (byte)  
range: [, , ]                          units: .  
unique values: 0    missing .: 664/664

tabulation: Freq. Value  
                        664 .

---

otprgop2 Q27yy: other specification: programs tailored to other populations 2

---

type: numeric (byte)  
range: [, , ]                          units: .  
unique values: 0    missing .: 664/664

tabulation: Freq. Value  
                        664 .

---

otoutop2 Q27aaa: other specification: outreach to other populations 2

---

type: numeric (byte)  
range: [, , ]                          units: .  
unique values: 0    missing .: 664/664

tabulation: Freq. Value  
                        664 .

---

ophyaval Q29p: other private physicians available in community

---

type: numeric (byte)  
range: [1, 4]                          units: 1  
unique values: 4    missing .: 305/664

Clinic Survey 2010 Data Users' Guide and Codebook

tabulation:	Freq.	Value
	335	1
	15	2
	4	3
	5	4
	305	.

otsrvrf1

Q30a: other specification 1:  
receive referrals for these  
services

type:	numeric (byte)		
range:	[...]	units:	.
unique values:	0	missing .:	664/664
tabulation:	Freq.	Value	
	664	.	

otsrvrf2

Q30b: other specification 2:  
receive referrals for these  
services

type:	numeric (byte)		
range:	[...]	units:	.
unique values:	0	missing .:	664/664
tabulation:	Freq.	Value	
	664	.	

otsrvrf3

Q30c: other specification 3:  
receive referrals for these  
services

type:	numeric (byte)		
range:	[...]	units:	.
unique values:	0	missing .:	664/664
tabulation:	Freq.	Value	
	664	.	

otsrvrf4

Q30d: other specification 4:  
receive referrals for these  
services

type:	numeric (byte)		
range:	[...]	units:	.
unique values:	0	missing .:	664/664
tabulation:	Freq.	Value	
	664	.	

-----  
otsrvrf5 Q30e: other specification 5:  
receive referrals for these  
services  
-----

type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .

-----  
otsrvrf6 Q30f: other specification 6:  
receive referrals for these  
services  
-----

type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .

-----  
otsrvrf7 Q30g: other specification 7:  
receive referrals for these  
services  
-----

type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .

-----  
otsrvrf8 Q30h: other specification 8:  
receive referrals for these  
services  
-----

type: numeric (byte)  
range: [...] units: .  
unique values: 0 missing .: 664/664  
tabulation: Freq. Value  
664 .

-----  
state Clinic state  
-----

type: string (str2)

Clinic Survey 2010 Data Users' Guide and Codebook

unique values: 51 missing "": 0/664

examples: "CT"  
"LA"  
"NJ"  
"SD"

-----  
cpmajority Majority of clients are fp clients  
-----

type: numeric (byte)  
label: yn  
range: [0, 1] units: 1  
unique values: 2 missing .: 2/664

tabulation:	Freq.	Numeric	Label
	255	0	No
	407	1	Yes
	2	.	

-----  
service Primary Service Function recode  
-----

type: numeric (byte)  
label: service  
range: [1, 2] units: 1  
unique values: 2 missing .: 0/664

tabulation:	Freq.	Numeric	Label
	409	1	Sexual and reproductive health
	255	2	Primary care/other

-----  
nummthds Number of methods provided/prescribed on-site  
-----

type: numeric (byte)  
range: [0, 15] units: 1  
unique values: 16 missing .: 7/664  
mean: 9.85997  
std. dev: 2.95627

percentiles:	10%	25%	50%	75%	90
> %					
> 3	6	8	11	12	1

-----  
numREVmthds Number of REVERSIBLE methods provided/prescribed on-site  
-----

type: numeric (byte)  
range: [0, 13] units: 1  
unique values: 14 missing .: 7/664

Clinic Survey 2010 Data Users' Guide and Codebook

mean: 9.67884  
 std. dev: 2.84809

percentiles: 10% 25% 50% 75% 90  
 > % 6 8 10 12 1  
 > 3

-----  
 reverse10 Clinic offers 10 of 13 reversible methods  
 -----

type: numeric (byte)  
 label: REVERSE1  
 range: [0, 1] units: 1  
 unique values: 2 missing : 7/664

tabulation:	Freq.	Numeric	Label
	256	0	offers 0-9 reversible methods
	401	1	offers at least 10 of 13 reversible methods
	7	.	

-----  
 Q7hivtest HIV tests offered  
 -----

type: numeric (byte)  
 label: Q7HIVTES  
 range: [1, 3] units: 1  
 unique values: 3 missing : 65/664

tabulation:	Freq.	Numeric	Label
	253	1	trad blood stick
	69	2	cheek swab
	277	3	rapid blood test
	65	.	

-----  
 langclntr Total # languages spoken by clients  
 -----

type: numeric (byte)  
 label: LABM  
 range: [1, 2] units: 1  
 unique values: 2 missing : 24/664

tabulation:	Freq.	Numeric	Label
	237	1	1 or 2 languages
	403	2	3 or more languages
	24	.	

-----  
 langclntr Total # languages spoken by clinical staff  
 -----

type: numeric (byte)  
 label: LABM



Clinic Survey 2010 Data Users' Guide and Codebook

range: [1, 2] units: 1  
 unique values: 2 missing .: 17/664

tabulation:	Freq.	Numeri c	Label
	410	1	1 or 2 languages
	237	2	3 or more languages
	17	.	

-----  
 langstfr Total # languages spoken by non-clinical staff  
 -----

type: numeric (byte)  
 label: LABM

range: [1, 2] units: 1  
 unique values: 2 missing .: 26/664

tabulation:	Freq.	Numeri c	Label
	402	1	1 or 2 languages
	236	2	3 or more languages
	26	.	

-----  
 openeves Clinic is open in the evening  
 -----

type: numeric (byte)  
 label: yn, but 1 nonmissing value is not labeled

range: [0, 99] units: 1  
 unique values: 3 missing .: 0/664

tabulation:	Freq.	Numeri c	Label
	401	0	No
	254	1	Yes
	9	99	

-----  
 openwknd Clinic open on the weekend  
 -----

type: numeric (byte)  
 label: yn

range: [0, 1] units: 1  
 unique values: 2 missing .: 9/664

tabulation:	Freq.	Numeri c	Label
	490	0	No
	165	1	Yes
	9	.	

-----  
 openlate Clinic open late  
 -----

type: numeric (byte)  
 label: OPENLATE

range: [1, 4] units: 1



-----  
 clntype Type of clinic  
 -----

type: numeric (float)  
 label: clntype

range: [1, 3] units: 1  
 unique values: 3 missing .: 0/664

tabulation:	Freq.	Numeric	Label
	196	1	Health department
	174	2	Federally qualified health center
	294	3	Hospital, Planned Parenthood or other

-----  
 pap Use pap smear - screening or followup  
 -----

type: numeric (float)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 36/664

tabulation:	Freq.	Numeric	Label
	299	0	No
	299	1	Yes
	30	9	Item missing
	36	.	.

-----  
 thinprep Use ThinPrep - screening or followup  
 -----

type: numeric (float)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 16/664

tabulation:	Freq.	Numeric	Label
	75	0	No
	552	1	Yes
	21	9	Item missing
	16	.	.

-----  
 reflex Use Reflex testing for HPV dna - screening or followup  
 -----

type: numeric (float)  
 label: yn3

range: [0, 9] units: 1  
 unique values: 3 missing .: 16/664

tabulation:	Freq.	Numeric	Label
	178	0	No

Clinic Survey 2010 Data Users' Guide and Codebook

433 1 Yes  
 37 9 Item missing  
 16 .

-----  
 papdna Use Combined Pap+DNA - screening or followup  
 -----

type: numeric (float)  
 label: yn3  
 range: [0, 9] units: 1  
 unique values: 3 missing : 16/664

tabulation:	Freq.	Numeric	Label
	318	0	No
	275	1	Yes
	55	9	Item missing
	16	.	

-----  
 hivstick HIV testing - traditional blood stick  
 -----

type: numeric (float)  
 label: yn  
 range: [0, 1] units: 1  
 unique values: 2 missing : 72/664

tabulation:	Freq.	Numeric	Label
	113	0	No
	479	1	Yes
	72	.	

-----  
 hivswab HIV testing - cheek Swab  
 -----

type: numeric (float)  
 label: yn  
 range: [0, 1] units: 1  
 unique values: 2 missing : 114/664

tabulation:	Freq.	Numeric	Label
	388	0	No
	162	1	Yes
	114	.	

-----  
 hivrapid HIV testing - Rapid-result blood test  
 -----

type: numeric (float)  
 label: yn  
 range: [0, 1] units: 1  
 unique values: 2 missing : 96/664

tabulation:	Freq.	Numeric	Label
	291	0	No

Clinic Survey 2010 Data Users' Guide and Codebook

277 1 Yes  
96 .

-----  
txfund Clinic receives Title X funding  
-----

type: numeric (float)  
label: yn  
range: [0, 1] units: 1  
unique values: 2 missing .: 0/664  
tabulation: Freq. Numeric Label  
248 0 No  
416 1 Yes

-----  
anylarc LARC method (IUD or implant) offered at clinic  
-----

type: numeric (float)  
label: yn  
range: [0, 1] units: 1  
unique values: 2 missing .: 7/664  
tabulation: Freq. Numeric Label  
192 0 No  
465 1 Yes  
7 .

-----  
anyiud Any IUD offered at clinic  
-----

type: numeric (float)  
label: yn  
range: [0, 1] units: 1  
unique values: 2 missing .: 7/664  
tabulation: Freq. Numeric Label  
205 0 No  
452 1 Yes  
7 .

-----  
clinid Clinic unique ID  
-----

type: numeric (float)  
range: [1, 664] units: 1  
unique values: 664 missing .: 0/664  
mean: 332.5  
std. dev: 191.825  
percentiles: 10% 25% 50% 75% 90  
> % 67 166.5 332.5 498.5 59

> 8

. capture log close

## Extended methodology

### Sample

Between September 2010 and May 2011, we surveyed a nationally representative sample of 1,294 clinics providing publicly funded contraceptive services. The sample was drawn from the 8,114 eligible publicly funded family planning clinics known to us at that time. Using directories of Title X–supported clinics, Planned Parenthood affiliates, federally qualified health centers (FQHCs) and Indian Health Service units, as well as personal communications with Title X grantees, agency administrators and others, the Guttmacher Institute maintains a list of all publicly funding family planning providers. Regular updating is conducted to confirm clinic names, addresses, public funding status and provision of contraceptive services. Sampled clinics were stratified by type (health department, Planned Parenthood, FQHC and other) and whether they received any Title X funding. Clinics were randomly selected within each of the eight resulting categories. Because there are many more clinics of some types than of others, we varied the proportion of each type that was sampled to ensure a sufficient number of cases to make estimates specific to each type. We sampled 28% of Planned Parenthood clinics, 19% of FQHCs, 13% of health departments, and 16% of hospitals and other facilities.

### Fieldwork protocols

Surveys were pretested with clinic administrators and were then mailed to clinic family planning directors at the end of September 2010. The eight-page questionnaire asked for basic information about the clinic, including client caseload and staff qualifications, and about the range and type of contraceptive services provided. Questions addressed current reproductive health services provided (or referred) to both male and female clients, the costs associated with these services, as well as any outreach or special programs at the clinic. Most questions were closed-ended, with some requiring specific information to be entered by the respondent. A few questions included open-ended components to capture the full range of responses.

A reminder mailing was sent to clinics in November. To improve the response rate, follow-up phone calls were made to nonresponding facilities between October and May 2011. Over 3,800 contacts were made during this period, via phone, fax and email. To improve the response rate, clinics that had not yet responded to the survey by the beginning of February were offered a \$25 incentive for completed surveys, and letters announcing the incentive were mailed directly to the contact person identified as most appropriate during nonresponse follow-up. Two hundred and twenty clinics responded to the incentive offer.

### Response

Ultimately, 664 clinics responded to this survey, 20 clinics refused and 610 never responded, even after multiple follow-up attempts. (The original sample included some 114 clinics that were found to be ineligible, primarily because they had closed or stopped providing family planning services at the site due to administrative changes or loss of funding. These clinics were not replaced in the sample.) In addition, some clinics in the original sample were found to be “satellite” sites, i.e. sites that were open less than two days per week and where family planning services were provided by staff from another full-service site in the same agency. In most of these cases, we replaced the satellite site in the sample with another site in the same agency that was not a satellite. The overall response rate was 51%. Response by provider type was: 75%

among Planned Parenthoods, 60% among health departments, 39% among FQHCs and 42% among others.



**Bibliography of reports based on the dataset**

Frost JJ et al., *Variation in Service Delivery Practices Among Clinics Providing Publicly Funded Family Planning Services in 2010*, New York: Guttmacher Institute, 2012,  
<[www.guttmacher.org/pubs/clinic-survey-2010.pdf](http://www.guttmacher.org/pubs/clinic-survey-2010.pdf)>.