

**Table 1. Changes in selected pregnancy risk behaviors among females aged 15–19, 2006–2010  
National Survey of Family Growth**

	<b>2006–08</b>	<b>2008–10</b>	<b>p-value</b>
Ever had sex	42.8	45.4	.46
Had sex in the last 12 months*	91.5	92.4	.70
Had sex in the last 3 months*	71.3	72.5	.69
Ever used the pill*	50.8	59.8	.06
Ever used the condom*	93.7	97.9	.01
Ever used emergency contraception*	12.3	14.6	.46
Did not use a method at last sex^	17.9	12.5	.10
Used a condom at last sex^	51.0	49.6	.79
Used any hormonal method at last sex^**	37.3	47.5	.03
Used a long-acting reversible method at last sex^***	1.4	4.4	.06
Dual use at last sex^	16.1	23.2	.09
Trying to get pregnant*	2.4	0.5	.01

\* among those who ever had sex

^ among those who had sex in the last 3 months

\*\*Includes pill, patch, vaginal ring, implant, and injectable

\*\*\*Includes IUD and implant

2006–08 represents respondents from June 2006 to June 2008;

2008–10 represents respondents from July 2008 to June 2010.

Source:

Guttmacher Institute

Unpublished tabulations of the 2006–2010 National Survey of Family Growth