

Table 2. Selected measures of demand for contraception among currently married women, by country and year, Asia and North Africa, 1975–1998

Country and year	Total demand for limiting (as %)	% using method for limiting	% with unmet need for limiting	% exposed to risk of unwanted pregnancy and not using method*	% of users who are limiting birthst†
Bangladesh					
1979–1980	39.2	9.8	29.4	22.1	78.2
1993–1994	50.2	33.5	16.7	5.6	75.3
1996–1997	52.8	36.3	16.5	5.9	73.8
Egypt					
1980	48.4	19.8	28.6	12.5	82.2
1988–1989	56.1	31.9	24.2	9.8	84.4
1992	61.0	39.3	21.7	10.2	83.4
1995–1996	60.7	39.3	21.4	8.9	82.0
India					
1980	44.0	26.5	16.0	u	77.8
1991–1992	56.0	37.5	8.5	3.1	93.5
Indonesia					
1976	32.2	15.1	17.1	10.0	57.5
1987	41.2	29.9	11.3	5.0	62.7
1991	42.9	31.0	11.9	5.4	62.4
1994	45.2	32.2	13.0	5.0	58.8
1997	41.1	32.1	9.0	4.2	56.0
Jordan					
1976	37.1	16.7	20.4	7.3	66.3
1990	48.9	28.3	20.6	9.8	70.8
1997	47.7	34.3	13.4	5.3	65.3
Morocco					
1980	32.3	13.8	18.5	10.2	72.3
1987	41.7	23.2	18.5	6.5	64.7
1992	46.9	27.4	19.5	7.7	66.0
1995	50.7	33.1	17.6	7.7	65.8
Pakistan					
1975	37.6	4.6	33.0	18.0	88.5
1990–1991	31.5	9.8	21.7	11.4	82.9
1994–1995	44.2	13.5	30.9	20.8	77.9
Philippines					
1978	48.4	24.7	23.7	11.4	68.8
1993	53.0	31.0	22.0	10.4	77.6
1998	52.5	34.7	17.8	8.4	72.6
Sri Lanka					
1975	53.1	25.5	27.6	17.7	80.4
1987	58.4	48.7	9.7	4.1	78.9
Thailand					
1975	50.8	24.9	25.9	13.1	75.6
1987	58.9	49.6	9.3	4.3	75.8
Tunisia					
1978	40.7	20.1	20.6	9.7	73.0
1988	53.1	36.3	16.8	5.8	72.9
Turkey					
1978	50.2	27.1	23.1	12.1	71.2
1993	62.3	50.5	12.3	5.4	80.7

*The difference between this column and the preceding column is the proportion currently pregnant or amenorrheic. †The denominator for this column is all currently married women who are practicing contraception. Note: u=data for this measure are unavailable.