

**Table 3. Measures of average condom use and the need for condoms within marriage, and components of those measures, by men's reason for using and age**

Measure	Spacing				Limiting			
	All (N=1,032)	20–24 (N=70)	25–29 (N=330)	30–35 (N=632)	All (N=1,032)	20–24 (N=70)	25–29 (N=330)	30–35 (N=632)
<b>Condom use per average man</b>								
% who want more children*	50.3	91.5	67.2	36.8	na	na	na	na
% who want no more children	na	na	na	na	49.7	8.5	32.8	63.2
% of couples using condoms	2.3	2.3	2.3	2.3	3.5	3.5†	3.5	3.5
Monthly coital frequency	9.1	12.5	9.8	7.6	6.3	9.3†	7.5	6.0
Annual avg. no. of condoms used per man	1.3	3.1	1.8	0.8	1.3	0.3†	1.0	1.6
<b>Need per average man</b>								
% who want more children*	50.3	91.5	67.2	36.8	na	na	na	na
% who want no more children	na	na	na	na	49.7	8.5	32.8	63.2
% whose wives are not pregnant	87.3	72.3	87.9	90.9	87.4	57.1†	76.5	90.8
% whose wives did not give birth in last year	76.0	74.5	76.9	75.5	79.5	64.1†	60.8	83.9
% wanting to wait ≥2 years‡	32.2	34.5	32.1	31.9	na	na	na	na
% in need for contraception§	10.7	17.0†	14.6	8.1	34.5	3.1†	15.3	48.1
Condom as % of all methods	9.3	9.3	9.3	9.3	5.0	5.0	5.0	5.0
Monthly coital frequency‡	10.4	17.4	11.6	7.8	7.0	9.5†	8.4	6.7
Total condoms needed**	1.2	3.3†	1.9	0.7	1.4	0.2†	0.8	1.9
<b>Unmet need per average man</b>								
% with need unmet	38.2	45.5†	45.8	29.4	19.3	66.7†	26.0	17.8
Annual unmet need for condoms per man	0.5	1.5†	0.9	0.2	0.3	0.1†	0.2	0.3

\*Includes men who are undecided. †Estimate is based on fewer than 25 respondents. ‡Based on men with nonpregnant wives and no children younger than one year. §A man is defined as needing contraception for spacing if he wants more children, his wife is not currently pregnant, he has no children younger than one (a proxy for wife's fecundity status) and he wants to wait for at least two years before having the next child. A man is defined as needing contraception for limiting if he wants no more children, his wife is not currently pregnant and he has no children younger than one. \*\*Calculated as the product of the proportion in need, the proportion of current users of modern methods who use condoms and the monthly coital frequency times 12. Note: na=not applicable.