

**FIGURE 2. Prevalence of use of four modern contraceptive methods (the pill, condom, IUD and female sterilization), by mean overall level of method availability and overall level of prevalence, 64 countries, 1994 or 1999**

Mean availability	Mean prevalence								Mean prevalence (N=64)
	Very low (N=16)		Low (N=16)		Medium (N=16)		High (N=16)		
	Country	%	Country	%	Country	%	Country	%	
<b>All</b>		<b>6.2</b>		<b>22.4</b>		<b>39.5</b>		<b>58.6</b>	<b>31.7</b>
Very low	Mean	5.6	Mean	18.8	Mean	46.0	Mean	0.0	11.5
	Benin	2.4	Iraq*	18.8	Panama*	46.0			
	Ethiopia	2.8			Guyana*	46.0			
	Niger	3.2							
	Nigeria*	3.6							
	Mali	4.0							
	Madagascar	4.8							
	Uganda	5.2							
	Mauritania*	5.6							
	Cameroon	6.4							
	Sudan	7.2							
	Malawi	8.0							
	Tanzania	8.8							
Lesotho*	10.4								
Low	Mean	8.8	Mean	18.9	Mean	40.8	Mean	59.6	32.2
	Haiti	11.6	Syria*	23.6	Jordan	36.4	Egypt	47.6	
	Senegal	6.0	Zambia	13.2	El Salvador	44.8	Cuba*	80.8	
			Nepal	15.6	Zimbabwe	40.8	Jamaica	50.4	
			Kenya	18.8	Honduras	38.4			
			Guatemala	26.4	Ecuador	44.4			
			Pakistan	15.6					
Medium	Mean	8.8	Mean	20.8	Mean	37.2	Mean	58.4	39.5
	Ghana	8.8	Bolivia	16.0	Iran*	39.2	Kuwait*	48.4	
			Oman	15.2	India	32.8	Costa Rica	62.0	
			Philippines	25.6	Morocco	42.4	Vietnam	55.2	
			Indonesia	27.2	Turkey	35.2	Rep. of Korea	55.2	
					Sri Lanka	37.2	China	73.2	
							Dom. Rep.	57.6	
High	Mean	0.0	Mean	28.4	Mean	37.2	Mean	58.1	43.6
			Peru	32.0	Mauritius*	35.2	Colombia	54.0	
			Malaysia*	24.0	Paraguay	34.4	Thailand	50.0	
			Bangladesh	32.0	Algeria	38.8	Brazil	66.4	
			Trinidad & Tobago*	31.2	Venezuela*	40.0	Mexico	54.4	
			Botswana*	22.8			Singapore*	62.8	
							Taiwan	72.0	
							Tunisia*	46.8	

\*Data are for 1994.