

Table 4. Measures of sexual and contraceptive behavior among students in treatment and control groups, by type of intervention and setting, according to sexual experience and length of follow-up

Variable	Youth-led				Adult-led											
	Classroom				Classroom				School				Community			
	Treat-ment	Con-trol	p	N	Treat-ment	Con-trol	p	N	Treat-ment	Con-trol	p	N	Treat-ment	Con-trol	p	N
SEXUALLY INEXPERIENCED AT BASELINE																
% who initiated intercourse																
At 3 months	5.7	5.2	.673	1,678	5.6	5.4	.800	2,381	na	na	na	na	na	na	na	na
At 17 months	16.7	15.8	.660	1,431	15.1	17.1	.210	2,134	18.4	16.5	.126	3,446	7.7	8.4	.798	362
SEXUALLY EXPERIENCED AT EITHER FOLLOW-UP																
No. of acts of intercourse in last 3 months†																
Mean change at 3 months	0.9	0.3	.023	338	0.8	0.4	.109	464	na	na	na	na	na	na	na	na
Mean change at 17 months	1.8	1.6	.619	338	2.0	1.6	.162	586	1.7	1.9	.531	1,012	2.0	1.9	.960	52
No. of acts of intercourse in last 12 months†,‡																
Mean change at 17 months	3.0	2.7	.454	389	2.9	2.7	.453	586	2.8	3.0	.340	1,010	2.9	2.3	.552	52
No. of sexual partners ever†																
Mean change at 3 months	1.1	0.7	.069	342	1.0	0.8	.120	470	na	na	na	na	na	na	na	na
Mean change at 17 months	2.3	2.0	.282	393	1.9	1.8	.643	584	1.9	2.0	.420	1,012	1.0	1.4	.596	53
Used a condom																
% at 3 months	59.7	56.8	.593	339	65.9	56.3	.034	471	na	na	na	na	na	na	na	na
% at 17 months	56.7	61.0	.394	394	61.4	60.4	.802	584	66.2	67.0	.792	1,012	62.1	66.7	.728	53
Used oral contraceptives																
% at 3 months	24.3	20.4	.385	343	31.6	22.4	.024	475	na	na	na	na	na	na	na	na
% at 17 months	21.4	26.9	.212	387	19.4	24.3	.160	585	23.3	21.4	.469	1,015	20.7	29.2	.475	53

†Youths not sexually experienced at baseline were assigned a value of 0. ‡We do not include three-month data for this variable, because this time period included the nine months prior to baseline.