

Table 4. Odds ratios (and 95% confidence intervals) for factors associated with condom use, in combination with the pill or alone, among men aged 14–22

Method and factor	Odds ratio
Pill and condom (N=385)	
Age†	0.82* (0.70–0.96)
Race/ethnicity	
Black	2.22* (1.10–4.49)
Hispanic	0.81 (0.35–1.88)
White	1.00
Risk behavior score	0.79* (0.66–0.96)
HIV education in school	2.94* (1.23–7.03)
Condom only (N=1,410)	
Age†	0.89* (0.82–0.96)
Race/ethnicity	
Black	1.03 (0.67–1.59)
Hispanic	0.66* (0.45–0.97)
White	1.00
Risk behavior score‡	0.89* (0.80–0.99)
Age at first intercourse	
≤13	0.34* (0.21–0.55)
14–15	0.48* (0.32–0.73)
≥16	1.00
No. of partners in previous 3 mos.	
0	0.69 (0.48–1.00)
1	1.00
≥2	0.89 (0.59–1.33)
Discussed HIV with adult relatives	1.90* (1.30–2.78)

*Significant at $p < .05$. †The increase in odds for each 1-year increase in age. ‡A seven-point scale with a range of 0–6. Odds ratio reflects the increase in odds for each one-point increase in the score.