

Table 6. Percentage distribution of non-Hispanic white and non-Hispanic black contraceptive users aged 15–44, by current contraceptive method, according to marital status and parity, 1982–1995

Race/ethnicity and method	Marital status									No. of births								
	Currently married			Never-married			Formerly married			0			1			≥2		
	1982	1988	1995	1982	1988	1995	1982	1988	1995	1982	1988	1995	1982	1988	1995	1982	1988	1995
Non-Hispanic white																		
Female sterilization	26	30	29	1	2	3	36	49	44	1	3	3	8	16	13	37	44	43
Male sterilization	17	20	20	2	2	1	5	5	5	5	6	5	11	10	9	18	22	21
Pill	18	19	21	53	60	52	31	28	23	51	57	52	35	32	33	10	10	12
Implant	na	na	1	na	na	2	na	na	1	na	na	1	na	na	2	na	na	1
Injectable	na	na	2	na	na	4	na	na	3	na	na	2	na	na	6	na	na	1
IUD	6	2	1	3	1	0	9	3	1	3	1	0	10	2	1	6	2	1
Diaphragm	7	7	3	17	6	1	8	7	2	16	7	2	12	10	2	5	5	2
Male condom	15	15	17	14	22	30	2	5	16	14	20	28	12	17	25	13	11	13
Other	11	8	7	10	7	6	10	5	6	10	7	7	12	12	7	11	6	6
Non-Hispanic black																		
Female sterilization	37	48	54	13	19	23	55	66	66	0	1	3	3	16	13	51	66	68
Male sterilization	4	2	5	0	0	0	0	0	1	1	1	1	0	1	1	2	1	2
Pill	25	25	19	58	56	31	19	16	13	61	65	42	63	55	38	19	17	10
Implant	na	na	1	na	na	4	na	na	2	na	na	1	na	na	5	na	na	2
Injectable	na	na	2	na	na	8	na	na	2	na	na	4	na	na	11	na	na	4
IUD	10	3	1	8	3	1	12	6	0	5	1	1	11	5	1	11	3	1
Diaphragm	4	3	2	3	2	1	3	2	0	4	3	1	2	4	2	3	1	0
Male condom	7	10	12	8	13	28	2	4	12	13	20	38	6	10	24	4	5	10
Other	14	10	5	10	8	5	11	6	3	16	9	8	14	9	4	10	7	3
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

Note: na=not applicable.