

TABLE 4. Odds ratios (and 95% confidence intervals) from multiple logistic regressions assessing the association of reproductive health behaviors and outcomes with coerced first sex among sexually experienced Ugandan women aged 15–19

Behavior and outcome	Current contraceptive use (N=575)	Condom use at last sex (N=574)	Consistent condom use during last 6 mos. (N=574)	≥1 genital tract symptom (N=575)	Current or most recent pregnancy unintended† (N=384)
Coerced first sex					
No	1.00	1.00	1.00	1.00	1.00
Yes	0.47 (0.25-0.88)*	0.26 (0.12-0.55)***	0.19 (0.08-0.50)***	2.60 (1.57-4.32)***	2.06 (1.17-3.63)*
Education level (yrs.)					
<5	1.00	1.00	1.00	1.00	1.00
5–7	1.34 (0.72-2.52)	1.33 (0.58-3.04)	2.54 (0.79-8.15)	0.97 (0.58-1.62)	1.26 (0.75-2.12)
≥8	2.90 (1.49-5.63)**	3.98 (1.72-9.26)***	7.38 (2.31-23.61)***	0.57 (0.30-1.08)	1.94 (1.00-3.78)*
Religious affiliation					
Other	1.00	1.00	1.00	1.00	1.00
Catholic	2.11 (1.28-3.45)**	1.57 (0.90-2.74)	1.82 (1.00-3.34)	0.84 (0.52-1.36)	1.65 (0.97-2.82)
Muslim	1.33 (0.71-2.50)	1.17 (0.57-2.40)	0.78 (0.35-1.70)	0.82 (0.43-1.54)	1.29 (0.65-2.58)
Age at first sex					
<14	1.00	1.00	1.00	1.00	1.00
14–15	1.22 (0.65-2.32)	0.98 (0.46-2.09)	1.17 (0.49-2.83)	0.73 (0.42-1.27)	1.04 (0.58-1.88)
≥16	1.32 (0.63-2.78)	1.33 (0.56-3.17)	1.74 (0.65-4.66)	0.52 (0.25-1.09)	0.70 (0.32-1.55)
Marital status					
Unmarried	1.00	1.00	1.00	1.00	1.00
Married	0.29 (0.19-0.44)***	0.05 (0.03-0.10)***	0.02 (0.01-0.06)***	1.80 (1.15-2.81)**	0.40 (0.24-0.65)***

*p≤.05. **p≤.01. ***p≤.001. †Restricted to ever-pregnant women.