

TABLE 2. Sample sizes used in analyses of maternal and child health care, by mother's age at last birth, according to country

| Country | Women receiving care† | | | | | Infants immunized (≥12 mos. old) | | | | |
|----------------------|-----------------------|-------|-------|--------|--------|----------------------------------|-----|-------|-------|--------|
| | 15–16 | 17 | 18 | 19–23 | Total | 15–16 | 17 | 18 | 19–23 | Total |
| Africa | | | | | | | | | | |
| Ethiopia | 184 | 203 | 244 | 1,735 | 2,366 | 281 | 283 | 324 | 2,282 | 3,170 |
| Guinea | 248 | 186 | 177 | 843 | 1,454 | 336 | 190 | 200 | 1,062 | 1,788 |
| Malawi | 240 | 325 | 444 | 2,544 | 3,553 | 367 | 418 | 560 | 3,127 | 4,472 |
| Mali | 258 | 197 | 239 | 1,183 | 1,877 | 200 | 139 | 189 | 876 | 1,404 |
| Uganda | 181 | 164 | 230 | 1,217 | 1,792 | 228 | 203 | 267 | 1,345 | 2,043 |
| Latin America | | | | | | | | | | |
| Bolivia | 103 | 123 | 160 | 1,110 | 1,496 | 173 | 149 | 224 | 1,474 | 2,020 |
| Brazil | 181 | 137 | 178 | 1,041 | 1,537 | 221 | 155 | 213 | 1,172 | 1,761 |
| Guatemala | 118 | 104 | 139 | 849 | 1,210 | 226 | 156 | 198 | 1,156 | 1,736 |
| Nicaragua | 383 | 283 | 304 | 1,657 | 2,627 | 506 | 346 | 390 | 1,988 | 3,230 |
| Peru | 337 | 319 | 446 | 2,706 | 3,808 | 382 | 368 | 476 | 3,021 | 4,247 |
| Asia | | | | | | | | | | |
| Bangladesh | 561 | 254 | 259 | 1,463 | 2,537 | 690 | 258 | 314 | 1,623 | 2,885 |
| Cambodia | 58 | 103 | 160 | 1,041 | 1,362 | 88 | 146 | 192 | 1,324 | 1,750 |
| India | 1,081 | 1,003 | 1,558 | 10,800 | 14,442 | 950 | 830 | 1,286 | 8,409 | 11,475 |
| Indonesia | 228 | 300 | 458 | 3,666 | 4,652 | 281 | 329 | 485 | 3,929 | 5,024 |
| Nepal | 126 | 149 | 217 | 1,514 | 2,006 | 185 | 222 | 284 | 1,918 | 2,609 |

†Skilled antenatal or delivery care.