

**TABLE 7. Odds ratios from logistic regression analyses indicating the likelihood of inconsistent pill and condom use, and condom breakage or slippage, by selected characteristics of women obtaining abortions**

Characteristic	Inconsistent pill use	Inconsistent condom use	Condom breakage or slippage
<b>Age</b>			
<18	0.37	0.34**	0.47*
18–19	0.66	1.02	1.06
20–24	0.76	0.88	0.89
25–29	0.66	1.11	1.15
≥30 (ref)	1.00	1.00	1.00
<b>Union status</b>			
Married (ref)	1.00	1.00	1.00
Cohabiting†	1.29	1.05	1.53*
Previously married‡	0.92	1.22	2.07***
Never-married	1.22	1.06	1.39*
<b>Poverty status§</b>			
<100%	1.50	1.50*	1.33
100–199%	1.35	1.29	1.25
200–299%	1.52	1.11	1.30
≥300% (ref)	1.00	1.00	1.00
<b>Race/ethnicity</b>			
White (ref)	1.00	1.00	1.00
Black	2.14**	2.06***	2.11***
Hispanic	2.12**	1.18	1.12
Other	0.99	1.19	0.63
<b>Education</b>			
<H.S.	2.10*	1.77	2.12*
H.S. graduate	1.46	1.09	1.12
Some college	1.23	0.97	1.14
College graduate (ref)	1.00	1.00	1.00
<b>Fertility intentions</b>			
Intend no (more) children (ref)	1.00	1.00	1.00
Intend (more) children	1.16	2.26***	2.03***
Do not know	1.28	1.21	1.30
<b>Months used††</b>			
	0.99*	1.00	1.01

\* $p < .05$ . \*\* $p < .01$ . \*\*\* $p < .001$ . †Based on single women only. ‡Includes separated women. §Percentage of federal poverty level. ††Number of months of method use was treated as a continuous variable. Notes: Imperfect users are compared with perfect users in the logistic regression analyses. ref=reference category.