

TABLE 2. Unadjusted odds ratios (and 95% confidence intervals) from multinomial logistic regression analyses assessing variables associated with partially inadequate or inadequate prenatal care versus adequate care

Variable	Partially inadequate	Inadequate
Age	0.98 (0.95–1.01)	0.99 (0.96–1.02)
Income		
1st tertile (ref)	1.00	1.00
2nd tertile	0.71 (0.43–1.15)	0.57 (0.35–0.94)***
3rd tertile	0.42 (0.25–0.70)***	0.15 (0.08–0.28)***
Education (in yrs.)		
<5 (ref)	1.00	1.00
5–7	0.86 (0.46–1.58)	1.56 (0.79–3.07)
≥8	0.50 (0.28–0.88)***	0.55 (0.28–1.09)
Skin color		
White (ref)	1.00	1.00
Nonwhite	1.23 (0.77–1.96)	1.68 (1.04–2.70)*
Parity		
1 (ref)	1.00	1.00
2–3	1.55 (0.98–2.47)	2.52 (1.46–4.33)***
≥4	2.50 (1.42–4.39)***	5.18 (2.81–9.54)***
Living with child's father		
Yes (ref)	1.00	1.00
No	0.87 (0.46–1.65)	2.84 (1.69–4.78)***
Satisfaction with relationship	0.96 (0.83–1.10)	1.05 (0.87–1.27)
Planned pregnancy		
Yes (ref)	1.00	1.00
No	1.70 (1.11–2.62)***	4.56 (2.58–8.06)***
Satisfied with pregnancy (prenatal)		
Yes (ref)	1.00	1.00
No	1.62 (1.02–2.59)***	4.11 (2.60–6.50)***
Satisfied with pregnancy/child (postnatal)		
Yes (ref)	1.00	1.00
No	2.43 (0.73–8.13)	1.70 (0.42–6.91)
Attempted abortion		
Yes	1.62 (0.53–4.94)	3.18 (1.19–8.54)*
No (ref)	1.00	1.00

*p<.05. ***p≤.001. Note: ref=reference group.