

TABLE 7. Odds ratios (and 95% confidence intervals) from logistic regression analyses to identify associations between selected characteristics and whether women obtained a second-trimester instead of a first-trimester abortion

Characteristic	Odds ratio
DEMOGRAPHIC	
Age	0.88 (0.88–0.89)*
Yrs. of schooling	0.92 (0.92–0.93)**
Currently working	
No (ref)	1.00
Yes	0.98 (0.96–1.00)
Residence	
Bihar urban (ref)	1.00
Bihar rural	2.54 (2.49–2.60)**
Jharkhand urban	1.49 (1.46–1.52)
Jharkhand rural	4.07 (3.98–4.16)***
OBSTACLES TO ABORTION	
Previous attempts	
0–1 (ref)	1.00
≥2	2.17 (2.10–2.23)
Partner support†	
Partner supported fully (ref)	1.00
Partner did not support fully	2.32 (2.27–2.36)**
Sexual encounter was forced	3.73 (3.66–3.81)***
Awareness that abortion is legal‡	
Yes (ref)	1.00
No	1.08 (1.06–1.10)
Facility chosen on basis of confidentiality§	
No (ref)	1.00
Yes	1.12 (1.10–1.14)
<i>Constant</i>	<i>2.31</i>
<i>–2LL</i>	<i>490</i>
<i>R²</i>	<i>0.32</i>

* $p < .05$. ** $p < .01$. *** $p < .001$. †Full support included both emotional and financial support. ‡Before getting pregnant, respondent was aware that abortion is legal for unmarried women. §Choice of facility was based on whether providers had ensured patient confidentiality and whether facility was far from home (to avoid inadvertent disclosure). Notes: ref=reference category, N=549.