

TABLE 5. Odds ratios (and 95% confidence intervals) from multivariate logistic regression analyses of high-parity women's modern contraceptive use, by women's agreement with social support statements

Variable	Model 1	Model 2	Model 3	Model 4
SOCIAL SUPPORT				
Husband				
Your husband thinks it is a good idea for you to use a contraceptive method	2.52 (1.07–5.97)*	na	na	3.10 (1.26–7.64)*
Your husband is the one who makes the final decision about contraception	0.31 (0.20–0.49)***	na	na	0.39 (0.23–0.66)***
You feel nervous about discussing contraception with your husband	0.70 (0.45–1.08)	na	na	0.61 (0.38–0.98)*
Peers				
Most couples you know have used a contraceptive method	na	0.66 (0.28–1.54)	na	1.04 (0.41–2.66)
Peers ever encouraged you to use contraceptive method	na	1.55 (0.98–2.46)	na	1.36 (0.82–2.24)
Elders				
Elders in your community think young women should not use contraceptive methods	na	na	0.55 (0.36–0.85)**	0.79 (0.47–1.34)
If an elder says not to use a contraceptive method, you should not use it	na	na	0.59 (0.35–0.99)*	0.48 (0.27–0.85)*
DEMOGRAPHIC				
Education				
None (ref)	1.00	1.00	1.00	1.00
Primary	1.42 (0.84–2.40)	1.59 (0.96–2.63)	1.63 (0.98–2.71)	1.47 (0.86–2.55)
Secondary	1.23 (0.70–2.12)	1.31 (0.75–2.29)	1.29 (0.74–2.24)	1.31 (0.73–2.36)
Socioeconomic status				
Low (ref)	1.00	1.00	1.00	1.00
Middle	1.38 (0.79–2.42)	1.45 (0.85–2.48)	1.51 (0.88–3.06)	1.47 (0.83–2.60)
High	1.51 (0.80–2.85)	1.63 (0.88–3.00)	1.64 (0.88–3.06)	1.76 (0.92–3.40)
Age				
	1.01 (0.98–1.05)	1.01 (0.98–1.04)	1.01 (0.98–1.05)	1.02 (0.98–1.05)

*p<.05. **p<.01. ***p<.001. Notes: na=not applicable. ref=reference group.