

**TABLE 1. Percentage of adolescent women reporting ever having been forced into sexual intercourse, by selected characteristics, according to timing of forced intercourse, National Longitudinal Study of Adolescent Health**

Characteristic	N	% forced into intercourse	
		By Wave 1	Between Waves 1 and 2
<b>Total</b>	<b>7,545</b>	<b>6.6</b>	<b>2.3</b>
<b>Age</b>			
12–14	2,324	2.4	1.2
15–17	4,158	8.8	3.0
≥18	471	15.5***	4.1***
<b>Race/ethnicity</b>			
Black	1,558	9.8	2.3
Asian	452	2.5	1.7
Hispanic	1,149	4.0	1.4
Native American	122	8.1	4.6
White	3,610	6.5	2.4
Other	60	5.2	4.0
<b>Had had intercourse by Wave 1</b>			
Yes	2,492	21.3	4.6
No	5,053	0.0***	1.3***
<b>Had had forced intercourse by Wave 1</b>			
Yes	504	na	7.6
No	7,041	na	1.9***
<b>Highest parental educational level</b>			
College graduate	976	4.0	1.3
Some college	3,665	6.6	2.7
<high school	2,490	7.4	1.7
<b>Had a permanent physical disability</b>			
Yes	182	12.6	1.8
No	7,363	6.4*	2.3
<b>Used alcohol in past year</b>			
Yes	3,323	10.3***	3.6***
No	4,222	3.6	1.2
<b>Used marijuana in past 30 days</b>			
Yes	873	14.5	4.9
No	6,672	5.5***	1.9***
<b>Used cocaine in past 30 days</b>			
Yes	68	15.0	16.2
No	7,477	6.5*	2.2***
<b>Had a romantic relationship in past 18 mos.</b>			
Yes	4,085	10.2	3.3
No	3,460	2.4***	1.1***
<b>Noncoital sexual behaviors within the romantic relationship†</b>			
No touching	3,352	12.5	3.4
Nongenital touching	701	0.0	2.9
Genital touching	437	0.0‡	4.2
<b>Was exposed to violence in past year</b>			
Yes	1,226	13.5	3.9
No	6,319	5.3***	2.0**

\*p<.05. \*\*p<.01. \*\*\*p<.001. †Applies only to respondents reporting a romantic relationship not involving sexual intercourse in the past 18 months and refers to the first such relationship in that time period. Variable is hierarchical: Respondents reporting both types of touching are listed in the most intimate category (genital touching). ‡Weighted F statistic cannot be computed because of the null cells. Notes: Wave 1: April–December 1995; Wave 2: January–December 1996. Ns are unweighted; percentages are weighted. P-values are from weighted, design-based F tests, providing a test of global significance for each variable. na=not applicable.