

TABLE 2. Measures of maternal care among ever-married women who had had at least one live birth in the previous five years, by dimensions of deprivation

Type of care	Dimensions of deprivation							
	None	One			Two			Three
		Education	Wealth	Health	Education and wealth	Education and health	Wealth and health	
No. of antenatal care visits	(N=12,392)	(N=2,428)	(N=2,250)	(N=6,221)	(N=2,659)	(N=1,943)	(N=2,035)	(N=2,916)
0	10.6	30.8	26.9	15.8	45.3	34.2	27.0	47.2
1-2	18.3	28.7	26.1	24.8	28.7	28.6	30.7	27.6
≥3	71.1	40.4	46.9	59.5	26.0	37.3	42.4	25.3
Medical assistance at delivery†	(N=16,384)	(N=3,490)	(N=3,282)	(N=8,722)	(N=4,063)	(N=2,810)	(N=2,984)	(N=4,304)
At home without assistance	31.3	68.3	57.5	45.5	78.8	71.2	66.8	82.6
With assistance	68.7	31.8	42.5	54.5	21.1	28.8	33.2	17.3
At home	8.1	8.5	7.7	9.9	6.5	10.0	7.1	6.4
At public health center	23.8	13.8	22.3	22.8	8.9	10.5	17.9	8.1
At private health center	36.8	9.5	12.5	21.8	5.7	8.3	8.2	2.8
Postnatal care	(N=12,380)	(N=2,422)	(N=2,248)	(N=6,217)	(N=2,658)	(N=1,943)	(N=2,033)	(N=2,915)
Yes	60.9	31.3	37.2	47.4	21.1	27.1	32.8	19.9
No	39.1	68.7	62.8	52.6	78.9	72.9	67.2	80.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

†The unit of analysis for this measure is births; the sample was restricted to women's two most recent live births in the previous five years. *Note:* All differences are significant across deprivation groups, according to chi-square tests.