

TABLE 5. Odds ratios (and 95% confidence intervals) from logistic regression analysis assessing associations between selected characteristics and receipt of nontesticular sexual or reproductive health care or of testicular care only

Characteristic	Nontesticular care	Testicular care only
SOCIAL/DEMOGRAPHIC		
Age	1.03 (1.01–1.05) ^{***}	0.99 (0.97–1.01)
Race/ethnicity		
Black vs. white	2.12 (1.57–2.86) ^{***}	0.50 (0.35–0.71) ^{***}
Hispanic vs. white	1.51 (1.14–1.99) ^{**}	0.55 (0.36–0.84) ^{**}
Black vs. Hispanic	1.41 (1.05–1.89) [*]	0.90 (0.57–1.42)
Income as % of poverty level		
0–149% vs. ≥300%	1.18 (0.87–1.60)	0.77 (0.51–1.16)
150–299% vs. ≥300%	0.89 (0.69–1.16)	0.91 (0.64–1.31)
RISK BEHAVIOR		
Not married/cohabiting†	1.39 (1.09–1.78) ^{**}	0.69 (0.51–0.95) [*]
Multiple/concurrent partners‡	1.77 (1.22–2.58) ^{**}	0.53 (0.31–0.89) [*]
Other§,††	2.03 (1.22–3.39) ^{**}	0.61 (0.26–1.41)
HEALTH CARE ACCESS		
Health insurance††		
Public vs. none	3.82 (2.30–6.36) ^{***}	0.26 (0.15–0.47) ^{***}
Private vs. none	0.91 (0.69–1.21)	1.27 (0.87–1.86)
Public vs. private	4.19 (2.77–6.33) ^{***}	0.21 (0.12–0.35) ^{***}
Had a physical exam††	3.66 (2.88–4.66) ^{***}	17.45 (11.94–25.50) ^{***}

* $p < .05$. ** $p < .01$. *** $p < .001$. †Reference group consists of respondents who had no partner as well as those who were married or cohabiting. ‡More than two partners in past year or more than one partner now. §Gave money or drugs for sex; received money or drugs for sex; had sex with an injection-drug user; or had sex with an HIV-positive person. ††In 12 months prior to survey. *Note:* Characteristics were measured at time of survey unless otherwise noted. The variable "casual relationship with last partner" was omitted from this analysis because of high correlation with "married or cohabiting."