

TABLE 6. Odds ratios (and 95% confidence intervals) from logistic regression analyses of condom use at first sex among respondents whose first sex was not coerced, by selected characteristics

Characteristic	Odds ratio
Age at first sex	
<15 (ref)	1.00
15–16	1.75 (1.23–2.42)**
≥17	2.61 (1.86–3.68)***
Relationship to first partner	
Boyfriend (ref)	1.00
Husband/cohabiting partner	0.03 (0.02,0.06)***
Occasional/casual friend	0.86 (0.58–1.27)
Fellow student	0.93 (0.64–1.36)
Other	1.28 (0.41–3.95)
Partner's age relative to respondent	
Same age or younger (ref)	1.00
1–4 years older	1.16 (0.85–1.57)
≥5 years older or age unknown	0.68 (0.47–0.98)*
Living arrangement†	
With both parents	1.22 (0.92–1.61)
With mother only	1.42 (0.96–2.08)
Other (ref)	1.00
Mother's education	
<5 years (ref)	1.00
5–7 years	1.28 (0.90–1.82)
>7 years	2.20 (1.44–3.34)***
Do not know	0.91 (0.63–1.33)
Female caregiver's alcohol consumption†	
Sometimes/often (ref)	1.00
Never	1.42 (1.08–1.85)*
Religion	
Muslim (ref)	1.00
Non-Muslim	0.93 (0.67–1.30)
Family socioeconomic status†	
Poor (ref)	1.00
Average	1.09 (0.78–1.51)
Well-off	1.12 (0.68–1.84)
Caregivers cared about problems†	
Very much (ref)	1.00
Somewhat	0.70 (0.54–0.90)**
Not very much/not at all	1.16 (0.74–1.81)
School attendancet	
Never/rarely missed	1.28 (0.77–2.13)
Sometimes missed	1.34 (0.82–2.20)
Frequently missed/never attended (ref)	1.00
<i>LR</i> χ ² (<i>df</i>)	386.89 (16)
<i>Prob</i> χ ²	0.0000
<i>Pseudo R</i> ²	0.1987

*p<.05. **p<.01. ***p<.001. †When respondent was aged 11 or 12. Notes: ref=reference category. N=1,501.