

**TABLE 2. Percentage distribution of women who had ever used emergency contraceptive pills, by demographic and behavioral characteristics, Nairobi and Lagos, 2011**

Characteristic	Nairobi (N=539)	Lagos (N=483)
<b>Age</b>		
18–24	39.7	17.6
25–34	44.5	49.1
35–44	14.3	27.3
45–49	1.4	6.0
<b>Marital status</b>		
Married	36.0	57.4
Single	58.4	39.8
Separated/divorced/widowed	5.6	2.4
No response	0.0	0.4
<b>Educational attainment</b>		
≤primary	11.9	2.9
Secondary	43.9	39.8
≥college	44.2	56.7
No response	0.0	0.6
<b>Socioeconomic status</b>		
High	3.9	20.7
Middle	23.2	52.0
Low	72.9	27.3
<b>Frequency of intercourse</b>		
<once a week	18.0	4.4
Once a week	16.5	11.0
2–3 times a week	16.7	37.7
≥4 times a week	13.5	17.0
Other†	35.3	30.0
<b>Main contraceptive method used</b>		
Condoms	30.6	17.4
Pill	16.3	9.9
Injectable	16.3	7.9
Emergency contraceptive pills	14.8	40.8
Natural/traditional method	14.8	15.9
IUD/implant	4.8	2.1
Other	0.0	5.6
None	2.2	0.4
Total	100.0	100.0

†These responses were nonquantifiable. Note: Percentages may not total 100.0 because of rounding.