

TABLE 4. Measures used to estimate abortion levels, and key indicators of incidence, all by region, Senegal, 2012

Measure	Dakar	Rest of Senegal	All*
ABORTION OUTCOMES			
No. of women with uncomplicated induced abortions	7,300	15,311	22,611
No. of women with untreated complications of induced abortion	2,042	10,172	12,214
No. of women treated for complications of induced abortion or miscarriage (95% CI)	5,811 (3,623–8,056)	22,418 (19,296–25,980)	28,229 (22,919–34,036)
No. of miscarriages treated in facilities	2,048	9,459	11,507
No. of women treated for complications of induced abortion (95% CI)	3,763 (1,574–6,007)	12,959 (9,837–16,521)	16,722 (11,412–22,529)
Multiplier	3.5	3.0	3.1
No. of induced abortions (95% CI)	13,105 (5,483–20,922)	38,442 (29,182–49,010)	51,547 (34,665–69,932)
DEMOGRAPHIC			
No. of women aged 15–44	615,677	2,429,949	3,045,626
No. of births to women aged 15–44	75,767	445,955	521,722
RATES AND RATIOS			
Abortion rate† (95% CI)	21.3 (8.9–34.0)	15.8 (12.0–20.2)	16.9 (11.4–23.0)
Abortion ratio‡ (95% CI)	17.3 (7.2–27.6)	8.6 (6.5–11.0)	9.9 (6.6–13.4)
Abortion treatment rate§ (95% CI)	6.1 (2.6–9.8)	5.3 (4.0–6.8)	5.5 (3.7–7.4)

*National estimates of number of women and cases are the sums of the estimates for Dakar and the rest of country. †Number of abortions per 1,000 women aged 15–44. ‡Number of abortions per 100 live births to women aged 15–44. §Number of women receiving postabortion care per 1,000 women aged 15–44. Note: CI=confidence interval.