

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Comprehensive sexuality education (CSE)				
		Inclusion of CSE in the national school curriculum	CSE for young adolescents (10 - 14 years old)	Inclusion of info on life skills in CSE	Linking SRH services with CSE	CSE provision for out-of-school young people
SEXUAL AND REPRODUCTIVE HEALTH						
Sexual Activity and Marriage						
1	% of women aged 15–19 who have ever been sexually active	x	x			
2	% of men aged 15–19 who have ever been sexually active	x	x			
3	% of women aged 20–24 who have ever been sexually active	x				
4	% of men aged 20–24 who have ever been sexually active	x				
5	% of women aged 15–24 who had sexual intercourse before age 15	x	x			
6	% of men aged 15–24 who had sexual intercourse before age 15	x	x			
7	% of women aged 18–24 who had sexual intercourse before age 18	x				
8	% of men aged 18–24 who had sexual intercourse before age 18	x				
9	% of women aged 15–19 who have ever been married	x	x			
10	% of men aged 15–19 who have ever been married	x	x			
11	% of women aged 20–24 who have ever been married	x				
12	% of men aged 20–24 who have ever been married	x				
13	Median age at first sexual intercourse among young women	x				
14	Median age at first marriage among young women	x				
15	Gap between median ages at first sexual intercourse and first marriage among young women	x				
16	Median age at first sexual intercourse among young men	x				
17	Median age at first marriage among young men	x				
18	Gap between median ages at first sexual intercourse and first marriage among young men	x				
Contraceptive Knowledge, Use and Need						
19	% of women aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)	x			x	
20	% of men aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)	x			x	
21	Average number of modern methods known among women aged 15–19	x			x	
22	% of sexually active, never-married women aged 15–19 currently using any contraception	x			x	
23	% of married women aged 15–19 currently using any contraception	x			x	
24	% of sexually active men aged 15–24 currently using any contraception	x			x	
25	% of sexually active, never-married women aged 15–19 currently using modern contraception	x			x	
26	% of married women aged 15–19 currently using modern contraception	x			x	
27	% of sexually active men aged 15–24 currently using modern contraception	x			x	
28	% of sexually active men aged 15–24 currently using a condom	x			x	

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Comprehensive sexuality education (CSE)				
		Inclusion of CSE in the national school curriculum	CSE for young adolescents (10 - 14 years old)	Inclusion of info on life skills in CSE	Linking SRH services with CSE	CSE provision for out-of-school young people
29	% of sexually active, never-married women aged 15–19 currently using traditional contraception	x			x	
30	% of married women aged 15–19 currently using traditional contraception	x			x	
31	% of sexually active men aged 15–24 currently using traditional contraception	x			x	
32	% of sexually active, never-married women aged 15–19 who have an unmet need for contraception	x			x	
33	% of married women aged 15–19 who have an unmet need for contraception	x			x	
Childbearing						
34	% of women aged 15–19 who have ever had a child	x				
35	Median age at first birth among young women	x				
36	% of mothers <20 whose most recent birth was delivered at a health facility	x				
37	% of recent births to mothers <20 that were unplanned	x				
SEXUAL RIGHTS AND GENDER EQUALITY						
Sexuality Education in Schools						
38	% of schools that provided skills-based HIV education in the last academic year	x		x		
39	Inclusion in the national school curriculum of skills-based HIV education or health education, including HIV prevention	x		x		
Adults' Attitudes about Sexual Health Information						
40	% of women aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV	x	x			
41	% of men aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV	x	x			
Self-Efficacy Related to Sexual Health						
42	% of women aged 15–24 who report that they could get condoms on their own	x		x	x	
43	% of women aged 15–24 who know a source for the condom	x		x	x	
44	% of men aged 15–24 who know a source for the condom	x		x	x	
45	% of women aged 15–49 who know that HIV risk is reduced by condom use	x			x	
46	% of women aged 15–49 who know that HIV risk is reduced by having one uninfected partner	x			x	
47	% of women aged 15–24 with comprehensive knowledge of HIV/AIDS	x				
48	% of men aged 15–24 with comprehensive knowledge of HIV/AIDS	x				
Women's Autonomy, Societal Norms and Gender Equality						
49	% of married women aged 15–49 who have sole or joint (with husband) say in their own health care	x			x	
50	% of women aged 15–49 who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband	x			x	
51	% of surveyed men who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband	x			x	

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Comprehensive sexuality education (CSE)				
		Inclusion of CSE in the national school curriculum	CSE for young adolescents (10 - 14 years old)	Inclusion of info on life skills in CSE	Linking SRH services with CSE	CSE provision for out-of-school young people
52	% of women aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom	x				
53	% of men aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom	x				
54	% of women aged 15–49 who agree with at least one reason why a husband is justified in hitting/beating his wife	x			x	
55	% of surveyed men who agree with at least one reason why a husband is justified in hitting/beating his wife	x			x	
REACHING YOUNG PEOPLE						
Demographic Information						
56	No. of girls aged 10–14 in 2011	x	x			x
57	No. of boys aged 10–14 in 2011	x	x			x
58	No. of women aged 15–19 in 2011	x				x
59	No. of men aged 15–19 in 2011	x				x
School Attendance						
60	% of girls attending primary school	x			x	x
61	% of boys attending primary school	x			x	x
62	No. of girls per 100 boys attending primary school	x			x	x
63	% of women attending secondary school	x			x	x
64	% of men attending secondary school	x			x	x
65	No. of women per 100 men attending secondary school	x			x	x
Exposure to Media						
66	% of women aged 15–19 who are exposed to radio					x
67	% of women aged 15–19 who are exposed to television					x
68	% of women aged 15–19 who are exposed to newspapers					x
69	% of women aged 15–19 who are exposed to all sources of media (radio, TV or newspapers)					x
70	% of women aged 15–19 who have very limited exposure to the three sources of media					x

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Access SRH services				
		Youth-friendly training for health professionals	Removal of age barriers to accessing SRH services	Access to modern methods of contraception for young people	Access to condoms for young people	Establishment of youth-friendly SRH clinics
SEXUAL AND REPRODUCTIVE HEALTH						
Sexual Activity and Marriage						
1	% of women aged 15–19 who have ever been sexually active	x	x	x	x	x
2	% of men aged 15–19 who have ever been sexually active	x	x	x	x	x
3	% of women aged 20–24 who have ever been sexually active	x		x	x	x
4	% of men aged 20–24 who have ever been sexually active	x		x	x	x
5	% of women aged 15–24 who had sexual intercourse before age 15	x	x	x	x	x
6	% of men aged 15–24 who had sexual intercourse before age 15	x	x	x	x	x
7	% of women aged 18–24 who had sexual intercourse before age 18	x	x	x	x	x
8	% of men aged 18–24 who had sexual intercourse before age 18	x	x	x	x	x
9	% of women aged 15–19 who have ever been married	x	x	x	x	x
10	% of men aged 15–19 who have ever been married	x	x	x	x	x
11	% of women aged 20–24 who have ever been married	x		x	x	x
12	% of men aged 20–24 who have ever been married	x		x	x	x
13	Median age at first sexual intercourse among young women	x	x	x	x	x
14	Median age at first marriage among young women	x	x	x	x	x
15	Gap between median ages at first sexual intercourse and first marriage among young women	x	x	x	x	x
16	Median age at first sexual intercourse among young men	x	x	x	x	x
17	Median age at first marriage among young men	x	x	x	x	x
18	Gap between median ages at first sexual intercourse and first marriage among young men	x	x	x	x	x
Contraceptive Knowledge, Use and Need						
19	% of women aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)			x		
20	% of men aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)			x		x
21	Average number of modern methods known among women aged 15–19	x	x	x		x
22	% of sexually active, never-married women aged 15–19 currently using any contraception	x	x	x		x
23	% of married women aged 15–19 currently using any contraception	x	x	x		x
24	% of sexually active men aged 15–24 currently using any contraception	x	x	x		x
25	% of sexually active, never-married women aged 15–19 currently using modern contraception	x	x	x		x
26	% of married women aged 15–19 currently using modern contraception	x	x	x		x
27	% of sexually active men aged 15–24 currently using modern contraception	x	x	x		x

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Access SRH services				
		Youth-friendly training for health professionals	Removal of age barriers to accessing SRH services	Access to modern methods of contraception for young people	Access to condoms for young people	Establishment of youth-friendly SRH clinics
28	% of sexually active men aged 15–24 currently using a condom	x	x	x		x
29	% of sexually active, never-married women aged 15–19 currently using traditional contraception	x		x		x
30	% of married women aged 15–19 currently using traditional contraception	x		x		x
31	% of sexually active men aged 15–24 currently using traditional contraception	x		x		x
32	% of sexually active, never-married women aged 15–19 who have an unmet need for contraception	x		x		x
33	% of married women aged 15–19 who have an unmet need for contraception	x		x		x
Childbearing						
34	% of women aged 15–19 who have ever had a child	x	x			x
35	Median age at first birth among young women	x	x			x
36	% of mothers <20 whose most recent birth was delivered at a health facility	x	x			x
37	% of recent births to mothers <20 that were unplanned	x	x			
SEXUAL RIGHTS AND GENDER EQUALITY						
Sexuality Education in Schools						
38	% of schools that provided skills-based HIV education in the last academic year			x	x	
39	Inclusion in the national school curriculum of skills-based HIV education or health education, including HIV prevention			x	x	
Adults' Attitudes about Sexual Health Information						
40	% of women aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV		x		x	
41	% of men aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV		x		x	
Self-Efficacy Related to Sexual Health						
42	% of women aged 15–24 who report that they could get condoms on their own	x			x	
43	% of women aged 15–24 who know a source for the condom	x			x	
44	% of men aged 15–24 who know a source for the condom	x			x	
45	% of women aged 15–49 who know that HIV risk is reduced by condom use	x			x	
46	% of women aged 15–49 who know that HIV risk is reduced by having one uninfected partner	x			x	
47	% of women aged 15–24 with comprehensive knowledge of HIV/AIDS	x			x	
48	% of men aged 15–24 with comprehensive knowledge of HIV/AIDS	x			x	
Women's Autonomy, Societal Norms and Gender Equality						
49	% of married women aged 15–49 who have sole or joint (with husband) say in their own health care	x				

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Access SRH services				
		Youth-friendly training for health professionals	Removal of age barriers to accessing SRH services	Access to modern methods of contraception for young people	Access to condoms for young people	Establishment of youth-friendly SRH clinics
50	% of women aged 15–49 who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband					
51	% of surveyed men who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband					
52	% of women aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom					
53	% of men aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom					
54	% of women aged 15–49 who agree with at least one reason why a husband is justified in hitting/beating his wife					
55	% of surveyed men who agree with at least one reason why a husband is justified in hitting/beating his wife					
REACHING YOUNG PEOPLE						
Demographic Information						
56	No. of girls aged 10–14 in 2011					x
57	No. of boys aged 10–14 in 2011					x
58	No. of women aged 15–19 in 2011					x
59	No. of men aged 15–19 in 2011					x
School Attendance						
60	% of girls attending primary school			x		
61	% of boys attending primary school			x		
62	No. of girls per 100 boys attending primary school					
63	% of women attending secondary school			x		
64	% of men attending secondary school			x		
65	No. of women per 100 men attending secondary school					
Exposure to Media						
66	% of women aged 15–19 who are exposed to radio			x		
67	% of women aged 15–19 who are exposed to television			x		
68	% of women aged 15–19 who are exposed to newspapers			x		
69	% of women aged 15–19 who are exposed to all sources of media (radio, TV or newspapers)			x		
70	% of women aged 15–19 who have very limited exposure to the three sources of media			x		

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Equality		
		Stopping child and forced marriage	Involvement of (young) men in SRH programmes	Gender equality
SEXUAL AND REPRODUCTIVE HEALTH				
Sexual Activity and Marriage				
1	% of women aged 15–19 who have ever been sexually active			
2	% of men aged 15–19 who have ever been sexually active		x	
3	% of women aged 20–24 who have ever been sexually active		x	
4	% of men aged 20–24 who have ever been sexually active		x	
5	% of women aged 15–24 who had sexual intercourse before age 15			
6	% of men aged 15–24 who had sexual intercourse before age 15		x	
7	% of women aged 18–24 who had sexual intercourse before age 18			
8	% of men aged 18–24 who had sexual intercourse before age 18		x	
9	% of women aged 15–19 who have ever been married	x		
10	% of men aged 15–19 who have ever been married		x	
11	% of women aged 20–24 who have ever been married		x	
12	% of men aged 20–24 who have ever been married		x	
13	Median age at first sexual intercourse among young women			
14	Median age at first marriage among young women	x		
15	Gap between median ages at first sexual intercourse and first marriage among young women			
16	Median age at first sexual intercourse among young men		x	
17	Median age at first marriage among young men		x	
18	Gap between median ages at first sexual intercourse and first marriage among young men		x	
Contraceptive Knowledge, Use and Need				
19	% of women aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)			
20	% of men aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)			
21	Average number of modern methods known among women aged 15–19			
22	% of sexually active, never-married women aged 15–19 currently using any contraception			

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Equality		
		Stopping child and forced marriage	Involvement of (young) men in SRH programmes	Gender equality
23	% of married women aged 15–19 currently using any contraception			
24	% of sexually active men aged 15–24 currently using any contraception			
25	% of sexually active, never-married women aged 15–19 currently using modern contraception			
26	% of married women aged 15–19 currently using modern contraception			
27	% of sexually active men aged 15–24 currently using modern contraception		x	
28	% of sexually active men aged 15–24 currently using a condom		x	
29	% of sexually active, never-married women aged 15–19 currently using traditional contraception			
30	% of married women aged 15–19 currently using traditional contraception			
31	% of sexually active men aged 15–24 currently using traditional contraception		x	
32	% of sexually active, never-married women aged 15–19 who have an unmet need for contraception			
33	% of married women aged 15–19 who have an unmet need for contraception	x		
Childbearing				
34	% of women aged 15–19 who have ever had a child	x		
35	Median age at first birth among young women	x		
36	% of mothers <20 whose most recent birth was delivered at a health facility	x		
37	% of recent births to mothers <20 that were unplanned	x		
SEXUAL RIGHTS AND GENDER EQUALITY				
Sexuality Education in Schools				
38	% of schools that provided skills-based HIV education in the last academic year			
39	Inclusion in the national school curriculum of skills-based HIV education or health education, including HIV prevention			
Adults' Attitudes about Sexual Health Information				
40	% of women aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV			
41	% of men aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV		x	
Self-Efficacy Related to Sexual Health				

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Equality		
		Stopping child and forced marriage	Involvement of (young) men in SRH programmes	Gender equality
42	% of women aged 15–24 who report that they could get condoms on their own			
43	% of women aged 15–24 who know a source for the condom			
44	% of men aged 15–24 who know a source for the condom		x	
45	% of women aged 15–49 who know that HIV risk is reduced by condom use			
46	% of women aged 15–49 who know that HIV risk is reduced by having one uninfected partner			
47	% of women aged 15–24 with comprehensive knowledge of HIV/AIDS			
48	% of men aged 15–24 with comprehensive knowledge of HIV/AIDS		x	
Women's Autonomy, Societal Norms and Gender Equality				
49	% of married women aged 15–49 who have sole or joint (with husband) say in their own health care	x	x	x
50	% of women aged 15–49 who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband		x	x
51	% of surveyed men who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband		x	x
52	% of women aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom		x	x
53	% of men aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom		x	x
54	% of women aged 15–49 who agree with at least one reason why a husband is justified in hitting/beating his wife		x	x
55	% of surveyed men who agree with at least one reason why a husband is justified in hitting/beating his wife		x	x
REACHING YOUNG PEOPLE				
Demographic Information				
56	No. of girls aged 10–14 in 2011			
57	No. of boys aged 10–14 in 2011		x	
58	No. of women aged 15–19 in 2011			
59	No. of men aged 15–19 in 2011		x	
School Attendance				

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Equality		
		Stopping child and forced marriage	Involvement of (young) men in SRH programmes	Gender equality
60	% of girls attending primary school			x
61	% of boys attending primary school		x	x
62	No. of girls per 100 boys attending primary school			x
63	% of women attending secondary school			x
64	% of men attending secondary school		x	x
65	No. of women per 100 men attending secondary school			x
Exposure to Media				
66	% of women aged 15–19 who are exposed to radio			
67	% of women aged 15–19 who are exposed to television			
68	% of women aged 15–19 who are exposed to newspapers			
69	% of women aged 15–19 who are exposed to all sources of media (radio, TV or newspapers)			
70	% of women aged 15–19 who have very limited exposure to the three sources of media			

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Funding	
		Increase in national or local budgets for YFS	Increase in national or local budgets for CSE
SEXUAL AND REPRODUCTIVE HEALTH			
Sexual Activity and Marriage			
1	% of women aged 15–19 who have ever been sexually active	x	
2	% of men aged 15–19 who have ever been sexually active	x	
3	% of women aged 20–24 who have ever been sexually active	x	
4	% of men aged 20–24 who have ever been sexually active	x	
5	% of women aged 15–24 who had sexual intercourse before age 15	x	
6	% of men aged 15–24 who had sexual intercourse before age 15	x	
7	% of women aged 18–24 who had sexual intercourse before age 18	x	
8	% of men aged 18–24 who had sexual intercourse before age 18	x	
9	% of women aged 15–19 who have ever been married	x	
10	% of men aged 15–19 who have ever been married	x	
11	% of women aged 20–24 who have ever been married	x	
12	% of men aged 20–24 who have ever been married	x	
13	Median age at first sexual intercourse among young women	x	
14	Median age at first marriage among young women	x	
15	Gap between median ages at first sexual intercourse and first marriage among young women	x	
16	Median age at first sexual intercourse among young men	x	
17	Median age at first marriage among young men	x	
18	Gap between median ages at first sexual intercourse and first marriage among young men	x	
Contraceptive Knowledge, Use and Need			
19	% of women aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)	x	x

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Funding	
		Increase in national or local budgets for YFS	Increase in national or local budgets for CSE
20	% of men aged 15–19 who have not heard of family planning on any of three sources (radio, TV or newspapers)	x	x
21	Average number of modern methods known among women aged 15–19	x	x
22	% of sexually active, never-married women aged 15–19 currently using any contraception	x	x
23	% of married women aged 15–19 currently using any contraception	x	x
24	% of sexually active men aged 15–24 currently using any contraception	x	x
25	% of sexually active, never-married women aged 15–19 currently using modern contraception	x	x
26	% of married women aged 15–19 currently using modern contraception	x	x
27	% of sexually active men aged 15–24 currently using modern contraception	x	x
28	% of sexually active men aged 15–24 currently using a condom	x	x
29	% of sexually active, never-married women aged 15–19 currently using traditional contraception	x	x
30	% of married women aged 15–19 currently using traditional contraception	x	x
31	% of sexually active men aged 15–24 currently using traditional contraception	x	x
32	% of sexually active, never-married women aged 15–19 who have an unmet need for contraception	x	x
33	% of married women aged 15–19 who have an unmet need for contraception	x	x
Childbearing			
34	% of women aged 15–19 who have ever had a child	x	
35	Median age at first birth among young women	x	
36	% of mothers <20 whose most recent birth was delivered at a health facility	x	
37	% of recent births to mothers <20 that were unplanned	x	
SEXUAL RIGHTS AND GENDER EQUALITY			
Sexuality Education in Schools			
38	% of schools that provided skills-based HIV education in the last academic year		x

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Funding	
		Increase in national or local budgets for YFS	Increase in national or local budgets for CSE
39	Inclusion in the national school curriculum of skills-based HIV education or health education, including HIV prevention		x
Adults' Attitudes about Sexual Health Information			
40	% of women aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV		x
41	% of men aged 18–49 who agree that adolescents aged 12–14 should be taught about using a condom to prevent HIV		x
Self-Efficacy Related to Sexual Health			
42	% of women aged 15–24 who report that they could get condoms on their own	x	x
43	% of women aged 15–24 who know a source for the condom	x	x
44	% of men aged 15–24 who know a source for the condom	x	x
45	% of women aged 15–49 who know that HIV risk is reduced by condom use	x	x
46	% of women aged 15–49 who know that HIV risk is reduced by having one uninfected partner	x	x
47	% of women aged 15–24 with comprehensive knowledge of HIV/AIDS	x	x
48	% of men aged 15–24 with comprehensive knowledge of HIV/AIDS	x	x
Women's Autonomy, Societal Norms and Gender Equality			
49	% of married women aged 15–49 who have sole or joint (with husband) say in their own health care	x	
50	% of women aged 15–49 who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband		
51	% of surveyed men who agree with all three reasons why a wife is justified in refusing to have intercourse with her husband		
52	% of women aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom		

WHICH INDICATORS CAN I USE TO ADVOCATE FOR...		Funding	
		Increase in national or local budgets for YFS	Increase in national or local budgets for CSE
53	% of men aged 15–49 who believe that if the husband has an STI, the wife is justified in asking him to use condom		
54	% of women aged 15–49 who agree with at least one reason why a husband is justified in hitting/beating his wife		
55	% of surveyed men who agree with at least one reason why a husband is justified in hitting/beating his wife		
REACHING YOUNG PEOPLE			
Demographic Information			
56	No. of girls aged 10–14 in 2011	x	
57	No. of boys aged 10–14 in 2011	x	
58	No. of women aged 15–19 in 2011	x	
59	No. of men aged 15–19 in 2011	x	
School Attendance			
60	% of girls attending primary school		
61	% of boys attending primary school		
62	No. of girls per 100 boys attending primary school		
63	% of women attending secondary school		
64	% of men attending secondary school		
65	No. of women per 100 men attending secondary school		
Exposure to Media			
66	% of women aged 15–19 who are exposed to radio		
67	% of women aged 15–19 who are exposed to television		
68	% of women aged 15–19 who are exposed to newspapers		
69	% of women aged 15–19 who are exposed to all sources of media (radio, TV or newspapers)		
70	% of women aged 15–19 who have very limited exposure to the three sources of media		