TABLE 5. Coefficients from probit regression analysis of association between males' characteristics and the probability of reporting condom use at last sex

Characteristic	Total		Ever-married		Never-married	
	Coeff.	S.E.	Coeff.	S.E.	Coeff.	S.E.
DEMOGRAPHIC						
Age-group						
15–19	ref		ref		ref	
20–24	0.07***	0.02	0.02	0.03	0.07***	0.02
Residence						
Rural	ref		ref		ref	
Urban	0.15***	0.02	0.12***	0.04	0.15***	0.02
Education						
None	ref		ref		ref	
1–3 yrs.	0.08***	0.02	0.07	0.05	0.08**	0.03
4–6 yrs.	0.10***	0.02	0.05	0.05	0.12***	0.03
≥secondary	0.12**	0.52	–0.03	0.93	0.14**	0.06
Marital status						
Never-married	ref		na		na	
Ever-married	–0.12***	0.02	na		na	
SEXUAL BEHAVIOR						
Age at first intercourse						
<15	ref		ref		ref	
15–17	0.06**	0.02	0.01	0.03	0.08***	0.02
≥18	0.34	0.22	–0.06*	0.03	0.01***	0.03
No. of yrs. older than last sexual partner						
0	ref		ref		ref	
1–2	0.07	0.05	0.01	0.08	0.04	0.06
3–4	0.05	0.04	0.21**	0.10	–0.02	0.04
≥5	0.05	0.04	0.09	0.06	0.00	0.05
Younger than partner	0.01	0.04	0.09	0.06	–0.07	0.04
Does not know	–0.05	0.03	0.21*	0.12	–0.13**	0.04
AIDS-RELATED						
Has known someone with AIDS						
No	ref		ref		ref	
Yes	0.07***	0.15	0.07**	0.03	0.07***	0.02
Ever used counseling/testing services						
No	ref		ref		ref	
Yes	0.16***	0.05	0.11	0.08	0.17***	0.05
Assessment of HIV risk†						
Incorrect	ref		ref		ref	
Correct	0.15***	0.01	0.07**	0.02	0.18***	0.02
Log likelihood	*–1,666.22*		*–201.16*		*–1,470.38*	

*p<.05. **p<.01. ***p<.001.†Based on a measure that excludes condom use, to avoid endogeneity bias. Notes: ref=reference group. S.E.=standard error. na=not applicable. Coefficients are equal to the change in the probability of condom use associated with a one-unit change in the independent variable.