Table 2. Among women aged 15–44 who have a current fertility problem and who have ever used infertility services, percentage (and standard error) who used a service or who ever experienced a fertility-related condition, by type of service or condition

Service or condition	%
Service received	
Advice	59.8 (2.4)
Tests on woman or man	50.1 (2.6)
Ovulation drugs	34.7 (2.3)
Surgery or treatment for blocked tubes	16.0 (1.6)
Artificial insemination†	12.7 (1.6)
Assisted reproductive technology‡	1.6 (0.6)
Treatment for uterine fibroids	1.5 (0.6)
Treatment for endometriosis	8.8 (1.3)
Medical help to prevent miscarriage	44.3 (2.5)
Condition	
Problems with ovulation/menstruation	26.4 (2.0)
Blocked tubes	17.1 (2.0)
Other tubal/pelvic problems	13.6 (1.6)
Endometriosis	18.0 (1.8)
Semen/sperm problems§	21.8 (2.0)
Pelvic inflammatory disease	13.0 (1.5)
Sexually transmitted diseases††	12.4 (1.6)
Fibroid tumors/myomas in uterus	11.7 (1.6)
Ovarian cysts	26.0 (2.3)

†Artificial insemination with semen either from husband/partner or from a donor. ‡Includes in vitro fertilization, gamete intrafallopian transfer and other techniques not shown separately. §Includes women who reported it was physically impossible or difficult for their husband/partner to father a baby. ††Includes gonorrhea, chlamydia, syphilis and genital herpes. *Note:* These are weighted estimates based on the 1995 National Survey of Family Growth.