TABLE 3. Relative risk ratios (and standard errors) from multinomial regression analysis to identify associations between empowerment measures and the use of female or couple contraceptive methods, versus no use, Zambia, 2007

Model 1

periodic abstinence, na=not applicable, ref=reference group.

Measure

	Female	Couple	Female	Couple	Female	Couple
Overall score	1.17 (0.03)***	1.08 (0.03)**	na	na	na	na
Economic	na	na	1.10 (0.03)**	1.01 (0.03)	1.03 (0.03)	1.02 (0.03)
Sociocultural activities Others/partner alone (ref) Joint/woman alone	na na	na na	1.00 0.99 (0.12)	1.00 0.80 (0.09)†	1.00 1.01 (0.13)	1.00 0.97 (0.12)
Health-seeking behavior Others/partner alone (ref) Joint/woman alone	na na	na na	1.00 1.20 (0.11)†	1.00 0.90 (0.10)	1.00 1.21 (0.12)†	1.00 0.95 (0.11)
Agree on fertility preference						

Model 2 (unadjusted)

Model 3 (adjusted)‡

Agree on fertility preference No (ref) 1.75 (0.16)*** Yes 1.31 (0.15)* 1.45 (0.14)*** 1.31 (0.15)* na na

1.10 (0.03)** 1.11 (0.04)** 1.03 (0.03) Sexual activity negotiation 1.08 (0.03)* na na

^{1.00} 1.00 1.00 1.00 na na

Domestic violence attitudes 1.06 (0.03)* 1.09 (0.03)* 0.99 (0.03) 1.02 (0.03) na na

^{*}p<.05.**p<.01.***p<.001.†p<.10.‡Model 3 controls for all individual and community characteristics. Notes: Female-only methods include the pill, IUD, injectable and implant; couple methods include male and female condoms, the diaphragm, foam, jelly, withdrawal, the lactational amenorrhea method and